

AUTOMOTIVE

09/2018 - 09/2020





INNOVATION LEADING TO SUSTAINABLE PERFORMANCE

To bring a positive contribution to the sustainability of the mobility industry, students from Delft University of Technology (NL), built the first hydrogen electric race car in the world. The goal of these students is to promote the use of hydrogen technology in racing. In the last years, eight cars have been built, including the fastest hydrogen race car ever. The race car depicted here is their latest version, the "Forze 8".

Innovation that leads to a high performance racing car on sustainable energy; "Forze 8", a conscious choice of Finixa to be supportive of this project.

Finixa was recently granted the ISO 14001 certification, which is an international standard for organizations that want to systematically manage their environmental responsibilities, which contributes to the environmental pillar of sustainability.

One way in which Finixa tries to contribute, is by working on solutions to replace traditional solvent-based products by high-performing water-based alternatives. In this catalogue, we are happy to announce a large number of new products that carry the eco-label.



Chemicar Europe NV, based in Belgium, designs and develops high-quality, non-paint products (consumables and equipment) for the professional body shop, under the brand name Finixa. The company started up 35 years ago and evolved from a large distributor to a marketing company, designing most and producing part of its Finixa program.

Besides developing and manufacturing non-paints for the collision repair sector, we also supply some OEM car manufacturer plants.



The distribution & production centre of Finixa is situated in Zwijndrecht (B), at the heart of Europe, the strategical and knowledge base of many high-quality paint & car manufacturers. Products are shipped to our customers all over the world.



HIGH QUALITY

Our products are tested extensively before they are brought onto the market.

INNOVATION

Working techniques and equipment often need to be updated as the way cars are built evolves continuously. Our research and development department focuses on product innovation and improvement in order to not only meet the demands of the market, but to simplify the car repair process.

ECOLOGICAL

We work on finding solutions to replace traditional solvent based products by high-performing water- based alternatives.



DEALER NETWORK

Chemicar operates via a network of dealers all over the world. Body shops buy their Finixa products via one of our dealers. We have distributors on an exclusive and non-exclusive base in almost 100 countries.





TRAINING CENTRE

The brand new Finixa training centre is fully equipped with the latest technology for the automotive aftermarket, including a spray booth. As part of our support plan, we offer technical training, to be organised at our head quarters in Belgium. Here, our dealers, co-workers and interested body shops worldwide are trained in and informed about our technology in our 450 m² training centre.

State-of-the-art training centre

Training tailored to your needs

We organise courses and workshops as a forum to share know how and experience. Customers from all over the world visit our training centre to get demonstrations on how to use Finixa products. Of course, they also get the opportunity to do themselves what they have learnt. This gives our dealers and body shops the means to ensure that they work with our products in a safe manner while guaranteeing that they end up with a perfect result.

PRODUCT CATALOGUE SEPT. 2018 – SEPT. 2020

We are pleased to introduce to you our revamped Finixa catalogue, with more than 180 pages of high-quality products for the automotive aftermarket.

Find a digital version online in 20 languages. To view or download the latest edition, visit www.finixa.com.

MORE THAN 60 NEW PRODUCTS

to further diversify our product range for your convenience. Finixa as one-stop-shop for all your non-paints.

MORE TECHNICAL BACKGROUND INFORMATION

Each chapter starts with a grey page with eg. insightful information on the available products per chapter, technical details and how to read certain icons.

PRODUCT FEATURES COMPARED

Honest comparison of similar products via spider web diagrams or feature overview, in order to help guide you to select the right product for your application.

USE OF ICONS

Icons are used to indicate whether a product is biodegradable or for what possible applications the product is used. Icons are always explained on the grey pages.




ALPHABETICAL LISTING OF ARTICLE NUMBERS

Find packaging details and quantities of all products at the back of the catalogue in the ABC-list.

NEW PRODUCT CLASSIFICATION

The products are classified according to our new training modules. Take a look at the next 2 pages for a complete overview.



This catalogue is made of recycled paper.

1. Paint preparation & application

1.1	General information	13
1.2	Paint system	14
1.3	Dispenser	16
1.4	Mixing cups	17
1.5	FPS adaptors	18
1.6	FPS lids	19
1.7	FPS sets	20
1.8	Spray guns	22
1.9	Paint strainers	24
1.10	Sample plates & accessories	26
1.11	Problem solvers non-paint refinishing ..	28

2. Pre-paint cleaning and degreasing

2.1	General information	33
2.2	Water-based degreaser	34-35
2.3	Cleaning and degreasing cloths	36-37
2.4	Tack rags	38-39
2.5	Dispensers for rolls	40
2.6	Handy accessories	41

3. Detailing and paint correction

3.1	General information	45
3.2	Cleaning exterior	46
3.3	Cleaning interior	49
3.4	Polishing paste	50
3.5	Polishing pads and machines	52
3.6	Polishing sets	54
3.7	Paint correction	56

4. Leather repair

4.1	General information	61
4.2	Leather repair	62
4.3	Sprayable leather paint	71

5. Polyester putties

5.1	General information	75
5.2	Adhesion chart	76
5.3	Polyester putties	77-80
5.4	Spreaders & accessories	81

6. Bonding, sealing and plastic repair

6.1	General information	85
6.2	Bonding	86
6.3	Sealing	87
6.4	Accessories	88
6.5	Metal bonding	89
6.6	Plastic repair	90-91

7. Sanding

- 7.1** General information 95
- 7.2** Round abrasives 96-98
- 7.3** Flat foam pads 99
- 7.4** Scuff rolls 100
- 7.5** Sanding cloths 101
- 7.6** Sanding strips 102
- 7.7** Specials 103
- 7.8** Sanding machines & accessories 104-106
- 7.9** Sanding blocks & accessories 107

8. Masking

- 8.1** General information 111
- 8.2** Masking film 112-113
- 8.3** Masking paper 114
- 8.4** Masking film dispenser 115
- 8.5** Masking film cutter 116
- 8.6** Wheel protection 117
- 8.7** Fine line & sensor tape 118
- 8.8** Lifting tape 119
- 8.9** Masking tape 120-121
- 8.10** Masking foam 122-123
- 8.11** Protection for the interior of the car 124-125

9. Technical sprays

- 9.1** General information 129
- 9.2** Technical spray cans 130-137

10. Spraybooth maintenance and protection

- 10.1** General information 141
- 10.2** Cleaning 142
- 10.3** Dust control 143
- 10.4** Protection 144-147

11. Personal protection

- 11.1** General information 151
- 11.2** Dust & spray masks 152-153
- 11.3** Gloves 154-157
- 11.4** Personal hygiene..... 158
- 11.5** Safety boots 159
- 11.6** Spray overalls 160-165

12. Equipment

- 12.1** General information 169
- 12.2** Panel stands & Trestle 170-171
- 12.3** Gun cleaner 172
- 12.4** Gun cleaning products 173
- 12.5** Isolation pads 174
- 12.6** Panel accessories 175-176
- 12.7** Fluo markers 176
- 12.8** Colour inspection lamp 177
- 12.9** Step-up 177

Promotional items

- Promotional items 180-181

Alphabetical index

- A-Z 182-191





PAINT PREPARATION & APPLICATION

The topcoat remains the most visible step in the entire collision repair process.

Colour matching, gloss level and surface structure determine to a large extent whether or not a repair has been carried out professionally.

That is precisely why the way in which the paint products are prepared and applied is of great importance for achieving a high-quality end result.

Finixa offers a complete range of products for both paint preparation and application. Our globally known mixing cups combined with the easy to use Finixa paint system and newly developed spray guns, result in rapid application times and professional end results.


PAINT PREPARATION & APPLICATION

1.1	General information	13
1.2	Paint system	14
1.3	Dispenser	16
1.4	Mixing cups	17
1.5	FPS adaptors	18
1.6	FPS lids	19
1.7	FPS sets	20
1.8	Spray guns	22
1.9	Paint strainers	24
1.10	Sample plates & accessories	26
1.11	Problem solvers non-paint refinishing ..	28

GENERAL INFORMATION

General information

FPS: PAINT SYSTEM



190 µm lid



125 µm lid




Black cups


	PRIMERS / FILLERS				BASE COAT / SOLID COLOURS						CLEAR COATS			
	Conventional		UV		Water-based		Solvent-based		Solid colours		Conventional		UV	
Cup	400 ml	650 900 ml	400 ml	650 900 ml	400 ml	650 900 ml	400 ml	650 900 ml	400 ml	650 900 ml	400 ml	650 900 ml	400 ml	650 900 ml
FPS	400	650	400	650	400	650	400	650	400	650	400	650	400	650

	PRIMERS / FILLERS		BASE COAT / SOLID COLOURS			CLEAR COATS	
	Conventional	UV	Water-based	Solvent-based	Solid colours	Conventional	UV
125 µm			●	●			
190 µm	●	●		●	●	●	●
226 µm	Filler	●					
280 µm	Filler						
400 µm	Polyester-Epoxy						

NVZ PAINT STRAINER



MCP - MCU - MCB MIXING CUPS + LIDS



CUPS	Black	Unprinted	Printed	LIDS	Black	Unprinted
400 cc	●	●	●	400 cc	●	●
650 cc	●	●	●	650 cc	●	●
900 cc		●	●	900 cc		●
1300 cc		●	●	1300 cc		●
2240 cc		●	●	2240 cc		●
5000 cc			●	5000 cc		●

PAINT PREPARATION & APPLICATION

Paint system

FPS PAINT SYSTEM

Full overview of FPS on page 19

FPS 01-09 SPRAY GUN ADAPTORS

- Stainless steel adaptor available for most spray guns on the market
- Ensures a good leakproof fit between lid and spray gun

See overview on page 18





IMPROVED SEAL BETWEEN CUP AND LID

NO RISK OF BREAKING WHEN OPENING AND REFILLING



MCP

MCP PRINTED MIXING CUPS

See overview on page 17

IMPROVED

MADE OUT OF MORE FLEXIBLE POLYMER BASE MATERIAL

CUP STAYS FLEXIBLE EVEN AT LOWER TEMPERATURES



TIGHTER FIT BETWEEN CUP AND LID



A TAB IS ADDED FOR EASY OPENING AND REFILLING



MADE OUT OF MORE FLEXIBLE POLYMER BASE MATERIAL

PAINT PREPARATION & APPLICATION

Dispenser

MCD 70

DISPENSER FOR MIXING CUPS & LIDS

CUP DISPENSER

- Holds 6 mixing cups: 2x 400ml, 2x 650ml, 1x 900ml and 1x 1300ml.
- Stainless steel
- Easy to attach to wall (2 screws)

400
ml

650
ml

900
ml

1300
ml

2240
ml

5000
ml

See overview on page 17



LID DISPENSER

- Holds the lids for the corresponding cups
- Stainless steel
- Easy to attach to wall (2 screws)

400
ml

650
ml

900
ml

1300
ml

2240
ml

5000
ml

See overview on page 17



MCP PRINTED MIXING CUPS

- Optimized height-width dimensions for more accurate mixing
- Clearly printed and readable from the inside mixing ratios
- 10 different mixing ratios
- Available in 6 volumes: 400cc, 650cc, 900cc 1300cc, 2240cc and 5000cc
- Base feet protecting against cold transfer during mixing
- Stack supports for easy separation
- Winter proof plastic
- Lids available separately
- Also available in an untransparent black version, ideal to store UV sensitive paints like water based base coats or UV primers
- Dispenser in stainless steel available separately

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
-----------	-----------	-----------	------------	------------	------------

MCL/MCLS LIDS FOR MIXING CUPS

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
-----------	-----------	-----------	------------	------------	------------

MCU UNPRINTED MIXING CUPS

- Especially developed for mixing with mixing ruler or scale
- Has the same properties as the printed mixing cups MCP
- Paint system FPS available for 400cc and 650cc
- Available in 4 volumes: 400cc, 650cc, 1300cc and 2240cc

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
-----------	-----------	-----------	------------	------------	------------

MCL/MCLS LIDS FOR MIXING CUPS

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
-----------	-----------	-----------	------------	------------	------------

MCB BLACK CUPS

- Same properties as the unprinted mixing cups MCU
- Black version, not transparent
- Ideal to store UV sensitive paints such as water-based base coats or UV primers
- Available in 2 volumes: 400cc & 650cc

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
-----------	-----------	-----------	------------	------------	------------

MCBL LIDS FOR MIXING CUPS

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
-----------	-----------	-----------	------------	------------	------------

PAINT PREPARATION & APPLICATION

FPS adaptors

FPS 01-09 ADAPTORS

BRAND	MODEL	ADAPTOR
AccuSpray	PerforMax 05-100 Primer	FPS 02
ADIR	Gravity Series	FPS 01
Advantage	90115	FPS 01
Aerometal	2016	FPS 05
	2015 ECO&T	FPS 05
	2100 ECO&T	FPS 05
	Super Fura 34	FPS 05
	Victoria 92	FPS 05
	150	FPS 01
AES		FPS 01
AirGuns	AZ3 HTE 2	FPS 08
	AZ3 THE/AZ3 HV	FPS 05
AirVerter	GG-100	FPS 01
AmPro	AR6025	FPS 01
ANI	F1-s HPS	FPS 03
Astro	M-Star/Quantum Ultra Light/Star QUL	FPS 01
Asturo	ECO/S and ECO/SX	FPS 01
	Gravity Series	FPS 05
ATD	6900 Series and Gravity Series	FPS 01
ATD Leonardo	6865/6872/6913/6914/6915/6918	FPS 02
	6910 Mini	FPS 05
Binks	630/95G/M1-G/MGI 1.8 Primer/SV-100 Gravity	FPS 03
	Cub SLG Mini Gravity	FPS 04
C.A. Technologies	Jaguar 300C	FPS 01
	Jaguar 100C/J100H/SLP/300C/Techline T3	FPS 01
Campbell Hausfeld	DH-6500/7800/7900	FPS 01
CAPsray	3100 Gravity Series	FPS 01
CarQuest	ProValue 2304-PV/2304-PV	FPS 01
Central	Pneumatic Gravity Series	FPS 01
Cornwell	PSG-1400	FPS 01
Craftsman	9-15531	FPS 01
Dart Products	AB17G/h827a/881a	FPS 01
Defynik	Gravity Series	FPS 07
DeVilbiss	Compact ITW/Finishline/GFHV510/GFP/GFV/Gpi	FPS 04
	GTI	FPS 03
	GTI/GTI PRO	FPS 04
	J.G.A/J.G.V./M.B.C./M.G.M.	FPS 03
	MGPi + C62/PRI/SR I mini	FPS 04
	Compact 506	FPS 03
	Compact 506 gravity	FPS 03
	Compact 510 Trans Tech Gravity	FPS 03
	Compact Mini HVLP and Trans Tech	FPS 04
	CVI 620G/CVI 620GW/dRd/EXL 620G	FPS 03
	Finishline FLG4 gravity models	FPS 03
	Finishline FLG-6 Series	FPS 03
	GFG-5 and 6 series	FPS 03
	GFHV-510/JGA-535G/JGA-635G	FPS 03
	PRI 601G Primer	FPS 03
	Sri Mini/Pro Mini/SRIW Mini	FPS 04
	TEKNA/TEKNA Copper/Prolite/QuickClean	FPS 03
Dura-Block	007 Extreme Performance/AF900K	FPS 01
DUX	Gravity Series	FPS 07

BRAND	MODEL	ADAPTOR
Ecco	652-S	FPS 03
Eminent	E13	FPS 05
Evercraft (NAPA)	BK7703758	FPS 01
FINIXA	SPG 500/SPG 501/SPG 518/SPG 525	FPS 01
Goni	321	FPS 01
Graco	Delta GF	FPS 03
	LT200/LT300	FPS 01
Grip	H827W	FPS 01
Grizzly	H7669	FPS 01
Husky	HDS-780/HDS-790/HDS-890 Pro	FPS 01
Ingersol Rand	210G/270G	FPS 01
Iwata	AZ3 HTE 2	FPS 08
	LPA 94/LPH 400	FPS 01
	LPA-94/VX929/VXL949 Primer	FPS 01
	LPH-300	FPS 05
	LPH400 LV/LVB/LVX/440 PRIMER	FPS 01
	Supernova LS-400/Supernova WS-400	FPS 08
	VXL 949	FPS 01
	W300/W300LV	FPS 05
	W400 LVC 90	FPS 03
	W400/400LV/400WB/WR-400	FPS 01
Jonnesway	JA-6111	FPS 01
Kobalt (Lowe's)	KC-566CG/KC-577HG/AIR86 and 88	FPS 01
Krautzberger	Mignon 3	FPS 07
Kremlin	Hti-G/M21-G/M22	FPS 05
Mac	Econocoat/SG1250/SG1300	FPS 01
	SG610K	FPS 03
Mark I	AF7003	FPS 01
Mattco	Gravity Series	FPS 01
	MTPGHE13/MTPGHE15	FPS 02
Max	Air W98	FPS 01
MSB	Gravity Series	FPS 01
M-Star	Gravity Series	FPS 01
NESCO	880	FPS 02
	840/868/870	FPS 01
Nikota	HVLP-G	FPS 01
OPTIMA	500	FPS 03
	400/500/601/800/900	FPS 03
Porter-Cable	PSH-1 and 3	FPS 01
PRO-TEK	2600/4000GH/764x	FPS 01
ProValue (Carquest)	2304-PV and 2305-PV	FPS 01
Sagola	3300-G	FPS 07
	403G/4100G/433G/434G/444G/450G/mini extr	FPS 07
	4400 and 4500 Extreme	FPS 09
	MODEL 71 and 75	FPS 03

BRAND	MODEL	ADAPTOR
SATA	ALL QCC ALL QCC ALL QCC	FPS 06
	HVLP 3000	FPS 06
	JET B NR 95 HVLP	FPS 01
	JET RP	FPS 02
	JET90/S	FPS 02
	KLC B-HVLP	FPS 02
	KLC P	FPS 02
	KLCB-RP	FPS 02
	MC 93	FPS 07
	MCB	FPS 02
	NR 2000	FPS 06
	NR 2000/DIGITAL	FPS 02
	NR 92 HVLP	FPS 01
	RP 3000	FPS 06
	RP DIGITAL	FPS 02
	KLC-B	FPS 02
	KLC-P	FPS 02
	KLC-RP	FPS 02
	KL-Primer	FPS 02
	LM 2000 B	FPS 02
	LM 2000 K	FPS 02
	LM-92	FPS 02
	MCB Primer	FPS 02
	MCB-90	FPS 02
	MCB-93	FPS 07
SATAjet	90/90-2 HVLP/90-2 RP	FPS 02
	B/NR-92/NR-95	FPS 01
	NR 2000 RP and HVLP	FPS 02
SEM	71001 Pro-Tex Truck Bed Liner Gun	FPS 03
Sharpe	Cobalt HVLP (Euro)	FPS 03
	FX-200 Conventional/FX-300 HVLP	FPS 01
Smart (Finishmaster)	Spray Gun Kit (Std)	FPS 01
Spitznagel	W2000A	FPS 01
Spray-It	522	FPS 01
Star III		FPS 01
Sunex	9002A/9004A	FPS 01
Titan Vaper	1.4mm Base/Clear/1.7mm Primer	FPS 01
TranStar	6613/6614/6617	FPS 01
Trem Pro	Gravity Series	FPS 01
U-Pol	Maximum	FPS 01
Walcom	Genesi	FPS 02
	other	FPS 07
Walther Pilot	Pilot IV/Pilot Maxi/Pilot Mini HD/Pilot Mini MD	FPS 05
	861-C/863/881H/904H/H881W	FPS 01
	878/827-C	FPS 02
Warwick	861-C/863/881H/904H/H881W	FPS 01
	878/827-C	FPS 02

FPS 01



FPS 02



FPS 03



FPS 04



FPS 05



FPS 06



FPS 07



FPS 08



FPS 09





FPS PAINT SYSTEM

- The lid fits on 400ml, 650ml and 900ml mixing cups.
- The system can be fitted directly onto the spray gun by means of a quick connect coupling.
- No paint loss/reminders: the cup can be completely sprayed empty.
- Substantially saves money and time to clean spray guns.
- Fit for both solvent- and water-based paints.
- Available in 125µm (green) and 190µm (white).
- Supplied with strainer and valve installed.
- Lids and cups sold separately substantially saving paint system components, nothing is wasted!
- Easy to fill.
- Individually wrapped in plastic foil, always clean.
- 50 pieces in a handy dispenserbox.
- Printed mixing ratios: 2:1 / 3:1 / 4:1 / 5:1 / 6:1 / 7:1 / 8:1 / 9:1 / 10:1 / 12:1
- Several adapters for different spray guns are available.



FPS 0650125



FPS 0400125



FPS 0400190



FPS 0650190

1 PAINT PREPARATION & APPLICATION

FPS sets

FPS

FPS STARTER SET

- 50 x 650cc mixing cups
- 50 x FPS lids 125µm OR 190µm
- 10 x plastic mixing paddles (GAC 1000)

GAC 1000

MIXING PADDLES

Due to the straight shape of the plastic mixing paddle, it is easy to remove paint from the mixing cup. Length: 23 cm.

Sales units:

GAC 0250: Box containing 250 mixing paddles

GAC 1000: Box containing 1000 mixing paddles

MCP 0650

PRINTED MIXING CUPS

- Made out of more flexible polymer base material
- Cup stays flexible even at lower temperatures
- No risk of breaking when opening and refilling
- Improved seal between cup and lid



FPS 0650125 - 0650190

PAINT SYSTEM

- A tab is added for easy opening and refilling
- Smaller tolerance on valve
- Tighter fit between cup and lid
- Easiest and cleanest system on the market

SPG 500C CUP FOR GRAVITY SPRAY GUN 500ML

Cup for gravity spray gun 500ml

MCP 0650 PRINTED MIXING CUPS

- Made out of more flexible polymer base material
- Cup stays flexible even at lower temperatures
- No risk of breaking when opening and refilling
- Improved seal between cup and lid

FPS 01 FPS ADAPTOR M16 INTERNAL THREAD



SPG 60 SPRAY CASE

- 2 x SPG 500 - spray gun LVLP CC 500 (black chrome), nozzle 1.3mm, universal application
- 1 x SPG 500 - spray gun LVLP CC 500 (black chrome), nozzle 1.8mm, universal application
- 1 x Standard cup for gun
- 3 x FPS 01 - FPS adaptor M16 internal thread
- 10 mixing cups 650ml
- 5 x paint system green lids - 125µm.
- 5 x paint system white lids - 190µm.
- 1.3, 1.5, 1.8, 2.0 and 2.5mm Nozzle set up also available separately

FPS PAINT SYSTEM

- A tab is added for easy opening and refilling
- Smaller tolerance on valve
- Tighter fit between cup and lid
- Easiest and cleanest system on the market

SPG 500 SPRAY GUN

- Ergonomic grip.
- Minimal overspray, maximum transfer efficiency.
- LVLP technology: over 74% effective transfer efficiency.
- Lightweight anodized aluminium body, available separately: stainless steel needle set.
- Can be used for water-based and solvent-based paints.
- Required airfeed pressure: between 1.8 and 2.2 bar.
- Incl. cup 500 ml (also available as spare part SPG 500C).
- Nozzle set to be purchased separately (not included).

PAINT PREPARATION & APPLICATION

Spray guns



SPG 100 SPRAY GUN

- Ergonomic grip.
- Minimal overspray, maximum transfer efficiency.
- LVLP technology: over 74% effective transfer efficiency.
- Lightweight anodized aluminium body
- Can be used for water based and solvent based paints.
- Required air feed pressure: between 1.8 and 2.2 bar.
- Standard with a 0.8mm nozzle. Nozzles 0.8mm, 1.0mm, 1.2mm also available separately.
- Incl. cup 100 ml (also available as spare part SPG 100C)

SPG 100K NOZZLE SET FOR SPG 100

- Nozzle set for SPG 100 spray gun.
- Includes nozzle, needle and aircap
- Available sizes: 0.8mm, 1.0mm, and 1.2mm

0.8
mm

1.0
mm

1.2
mm



SPG 500 SPRAY GUN

- Ergonomic grip.
- Minimal overspray, maximum transfer efficiency.
- LVLP technology: over 74% effective transfer efficiency.
- Lightweight anodized aluminium body, available separately: stainless steel needle set.
- Can be used for water-based and solvent-based paints.
- Required airfeed pressure: between 1.8 and 2.2 bar.
- Incl. cup 500 ml (also available as spare part SPG 500C).
- Nozzle set to be purchased separately (not included).

SPG 500K NOZZLE SET FOR SPG 500

- Nozzle set for SPG 500 spray gun.
- Includes nozzle, needle and aircap.
- Available sizes: 1.3mm, 1.5mm, 1.8mm, 2.0mm and 2.5mm.

1.3
mm

1.5
mm

1.8
mm

2.0
mm

2.5
mm



SPG 80 10 L PRESSURE TANK

- The combination of the 10L tank and 10m air/paint tubes makes the SPG 80 the ultimate tool to protect your spraybooth by applying cabin protect.
- Includes a set of hoses (black and transparent) and a spray gun with a 1.8mm nozzle set.
- Place SPG 80 in the centre of the spray booth, no need to move as 10m tubes will allow you to go around the complete spray booth without having to move the tank.
- Combination of an aluminium spray gun and a galvanized powder coated tank allows you to apply in a very comfortable way any primer, basecoat or topcoat, water or solvent based coatings.
- Available as spare parts: SPG 83 transparent hose, SPG 82 set of hoses, SPG 81 spray gun for pressure tank

SPG 80K NOZZLE SET FOR SPG 81 (SPRAY GUN FOR PRESSURE TANK)

1.2
mm

1.5
mm

1.8
mm

2.0
mm



SPG 800



SPG 900

SPG 800-900

HIGH TRANSFER SPRAY GUN - BASE/CLEAR

With the new spray gun series, Finixa launches a premium inhouse developed gravity feed spray gun, that meets all VOC regulations. The gun comes in two finishes, a mat version (SPG 800 for basecoat) and a glossy one (SPG 900 for clears). Standard supplied with a 1.3 nozzle kit, optionally available are 1.2, 1.4, 1.5 and 1.8mm nozzle sets (SPG 900K). These LVLP technology guns produce the finest automation at 1.0-1.3 bar resulting in high-paint transfer with a very low overspray. These guns do not only perform extraordinary but are built to last:

- Lightweight aluminum body
- 100% stainless steel fluid passages
- No rubber parts in the design
- Ergonomic grip
- Fine automation
- Flat spray image
- Easy to adjust
- Fast and smooth application
- Delivered in a hard case including plastic cup 600ml and service tool
- Handy pressure regulator (SPG 920) and maintenance kit (SPG 910) optionally available
- Inlet pressure between 1.8 and 2.2 bar, outlet pressure between 1.1 and 1.4 bar
- To combine with the FPS, use the FPS 01 adaptor



SPG 910



SPG 900K

SPG 910

MAINTENANCE KIT FOR SPRAY GUN SPG 800 AND 900

SPG 900K

NOZZLE SET FOR SPG 800 & SPG 900



SPG 920

SPG 920

PRESSURE REGULATOR FOR SPRAY GUN SPG 800 AND 900

PAINT PREPARATION & APPLICATION

Paint strainers

BBF 10

STRAINERS FOR GRAVITY FED SPRAY GUNS

- Plastic paint strainer designed for placement inside the suction channel of the gravity cup of a spraygun.
- 275µm - 10p



NVZ 0125-0400 PAINT STRAINER

- 400µm PURPLE - NVZ 0400
 - 280µm GREEN - NVZ 0280
 - 226µm GREY - NVZ 0226
 - 190µm RED - NVZ 0190
 - 125µm BLUE - NVZ 0125
- Paint strainers are suitable for use in combination with solvent and water based paints.
 - All paint strainers are packed in handy dispenser boxes. Each dispenser box contains either 250 or 100 strainers.
 - Minimum ordering quantity is 600 or 1000 pieces (4 - 6 dispenser boxes in 1 outer box) depending on the type of strainer.
 - Perfect nylon grid.
 - Accurate filtering.
 - No equal on the market !





20cm



30cm



23cm

MPP 0250-02501 MIXING PADDLES

The S-shape of the MPP has the advantage that it mixes paint faster and preciser than conventional methods
20cm S-shape paddle
Grey color will allow to do a pre-color check while mixing

Sales units:

MPP 0250: Dispenser box containing 250 mixing paddles
MPP 02501: 8 refill bags containing 250 mixing paddles each - for dispenser bucket

MPP 0200 MIXING PADDLES

The S-shape of the MPP has the advantage that it mixes paint faster and preciser than conventional methods
30cm S-shape paddle with a solid hand grip
Grey color will allow to do a pre-color check while mixing

Sales unit:

MPP 0200: Dispenser box containing 200 mixing paddles

GAC 0250-1000 MIXING PADDLES

Due to the straight shape of the plastic mixing paddle, it is easy to remove paint from the mixing cup. Length: 23 cm.

Sales units:

GAC 0250: Box containing 250 mixing paddles
GAC 1000: Box containing 1000 mixing paddles

1 PAINT PREPARATION & APPLICATION

Sample plates & accessories



SSP 00-01-02 SPRAY SAMPLE PLATES

- Metal plates for colour sampling
- Colours: pre-treated with white, light- or dark grey primer.
- Black line over the complete length to check colour covering after spraying.
- Dimensions: 105mm x 150mm.



SSP 00



SSP 01



SSP 02



DDD 00 3D SPRAY SAMPLE

- For test spraying 'special effects' colours.
- The complex shape of the spray sample allows the operator to check paints in all angles.
- Dimensions (l x w x h): 230mm x 130mm x 45mm.





SSP 40

SSP 50

SSP 42

SSP 40 FILING SYSTEM FOR SAMPLE PLATES

Filing system for 250 SSP sample plates with or without envelope. System carries one plastic filing box with 6 adjustable dividers, 32 blank labels and a marker to make notes on the back of the plates.

SSP 42 ENVELOPPES FOR SPRAY SAMPLES

SSP 50 MAGNET HOLDER AND STAND FOR SAMPLE PLATES

Magnet holder (fork) and magnet stand for hands-free handling of the SSP spray samples.



ILO 10

ILO 10 DRYING OVEN FOR SPRAY SAMPLE PLATES

- The drying oven for SSP spray samples simulates the curing process of a spraybooth by using a combination of infrared heating and airblow system for an optimum result. Drying oven is suited for drying water-based paints as well as solvent-based paints.
- Drying oven has an air valve, a temperature gauge and a timer. Power of the infrared lamp is 300W, electrical specifications are 220V, 1.5A, 50Hz and pressure intake has to be 3 bar.

1 PAINT PREPARATION & APPLICATION

Problem solvers for non-paint refinishing



EQU 85 SPRAY GUN SUPPORT WITH MAGNET BACKING

- Very strong magnet; holds 2 filled spray guns
- Can easily be replaced
- Keeps your airlines clean and off the floor



MAK 00 CLEANING KIT FOR SPRAYGUNS

- Complete set of tools for cleaning and maintaining spray guns.
- The set consists out of 8 brushes for cleaning the interior, 3 small brushes with holder and one large brush for the exterior, 6 needles with holder for cleaning the nozzle and a bottle of lubricant to maintain the moving parts.



PIP 03

SIP 1000

SIP 1000 SIPHON

1L bottle with siphon to accurately add liquid to a mixture like distilled water into water-based base coats.

PIP 03 PIPETTE

Precisely remove any excessive pigment from a mixture.
Can also be used to precise add liquid to mixture.



GAD BLACK PLASTIC (PE) STORAGE CUPS

- Black cups are not transparent and ideal to store and transport "UV sensitive" coatings like UV primer/fillers or water based basecoats.
- Each cup is supplied with an airtight sealing lid and suitable for transportation of ready mixed colours.
- UN approved; suitable and tested for road transport of water-based paints.
- Fit to store water-based paints for months.

500
ml

1000
ml

3000
ml

5000
ml

10000
ml



TUB 60 TOUCH-UP BOTTLES 50ML

- Plastic bottles with a lid with integrated brush, to touch up car paint.
- Supplied with a rust-free chromated mixing bullet which makes this bottle suitable for water and solvent based paints.
- Semi-transparent.

TUB 61 TOUCH-UP BOTTLES 20ML

- Plastic bottles with a lid with integrated brush, to touch up car paint.
- Supplied with a rust-free chromated mixing bullet which makes this bottle suitable for water paints and solvent based paints.
- Completely transparent.





PRE-PAINT CLEANING AND DEGREASING

Non-greasy, dust-free surfaces are an absolute must to obtain professional paint results.

The perfect surface preparation can only be achieved by using the right combination of cleaners, towels and tools.

Based on work floor experience and valuable feedback from our customers, we constantly fine tune our product range in accord with the latest paint technology.

PRE-PAINT CLEANING AND DEGREASING

2.1	General information	33
2.2	Water-based degreaser	34-35
2.3	Cleaning and degreasing cloths	36-37
2.4	Tack rags	38-39
2.5	Dispensers for rolls	40
2.6	Handy accessories	41

GENERAL INFORMATION

General information




































2

2004/42/EG

VOC COMPLIANT

Volatile organic compounds (VOCs) are organic chemicals that have a high vapor pressure at room temperature. VOCs are regulated by law to minimize the environmental impact. Products labelled 'VOC compliant' comply with these set regulations.

POLISHING, DEGREASING AND CLEANING CLOTHS

	SOF 25/251	SOF 20/21	SOF 19	SOF 50/52	SOF 60	SOF 62	SOF 11
Colour	white	blue	white	blue	white	white	white
Size in mm	280 x 300	330 x 420	330 x 420	370 x 400	370 x 380	240 x 365	380 x 400
Available as roll	—	SOF 21: 500	—	SOF 52: 500	1000	950	—
Available in box	Bucket/100	SOF 20: 200	SOF 19: 260	SOF 50: 225	—	—	400
Material	cellulose polyester	cellulose polyester	cellulose polyester	polypropylene	paper 3 layers	paper 2 layers	viscose polyester
Weight (g/m ²)	55	78	78	70	60	40	40
Absorption	575%	600%	600%	659%	—	—	530%
For degreasing							
For cleaning							
For polishing							
Use with water-based							
Use with solvent-based							

ICONS



DEGREASING



CLEANING



POLISHING



SOLVENT-BASED



WATER-BASED

TACK RAGS

Material	Solvent-based	Water-based	Universal
Cotton standard flat 80 x 45	TAK 00	TAK 01	
Cotton CTI wavy 80 x 80	TAK 10	TAK 11	
Non-woven anti-static 17 x 45			TAK 20
Non-woven smooth 38 x 45			TAK 31

PRE-PAINT CLEANING AND DEGREASING

Water-based degreaser



FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS

DGR WATER-BASED DEGREASER

DGR 05/25/200 is a water-based cleaner. Can be used to remove dirt, dust, swarf and to degrease all kinds of surfaces such as old paint layers, transport primer, other primers, metal (steel, aluminium and galvanized pieces) and plastic.

To remove residues of tar or glue, we recommend to use a solvent-based degreaser, or use DGR in combination with SBR, but for all other pollution (fly, dirt, sanding dust, fat, finger prints, swarf, ...) this water-based cleaner offers a lot of advantages compared with solvent-based cleaners:



2004/42/EG

VOC COMPLIANT

Eliminates salt and soap rests.

By using 2 cloths, the water-based degreaser removes all dirt from the surface without leaving any traces.

Can be used without mask or gloves.

Next to being nature friendly, the water-based degreaser can be used without any protective gear.

Antistatic action on the surface

Compared to solvent-based degreasers, the water-based degreaser completely nullifies any static action on the surface.

Does not affect rubber or plastic

The water-based degreaser does not affect rubber or plastic, while solvent-based degreasers almost always cause damage to the surface.



5L

DGR 05

25L

DGR 25

200L

DGR 200



**FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS**



0,5L
TSP 600

TSP 600 FOAM IT!

Foam it! is an ammonia-free universal water-based cleaner and degreaser in an aerosol. In contradiction to what is on the market already, Foam it! is not only ammonia-free but leaves, once sprayed, a thin foam layer on the surface. This foam releases all kinds of dirt and grease almost instantly from any surface and wipes off very easily, without leaving any traces. Can be used as a general purpose automotive or domestic cleaner, but is also useful to prepare a surface before painting or plastic repair considering its unique degreasing formula.

Application: spray Foam it! and wipe off with a soft microfiber or non-woven cloth.



The applications are endless:

- Car exteriors (dry cleaning of painted parts, carwash without water)
- Car interiors (plastic, leather, wood, metal, glass, dashboards, door panels, LCD screens)
- Kitchen and bathroom cleaner (anti-bacterial quality)
- Window cleaner, mirror cleaner, TV cleaner
- Rim cleaner



2004/42/EG

VOC COMPLIANT

PRE-PAINT CLEANING AND DEGREASING

Cleaning and degreasing cloths



SOF 251
280 x 300 mm

SOF 25
280 x 300 mm



SOF 20
330 x 420 mm

SOF 21
300 x 380 mm



SOF 19
330 x 420 mm

SOF 25 DEGREASING CLOTHS IN DISPENSER BUCKET

- In need of more control while degreasing, pressure sprayers often create overspray on already paper masked surfaces or non-treated tapes. SOF 25 is a ready-to-use degreaser. Just add 3L of water-based degreaser to the bucket and it is ready to use. Every cloth removed from the bucket will be pre-treated with degreaser for extra control.
- Available in dispenser bucket 280mm x 300mm - 100p

SOF 251 REFILL PACK FOR SOF 25

Set of 6 rolls degreasing cloths for the SOF 25 degreasing system.



See overview on page 33

SOF 20-21 DEGREASING CLOTHS - BLUE

- Degreasing cloths with excellent absorption capacities
- Suited for water-based and solvent-based degreasers
- Lint- and silicone-free
- Available in dispenserbox per 200 pieces (SOF 20)
- Available perforated on a roll per 500 pieces (SOF 21)



See overview on page 33

SOF 19 DEGREASING CLOTHS - WHITE

- Degreasing cloths with excellent absorption capacities.
- Suited for water-based and solvent-based degreasers.
- Lint- and silicone-free.
- Available in dispenser box per 260 pieces
- 330mm x 420mm



See overview on page 33



SOF 50
380 x 400 mm



SOF 52
380 x 320 mm



SOF 60
400 x 370 mm

SOF 62
400 x 370 mm




SOF 11
380 x 400 mm

SOF 50-52 CLEANING/DEGREASING CLOTHS

- Universal cleaning cloth with a large absorption capacity.
- Voluminous and soft; comfortable handling
- Suited for all kinds of applications such as degreasing and cleaning with solvent-based products or oil.
- Available in dispenserbox per 225 pieces (SOF 50) - 380mm x 400mm
- Available perforated on a roll per 500 pieces (SOF 52) - 380mm x 320mm



See overview on page 33



SOF 60 CLEANING PAPER - 3 LAYERS

Cleaning paper with 3 layers for all kinds of maintenance.



See overview on page 33



SOF 62 CLEANING PAPER - 2 LAYERS

Cleaning paper white - 2 layers - for all kinds of maintenance.



See overview on page 33




SOF 11 POLISHING CLOTHS

- The cloths are very soft, voluminous, lint-free and free of silicone.
- Can also be used for cockpit cleaning.
- Handy dispenser box with 400 pieces.



See overview on page 33



PRE-PAINT CLEANING AND DEGREASING

Tack rags



TAK 00-01
800 x 450 mm



TAK 00




TAK 01

TAK 00-01

TACK RAGS STANDARD / TACK RAGS STANDARD WATER-BASED

- Unique impregnation: never dries out - silicone-free.
- Before use unfold completely and then make a ball; use this ball to rub the surface gently, by doing so the rag will wipe away all dust.
- Attention: do not put pressure on the rag during use, as you might only move the dust instead of wiping it away.
- Extra advantage TAK 01:
- Impregnated with a water-based product: works anti-static, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint.

See overview on page 33



TAK 10-11
800 x 800 mm



TAK 10



TAK 11

TAK 10-11

TACK RAGS CTI / TACK RAGS CTI WATER-BASED

- Tack rag with a wavy surface structure: once removed from the packaging, instantly ready for use.
- Ideal for large surfaces.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.
- Extra advantage TAK 11:
- Impregnated with a water-based product: works anti-static, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint.

See overview on page 33





TAK 20
170 x 450 mm

TAK 20 TACK RAGS SOFT

- Made of non-woven material, no cotton.
- Before use unfold completely and then make a ball; use this ball to rub the surface gently, by doing so the rag will wipe away all dust.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.

See overview on page 33



TAK 30-31
380 x 450 mm

TAK 30-31 TACK RAGS SMOOTH

- Impregnated with a water-based product: works anti-static, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint.
- Also ideal to quickly remove dust from furniture or other smooth objects on wood, metal or plastic.
- Ideal for large surfaces.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.
- Also available in individual packaging: TAK 31

See overview on page 33



PRE-PAINT CLEANING AND DEGREASING

Dispensers for rolls

2

SOF 90-92

FLOOR STAND ROLL DISPENSER

- Dispenser powder-coated in blue.
- Tearing element helps to block the roll in the right position and tear off one or more cloths.
- For rolls with core of min. Ø5cm to max. Ø7cm and length min. 30cm to max. 37cm.
- Available with bin bag fastner (SOF 92)



SOF 90

SOF 92

SOF 91

WALL MOUNT ROLL DISPENSER

- Dispenser powder coated in blue.
- To be mounted to a wall
- Tearing element helps to block the roll in the right position and tear off one or more cloths.
- For rolls with core of min. Ø5cm to max. Ø7cm and length min. 30cm to max. 37cm.





LSP 50

LSP 15

LSP 20

LSP 50

LSP 20 PRESSURE SPRAYER 1L

- Pressure sprayer for spraying water- and solvent-based degreasers.
- Resistant to solvents due to viton parts, always consult resistance list before use.

LSP 15 FINIXA PRESSURE SPRAYER 500ML

LSP 50 CODING CAPS

Tired of searching for the correct and/or misplaced pressure sprayer? Use the set of 5 coloured magnetic holders and coding caps to organise your workshop! The caps are placed over the sprayers' nozzle so there is never a risk of contamination while refilling. The holders can be fixed to metal using the strong magnet or fixed to any surface using 2 screws.



WJE 05

RJE 21

RJE 20

EQU 024

RJE 20-21 RUBBER JET

- The rubber tip makes it easy to blow out dirt and dust from cracks and joints without the risk of damaging paintwork.
- The airflow can be regulated by loosening or tightening the screw on the RJE.
- 2 versions available: RJE 20 to be used with a customer provided airline coupling or RJE 21 which has a CJEN coupling pre-installed.

WJE 05 WINDJET

- Windjet air nozzles deliver a high performance flat jet of compressed air.
- The nozzle (made of ABS plastic) is designed for cooling, drying and cleaning by hand or in a fixed setup.
- Ideal for drying water-based paint jobs on spot repairs.

EQU 024 LITTLE TAP FOR WJE 05

Little tap for WJE 05



DETAILING AND PAINT CORRECTION

Whether it concerns the correction of small imperfections in freshly sprayed paint, the repair of stone chip damage or the professional cleaning of both the inside and outside of a vehicle, Finixa offers a complete range of products for car detailing and valeting.

From cleaning and protecting to high-gloss polishing; we offer professional and time saving systems and tools to make your life easier and your customers happy.

DETAILING AND PAINT CORRECTION

3.1	General information	45
3.2	Cleaning exterior	46
3.3	Cleaning interior	49
3.4	Polishing paste	50
3.5	Polishing pads and machines	52
3.6	Polishing sets	54
3.7	Paint correction	56

GENERAL INFORMATION



CLEANING

CLEANING EXTERIOR

1. PREPARATION & DEGREASING

For paintwork + windows:

Clay bars
Clay disc
Hand pad
Water-based degreaser

2. WASHING

For paintwork + windows

All-in-one car shampoo
Dry wash

3. DRYING

For paintwork + windows

Water blade
Microfiber car towel

4. PROTECTING

For paintwork
Spray wax
Hand and machine wax
For tires and plastics
Black tire gel
Hand foam pad

APPLICATION TOOLS :

Pressure sprayer, bucket, sponges, ...

5. HEAD LIGHT RENEWAL SET

Complete set **NEW**

CLEANING INTERIOR

1. CLEANING

For windows, dashboard, plastics

Foam-it!
Microfiber cloth

2. PROTECTING

For dashboard and plastics

Plastic renewal gel
Hand foam pad

For leather

Leather shine and protect



POLISHING

Finixa offers a complete range of water-based polishing products, polishing discs and machines for use on fresh or weathered paints.

1. TYPES OF PADS TO BE USED



WOOL



RED
FOAM



WHITE
FOAM



ORANGE
FOAM



BLACK
FOAM

2. ICONS



Rotation speed



Gloss level of the finished surface



Aggressiveness of the product or pad



Duration the surface will be protected under normal circumstances



Removal of scratches by using abrasives with grit P...



PAINT CORRECTION

Finixa offers tools and problem solvers to repair stone chips and to remove paint imperfections and offers applications for touch-up work.

1. STONE CHIP

For paintwork
Stone chip repair

2. REMOVING PAINT IMPERFECTIONS

For paintwork
Cleaning needle set
Dust removal file

3. TOUCH-UP APPLICATIONS

For paintwork
Touch-up tips

Detailing and paint correction

Cleaning exterior



DGR 05-25

WATER-BASED DEGREASER

DGR 05/25 is a water-based cleaner. Can be used to remove dirt, dust, swarf and to degrease all kinds of surfaces such as old paint layers, transport primer, other primers, metal (steel, aluminium and galvanized pieces) and plastic.

See overview on page 34



DGR 05 DGR 25



CSH 05

ALL IN ONE CAR SHAMPOO

- Excellent cleaning power.
- Top wax protection included.
- Almost completely self drying.
- Ensures gloss back easily.
- Bio-degradable.
- Can be used by hand or high pressure cleaner

SPW 05

SPRAY WAX



- Unique formula, never leaves traces, not even on windows.
- Can be used directly on the panel (dry) to add gloss and protection.
- Also to be used on a wet washed car, to improve drying in combination with microfiber towels.
- Without any silicone content, to be safely used in the body shop.
- Helps remove holograms after polishing.



CLP 15

CLAY PAD WITH VELCRO 15 CM

- For fast and effortless removal of paint spray mist, resin, insect remains, old wax, etc.
- 15 cm diameter
- Makes claying fast and easy
- Use in combination with Finixa water-based degreaser
- For use on orbital sanding machines at moderate speed
- Optional velcro adapter for hand use

CLP 16

VELCRO HAND PAD 15CM

Adapter for manual use of clay pad CLP 15

TWL 00

LARGE MICROFIBRE CLOTH

- TWL 00 is a large double-sided long-haired microfibre cloth with which it is possible to dry a complete car in one go, without wringing out the cloth.
- Microfibre is a high-quality textile composed of polyester and polyamide. Microfibre cloths can be used both dry and wet. In a dry state they attract dust and dirt as a powerful magnet.
- When wet, they can absorb more than 7 times their weight. Dimensions 60cm x 90cm. Packed individually.

SPM-SPJ 00

SPONGES

- Jumbo sponge to clean car, motorcycles, vans,...
- Highly water-absorbent
- Microfiber skin will remove aggressive dirt, like insect marks on headlights and bumpers, faster without leaving scratches.



DRW 05 DRY WASH 5L



- Waterless cleaning and protecting in one go
- Lifts and encapsulates dirt particles; no scratching, not even on dirty surfaces
- Twice as fast as normal washing; no water needed, no rinsing, no chammying
- Fast and easy to apply; spray, spread out and buff
- Streakless, water-repellent finish with a deep gloss
- Silicone free; wax protection included
- Works best when using 2 Finixa microfiber cloths POL 40
- 1 litre will clean approximately 6-8 cars

BUC 12 BUCKET WITH SPOUT

12 Litre bucket with pour spout, available with optional 'anti-dirt' screen keeping larger dirt at the bottom and avoiding the transfer of these sharp components to your vehicles surface.

BUI 12 FINIXA ANTI-DIRT GRID FOR BUC 12



NEW

WWB 00 WATER BLADE

- Soft silicone blade for removing water fast and easy after washing down a vehicle without harming the lacquer.
- Works very fast.
- Makes no scratches.
- Flexible silicone blade moulds to the shape of any surface.
- Virtually eliminates messy towels and chamois.
- Reduces streaking by 80%.
- Suitable for all surfaces.
- Width: 33cm.

POL 34 HAND FOAM PAD - MEDIUM

- Open foam pad with handgrip - medium hard
- For manual polishing, waxing or applying black tyre gel

MHW 05-10 MACHINE AND HAND WAX

- Protect your paint or polished work for a long time; use the Finixa hand and machine wax by hand or machine.
- High-grade natural and synthetic wax components.
- Deep gloss result
- Durable paint protection
- Grapefruit smell.
- By hand: rub in with POL 33, wait a few minutes and polish the excessive dry product away with a clean microfiber;
- By machine: apply at medium speed and a soft pad the product onto the panel and afterwards wipe away the excessive with a microfiber.

0.5L

1L

MHW 05 MHW 10

BTG 05 BLACK TYRE GEL

Black tyre gel can be applied with the POL 33 foam pad to make tires deep black and leaving them shining for a very long time. Also suitable to refurbish non-painted plastic parts. Water-based and silicone free.

ACG 00 AUTO CLEAN GUM

- Kneadable gum for removing paint overspray without harming the lacquer.
- Apply Finixa waterbased degreaser (DGR) to the surface and rub the overspray away with the gum.
- Can also be used to remove other contamination from the lacquer: such as tar, tree resin, flies, ...

FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS

TSP 710 2K CLEAR COAT - 250 ML

See overview on page 134

HRS 00 HEADLIGHT RENEWAL SET

- Brings headlights back to their original state in just a few easy steps!
- Avoid costly replacements
- Removes UV radiation, stone chips and yellowing
- Increases light output and car value
- Easy and cost effective: simply sand, degrease and spray
- Easy all-in-one set including:
 - Waterproof abrasive SUNE 0800 and 1000
 - Ammonia-free water-based cleaner and degreaser TSP 600 Foam-it aerosol 500 ml
 - 2K clear coat with perfect adhesion on polycarbonate, scratch free, petrol and UV-resistant, fast drying: TSP 710 aerosol 250 ml
 - 1 microfiber cloth



SUNE 0800-1000 SANDING SHEET 230MM X 280MM - WATERPROOF

See overview on page 103

TSP 600 FOAM IT!



See overview on page 35

POL 40 MICROFIBER CLOTH GREEN - 40 X 40 CM

See overview on page 49





PRG 05

PLASTIC RENEWAL GEL

- Plastic renewal gel nourishes plastic, leather interiors re-intensifying the colour leaving natural gloss.
- Easy application with POL 33.
- Water-based and silicon-free.

TSP 600

FOAM IT!



Foam it! is an ammonia-free universal water-based cleaner and degreaser in an aerosol. In contradiction to what is on the market already, Foam it! is not only ammonia-free but leaves, once sprayed, a thin foam layer on the surface. This foam releases all kinds of dirt and grease almost instantly from any surface and wipes off very easily, without leaving any traces. Can be used as a general purpose automotive or domestic cleaner, but is also useful to prepare a surface before painting or plastic repair considering its unique degreasing formula.

See overview on page 35

POL 33

HAND FOAM PAD

- Soft open foampad with handgrip
- For manual polishing or applying plastic renewal gel

POL 40

MICROFIBER CLOTH GREEN - 40 X 40 CM - 5P.

The super soft green microfiber cloths, packed 5 pieces, ideal to remove polish residue and to create a gloss on the surface.

LRS 01

LEATHER SHINE AND PROTECT

Water-based protective cream creating a barrier to prevent penetration of dirt contamination in the leather. It will not make the leather more glossy than how it was before: respects the original gloss/matt finish of the leather.

See overview on page 70



Detailing and paint correction

Polishing paste

3



POL 05-10

ONE STEP POLISH PASTE

- Based on nanotechnology, this paste can polish not only very fast from coarse to very fine, but it also brings back a gloss degree of 95%. An additional advantage is that this paste stays "wet" for a long time and it minimizes the risk for dry powder residue. This polish paste can be used on old paints and fresh paints, also on all 2K products and the newest generation of ceramic paints.
- Can be used for different applications: removing dust, polishing spray zones, polishing contamination after sanding, bringing back gloss on old, mat paints, refurbishing headlights.

Advantages:

1 product from start to finish

Water-based

For used on fresh and weathered paints

Up to 50% time saving

Eco-friendly; no need for masks or gloves

Easy clean-up, even on black plastic parts

Very high cutting power

Low dust formation

Outstanding gloss



0.5kg

POL 05

1kg

POL 10



P2000



High



750-
2000



High



See overview on page 45

POL 15 2-STEP POLISH PASTE - STEP 1

- Polish with high cutting power, to be used before step 2
- Water-based
- Safe to use on fresh paint
- Eco-friendly: no need for eye protection
- Easy to clean up, even on black parts
- Budget friendly



P2000



High



750-
2000



See overview on page 45



POL 16 2-STEP POLISH PASTE - STEP 2

- Finishing polish, to be used after step 1
- Perfect to remove holograms and micro-scratches
- Water-based
- Safe to use on fresh paint
- Eco-friendly: no need for eye protection
- Easy to clean up, even on black parts
- Budget friendly



Low



750-
2000



High



See overview on page 45



Detailing and paint correction

Polishing pads and machines



80/5mm **MINI**



80/25mm **MINI**



80/25mm **MINI**



80/25mm **MINI**



80/25mm **MINI**



135/5mm **POL 55**



145/30mm **POL 55**



145/30mm **POL 55**



145/30mm **POL 55**



145/30mm **POL 55**



175/5mm **POL 80**



180/30mm **POL 80**



180/30mm **POL 80**



180/30mm **POL 80**



180/30mm **POL 80**

POP 108-114-117 LAMBSWOOL PAD

- High cutting power
- Removing of P2000 scratches

Available sizes:

- 80/5mm
- 135/5mm
- 175/5mm



High



700-1200



High

POP 308-314-318 RED FOAM PAD

- High cutting power
- Removing of P2000 scratches

Available sizes:

- 80/25mm
- 145/30mm
- 180/30mm



High



700-1200



High

POP 508-514-518 WHITE FOAM PAD

- Closed-cell foam pad
- Same application as orange foam pad, does not absorb product
- Ideal for small applications
- Removes more material faster

Available sizes:

- 80/25mm
- 145/30mm
- 180/30mm



Medium
high



700-1500



Moderate

POP 708-714-718 ORANGE FOAM PAD

- Open-cell foam pad
- Universal semi-rigid pad for most applications
- Ideal for large applications

Available sizes:

- 80/25mm
- 145/30mm
- 180/30mm



Medium low



700-2000



Moderate

POP 908-914-918 BLACK FOAM PAD

- Soft foam pad
- Ideal for removing micro swirls
- Can be used egocentrically to remove holograms

Available sizes:

- 80/25mm
- 145/30mm
- 180/30mm



Low



1200-2500



Low



POL 50

POL 56 (M14) /
POL 57 (5/8)

POL 50 PNEUMATIC POLISHER

The lightweight pneumatic polisher has a special speed control function, allowing the user to regulate the speed of the polisher and therefore also suited in combination with the POL 10 leading to maximum performance from low to medium speed polishing.

POL 56 (M14) / POL 57 (5/8) INTERFACE POLISHING PAD

Universal, fits on almost all electric polishing machines. This polishing pad is unique because of its flexibility: when polishing flat, you use the entire surface of the polishing pad just like other polishing pads (diameter 145mm). But with this pad you can also easily polish over edges and even polish at an angle which makes it possible to put locally and temporarily more pressure on the surface while the polishing pad itself stays flat.



POL 55

POL 56 (M14) /
POL 57 (5/8)

POL 55 ELECTRIC POLISHER

- 1050W
- 2:1 transmission - high torque at low RPM
- Improved cooling-ventilation system
- Adjustable from 700 up to 2500 RPM
- Very lightweight (2,6 kg): easy and comfortable handling
- 5m cable
- Including backing pad, side handle and spare carbon brushes



POL 80

POL 81

POL 80 ELECTRIC POLISHER HEAVY-DUTY

- 1500W
- 2:1 transmission: high torque at low RPM
- Adjustable from 700 up to 2500 RPM
- Cooling-ventilation system
- Weight: 3,7kg
- Easy and comfortable handling
- 5m cable
- Including a backing pad, side handle and carbon brushes

POL 81 INTERFACE POLISHING PAD

- Interface pad for POL 80 - 120mm - M14
- Included when polisher is purchased.

Detailing and paint correction

Polishing sets

POL 60

ELECTRIC POLISHING KIT

Contains: 1 electric polisher - 2 bottles of Finixa's unique one-step polishing compound, 2 lambswool pads - 2 open-cel structure orange pas - 2 closed-cel structure white pads - 2 soft black finishing pads and a package of microfiber cloths

POP 908-914-918

BLACK FOAM PAD

- Soft foam pad
- Ideal for removing micro swirls
- Can be used egocentrically to remove holograms

Available sizes:

- 80/25mm
- 145/30mm
- 180/30mm

POP 708-714-718

ORANGE FOAM PAD

- Open-cell foam pad
- Universal semi-rigid pad for most applications
- Ideal for large applications

Available sizes:

- 80/25mm
- 145/30mm
- 180/30mm

POP 508-514-518

WHITE FOAM PAD

- Closed-cell foam pad
- Same application as orange foam pad, does not absorb product
- Ideal for small applications
- Removes more material faster

Available sizes:

- 80/25mm
- 145/30mm
- 180/30mm

POL 56 (M14) / POL 57 (5/8)

INTERFACE POLISHING PAD

POL 40

MICROFIBER CLOTH GREEN - 40 X 40 CM - 5P.

The super soft green microfiber cloths, packed 5 pieces, ideal to remove polish residue and to create a gloss on the surface.





POL 05-10 ONE STEP POLISH PASTE

- Based on nanotechnology, this paste can polish not only very fast from coarse to very fine, but it also brings back a gloss degree of 95%. An additional advantage is that this paste stays "wet" for a long time and it minimizes the risk for dry powder residue. This polish paste can be used on old paints and fresh paints, also on all 2K products and the newest generation of ceramic paints.

POP 108-114-117 LAMBSWOOL PAD

- High cutting power
- Removing of P2000 scratches

Available sizes:

- 80/5mm
- 135/5mm
- 175/5mm

POL 55 ELECTRIC POLISHER

- 1050W
- 2:1 transmission - high torque at low RPM
- Improved cooling-ventilation system
- Adjustable from 700 up to 2500 RPM
- Very lightweight (2,6 kg): easy and comfortable handling
- 5m cable
- Including backing pad, side handle and spare carbon brushes

POL 61 PNEUMATIC POLISHING KIT

Finixa pneumatic polishing kit: contains 1 pneumatic polisher - 2 bottles of Finixa's unique one-step polishing compound - 2 lambswool pads - 2 open cell structure orange pads - 2 closed cell structure white pads - 2 soft black finishing pads and a package of microfiber cloths.

POL 62 ELECTRIC POLISHING KIT

Contains: 1 electric polisher - 1 bottle of Finixa's unique one-step polishing compound - 1 bottle of machine/handwax - 2 lambswool pads - 2 open-cel structure orange pas - 2 closed-cel structure white pads - 2 soft black finishing pads and a package of microfiber cloths

Detailing and paint correction

Paint correction



PMP 20
2,0 mm

PMP 21
1,5 mm

PMP 22
1,0 mm



DRF 05-10

DUST REMOVAL FILE

- A dust file made of very hard metal for removal of dust and dirt from dried paint.
- Simply lay the file flat down on the surface and gently cut the contamination out of the paint with a minimum of damage.

DRF 50

DUST REMOVAL FILE APPLICATOR

- Applicator to be used in combination with DRF10.
- The magnet inside the applicator makes sure the file stays fixed during application.
- The applicator can also be used in combination with the SPDM sanding flowers. Stick the SPDM to the flat side of the applicator and you're ready to go.

PMP 20-21-22

TOUCH UP TIPS

- 100 touch-up tips packed in a convenient and dust-free dispenser.
- Ideal for touching up small paint damage and stone chips.
- The plastic shaft with plush-free tip is disposable, convenient and cheaper than a classic brush. Always a clean tip at hand!
- Can also be used as a pencil. By changing the pressure, you receive a bigger or smaller print. Ideal for making small lines.
- Available in 3 thicknesses:
- blue (regular) PMP 20 = 2,0mm
- yellow (fine) PMP 21 = 1,5mm
- white (very fine) PMP 22 = 1,0mm
- Thickness of the applicator = 3,28mm

CNS 10

CLEANING NEEDLE SET

- A set contains one penholder with 10 replacement needles, individually packed in a blister.
- The needles have microscopic small hooks which make it possible to remove dust and dirt from wet paint.

CNS 12

REPLACEMENT NEEDLES

SCU 20

STONE CHIP REPAIR UV

- Fast UV curing clear coat for stone chip and scratch repair
- Fast, simple and cost effective repair of stone chips and scratches
- 1 component, fast curing
- No shrinkage after curing
- High level of finish
- Same strength, durability and chemical resistance as a 2K clear coat
- Can be sanded and polished after 45 seconds
- Curing with stone chip curing lamp SCL 00

THE PERFECT STONE CHIP REPAIR IN 10 EASY STEPS:

- Clean/degrease the surface with TSP 600 Foam-it!
- Sand around the stone chip with SPDM P1500-2000
- Clean with TSP 600 Foam-it!
- Apply the base coat
- Dry the base coat
- Apply stone chip repair UV with PMP touch-up tips
- Dry for 45 seconds at 20mm distance with stone chip curing lamp
- Remove excess clear coat with DRF 10 dust removal file
- Sand with SPDR P1500-2000
- Polish with Finixa polishing system



SCU 20

SCL 00

SCL 00

STONE CHIP CURING LAMP

- Universal, handheld LED lamp for UV drying
- 3.7 V. lithium, rechargeable battery
- Recommended distance to surface: 10 – 30 mm.
- High power – 5 W.
- Can also be used as a detection and inspection lamp



LEATHER REPAIR

It doesn't matter what type of leather you have, or what colour, Finixa offers a range of leather repair products that can be used on them all.

Due to unique water-based products, anyone can now repair leather like a professional!

Finixa offers you a handy all-in-one leather repair set containing all necessary products to fix damages on leather such as rips & tears, cuts & cracking, burns and holes. The set also includes step-by-step guidelines on how to get a professional result.

By using our colour sample, you can mix the colour you need and touch up with a sponge or, for larger surfaces, apply the colour with a spray gun.

LEATHER REPAIR

4.1	General information	61
4.2	Leather repair	62
4.3	Sprayable leather paint	71

GENERAL INFORMATION



**Leather and plastic repair system - the easiest
“all-in-one” system on the market**



The Finixa Leather Repair System “LRS” is a universal cleaning, repair and repaint system, especially developed for the automotive aftermarket.

Does not only repair and restore leather, but also plastic interior parts such as door trim panels, dashboard and consoles.

Easy to use and very cost effective.

**CLEANING & PROTECTING**

- Ink dissolver
- Water-based cleaner
- Water-based leather cream

**RESTORING**

- Solvent-based cleaner
- Leather adhesive
- Filler
- Structure copier
- Structure spray

**COLOURING**

- Water-based touch-up colours (sponge)
- Water-based spray colours (spray gun)
- Water-based top coat gloss/matt

LEATHER REPAIR

Leather repair set

LRS 90

LEATHER REPAIR SET

The leather repair set is a complete range of products to protect, clean, repair and restore leather and even plastic interiors of cars.



Code	Description	CLEANING Dirt & soiling	CLEANING Colour transfer to the leather	CLEANING Old ink	CLEANING Recent ink	CLEANING Severe grease & oil	RESTORING Steering wheel renovation	RESTORING Car interior refinish	REPAIRING Cigarette burn damage	REPAIRING Scuffs & scratches
LRS 01	Leather shine and protect		●	●	●	●		●	●	●
LRS 10	Ink dissolver			●	●					
LRS 11	Power cleaner	●	●		●	●	●	●	●	●
LRS 12	Stain remover									
LRS 13	Intense cleaner			●		●	●	●		
LRS 14	Stain remove sponge	●	●		●	●	●	●	●	
LRS 20	Leather & textile degreaser					●	●	●		
LRS 22	Leather glue							●	●	●
LRS 23	Mesh								●	
LRS 30	Fine filler paste						●	●		
LRS 31	Filler						●	●		●
LRS 32	High build filler								●	
LRS 33	Surface structure copier								●	●
LRS 34	Structure copier applicator								●	●
LRS 35	Heat resistant foil for structure copier								●	●
LRS 36	Mixertip for structure copier								●	●
LRS 40	Colour sample for touch up					●	●	●	●	●
LRS 41	Plastic primer									
LRS 42	Extra adhesion					●	●	●		
LRS 43-53	Touch up colours					●	●	●	●	●
LRS 54	Matting additive for touch up								●	●
LRS 55	Colour fixer					●	●	●		
LRS 56	High density sponge		●	●	●	●		●	●	●
LRS 60	Texturing spray						●			
LRS 70	Matt top coat					●	●	●		
LRS 71	Glossy top coat					●	●	●		
LRS 72	Top coat adhesion promoter					●	●	●		

LEATHER REPAIR

Leather repair set



20 ml

LRS 10 INK DISSOLVER

Ink dissolver will easily remove recent ballpoint ink or lipstick from topcoated leather, vinyl or vinyl-like surfaces. Can also be used to remove stains if the surface was pre-treated with leather shine and protect.



2p.

LRS 14 STAIN REMOVE SPONGE

Sponge with high cleaning characteristics that will remove deep and ingrained stains.



250 ml

LRS 11 POWER CLEANER

Advanced cleaning product, formula removes difficult stains from pigmented leather.

Use in combination with LRS 14



250 ml

LRS 12 STAIN REMOVER

Solvent-based stain remover for perseverant stains such as transferred colour from blue jeans, clothes, pillows, blankets, ink, newspapers, etc. on finished leather and vinyl.

Use in combination with LRS 14



FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS

LRS 13 INTENSE CLEANER

Intense cleaner is a very strong cleaner for pigmented leather. It removes all types of stains but also the colour of the leather. Respraying a colour afterwards is therefore necessary. This product must be used in a well-ventilated area.

Use in combination with LRS 14



250 ml

LRS 20 LEATHER & TEXTILE DEGREASER

Aerosol to remove frequently occurring stains such as saturated oil, grease and sweat from leather.

Use in combination with LRS 14



400 ml

LEATHER REPAIR

Leather repair set



75 ml



15 ml



15 ml



LRS 30 FINE FILLER PASTE

The fine filler is used to cover small defects such as scratches, rips, cracks and abrasions. Easy sanding, ideal to get a perfect even surface needed in a complete refinishing job.

Use in combination with LRS 73



LRS 31 FILLER

The filler can be used to repair superficial damage (such as scratches) on pigmented leather.

Use in combination with LRS 73



LRS 32 HIGH BUILD FILLER

The heat activated high build filler is used to repair heavily damaged leather such as cuts and cigarettes burns.

Use in combination with LRS 73



LRS 73 SPATULA FOR LEATHER REPAIR

Spatula to facilitate the application of a filler



LRS 23 MESH

Very strong mesh used to repair cuts and holes.

Use in combination with LRS 22





20 ml



400 ml

LRS 22 LEATHER GLUE

Heat activated leather glue is a flexible, strong adhesive, formulated for repairing flaps, abrasions or cuts on leather and vinyl. Does not modify the characteristics of the leather due to the natural flexibility that will ultimately result in a durable repair.

Use in combination with LRS 73



LRS 60 TEXTURING SPRAY

Rapid structure repair restoring the superficial structure of leather and plastics.



LRS 33 SURFACE STRUCTURE COPIER

2K surface copier, after drying the patch it can be used to copy the original structure of the leather into the fillers.



LRS 34 STRUCTURE COPIER APPLICATOR

Applicator gun for the surface structure copier

LRS 35 HEAT RESISTANT FOIL FOR STRUCTURE COPIER

This foil creates a protective barrier between the heat source and the structure copier.

LRS 36 MIXERTIP FOR STRUCTURE COPIER

Set of 10 mixer tips for structure copier

LEATHER REPAIR

Leather repair set



250 ml



250 ml



400 ml



250 ml

LRS 54 MATTING ADDITIVE FOR TOUCH UP

Matting additive is a water-based dulling agent to be used in combination with touch-up colour base to match the original grade of gloss.



LRS 55 COLOUR FIXER

Additive for colour base and top coats to improve product flow and adhesion.



LRS 41 PLASTIC PRIMER


Plastic primer is an adhesion promoter for car interiors and plastic surfaces. Provides excellent adhesion for touch-up and is used as a primer to paint basecoat on plastic.



LRS 42 EXTRA ADHESION

Extra adhesion is a specific primer for interior refinishing, preparing the leather or plastic surface to obtain a durable adhesion of the touch-up paint.





FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS

LRS 43-53

TOUCH UP COLOURS

Water-based solvent-free quick drying colour base for genuine leather repair.



100 ml



LRS 43 LRS 44 LRS 45 LRS 46 LRS 47 LRS 48



LRS 49 LRS 50 LRS 51 LRS 52 LRS 53

LRS 56

HIGH DENSITY SPONGE

High dense sponge ideal to apply touch-up colour, can be used with solvent-based cleaners.



LRS 40

COLOUR SAMPLE FOR TOUCH UP

Colour matching chart to define the correct colour formula.



LEATHER REPAIR

Leather repair set



250 ml



250 ml



25 ml



250 ml

LRS 70 MATT TOP COAT

Matt top coat is a water-based topcoat giving a matt, durable finish with a high scratch resistance. Excellent flow-out making it easy to apply. Can be mixed with glossy top coat to add glossiness.



LRS 71 GLOSSY TOP COAT

Glossy top coat is a water-based topcoat giving a bright, durable finish with a high scratch resistance. Excellent flow-out making it easy to apply. Can be mixed with matt top coat to reduce glossiness.



LRS 72 TOP COAT ADHESION PROMOTER

Additive for matt or gloss top coat, promoting the adhesion of the top coat and results in a better rub resistance after application.



LRS 01 LEATHER SHINE AND PROTECT

Water-based protective cream creating a barrier to prevent penetration of dirt contamination in the leather. It will not make the leather more glossy than how it was before: respects the original gloss/matt finish of the leather.





250 ml

NEW



1L

NEW

LRS 143-153

LEATHER COLOUR SPRAY

- The leather colour spray is a high-pigmented and concentrated leather paint, designed to respray, restore or re-colour leather surfaces.
- A complete coverage can be achieved with reduced layer thickness that will make the leather keep its natural look and feel even after repainting. To be used by spray gun and to be finished with a top coat. Available in 11 colours in 250 ml bottles. The colours black and white are also available in 1L bottles.



LRS 243-244

LEATHER COLOUR SPRAY - WHITE OR BLACK 1L

High-pigmented and concentrated leather paint, designed to respray, restore or re-colour leather surfaces. Identical to articles LRS 143-144, but in 1 L bottle in stead of 250 ml.



LRS 243 LRS 244



1l

NEW

LRS 257-258

FINISHING LAYER - GLOSSY OR MATTE

- Water-based top coat giving a durable finish with high scratch resistance.
- Excellent flow, making it easy to apply.
- Can be mixed with either the glossy top coat to add glossiness or with the matte top coat to reduce glossiness.



250 ml


NEW

LRS 172

TOP COAT ADHESION PROMOTER

Additive for matt and gloss finishing layer. Promoting the adhesion of the finishing layer results in a better rub resistance.







POLYESTER PUTTIES

For over 20 years now, Chemicar has been producing polyester putties. The first one being the black universal putty 'GAP 00', often copied, but never matched. By continuously developing new types of putties and by improving existing formulas we have become one of the leading putty manufacturers. FINIXA putties are mainly used for car repair and are very much appreciated in body shops all over the world. Given the influence of the ever increasing labour costs on the total repair price, all our putties meet a high quality standard.

POLYESTER PUTTIES

- 5.1 General information 75
- 5.2 Adhesion chart 76
- 5.3 Polyester putties 77-80
- 5.4 Spreaders & accessories 81

GENERAL INFORMATION



UNIVERSAL APPLICATION ON A WIDE RANGE OF SUBSTRATES

- Perfect adhesion and very high flexibility
- Quick and easy mixing, no separation in the can, beautiful homogeneous structure
- Easy to apply, does not sag, no air bulbs or pinholes
- Fast curing with minimal shrinkage, both for air and I.R. drying
- Perfectly sandable, both mechanically and manually



USER INFORMATION

- Mix your putty with 2 - 3% hardener; when in doubt, use a scale.
- Too much hardener causes not only a fast drying, but can also cause detachment of the putty and can leave marks throughout the paint.
- Mix the hardener very carefully with the putty and avoid air infiltration during mixing, this can give irregularities during application and sanding of the putty (press out the air during mixing).
- Always mix on a flat non-porous surface to avoid loss of resin, use the GAP 60 mixing board.
- Maximum thickness of the putty should be 3mm. When more thickness is necessary due to bad panel beating, apply the putty several times.
- Never wet sand your putty.
- Choose the right putty for the right application. Check our handy adhesion chart!

GOOD TO KNOW

30-40% Polyester

Polyester putties usually contain 30-40% polyester resin that is amine-accelerated.

(Exo)therm

Polyester resins are thermosetting and, as with other resins, cure exothermically.

Hardening

Hardening occurs by adding 1-5% BPO hardener (usually 2-3%).

BPO hardener: Benzoyl Peroxide (red) paste. Due to the red colour, it is easy to mix the putty evenly.

Mineral fillers/pigments

Putties also contain mineral fillers and pigments. This includes talcum and titanium dioxide and aluminium powder. For our light putties we also use glass beads as inert filler material.

ADHESION CHART

Take a look at our adhesion chart on the next page! The chart gives you a perfect overview of which putties work best on which type of surface (commonly used in automotive).



Not applicable



Good application



Application is possible



































































Excellent application

POLYESTER PUTTIES

Adhesion chart

ADHESION CHART POLYESTER PUTTIES

	GAP 00 GAPOL	GAP 10 MULTI	GAP 20 FINE	GAP 30 LIGHT	GAP 33 EXTRA LIGHT	GAP 40 FIBRE	GAP 50 ALU	DEB 12 PB-SN
ALUMINIUM								
ALUMINIUM RIMS								
E-COATING								
STEEL								
GALVANIZED								
FIBREGLASS								
RIGID PLASTIC								
FLEXIBLE PLASTIC								

GAP 51



DEB 51

GAP 51/ DEB 51 HARDENER

GAP 10 POLYESTER PUTTY MULTI

2kg
+ hardener

- Universal 2K polyester putty
- Maximum stability on vertical surfaces
- High filling power
- Fine grain composition
- No cracking on the edges by fine sanding
- Can be finished afterwards with FINE putty or directly with primer or filler.
- Less suited for light metals and galvanized bases.

Colour: off white
Hardener: BPO red
Mixing ratio in %: 2



GAP 20 POLYESTER PUTTY FINE

2kg
+ hardener

- Fine finishing putty. To be used after "MULTI" putty to remove small irregularities.
- To be applied in thin and very thin coats
- Bright white pigmentation
- High filling power
- A real 'finishing' putty
- Easy to apply and sand
- High elasticity
- To fill pin holes, small irregularities, small paint damages or scratches
- No sinking of the top coat

Colour: bright white
Hardener: BPO red
Mixing ratio in %: 2

POLYESTER PUTTIES

Polyester putties



1,5kg
+ hardener

GAP 30 POLYESTER PUTTY LIGHT

- Universal light putty
- Extreme adhesion on metal surfaces
- High stability in the tin
- With glass balls as filling material
- Low shrinkage ratio
- Vibration-resistant and more flexible on thin metal
- Same applications as "MULTI" putty, but results in the same fine finish as "FINE" putty
- Combines excellent sanding properties, with an absolutely compact surface
- Easy sanding
- Extreme adhesion to a variety of substrates such as steel, E-coat, galvanized steel, glass fibre reinforced plastics (GFK) and wood
- Short drying time
- Specific weight 1.5 kg/L

Colour: green
Hardener: BPO red
Mixing ratio in %: 2



3kg
+ hardener

GAP 33 POLYESTER PUTTY EXTRA LIGHT

- Universal extra light finishing putty
- Good adhesion on metal surfaces
- Low shrinkage ratio
- With pvc microbeads as filling material
- Same applications as "MULTI" putty but results in the same fine finish as "FINE" putty
- Combines excellent sanding properties, with an absolutely compact surface
- Easy sanding
- Good adhesion to a variety of substrates such as steel, E-coat, galvanized steel, glass fibre reinforced plastics (GFK) and wood
- Short drying time
- Specific weight 1 kg/L

Colour: green
Hardener: BPO red
Mixing ratio in %: 2-3%



Visual aid during application



Built-in sanding guide

GAP 00 BLACK POLYESTER PUTTY GAPOL

2kg
+ hardener

- Black universal polyester putty
- Similar to "MULTI" putty but black colour
- Universal adhesion on old painted surfaces, steel, light metals, galvanized steel, aluminium, wood and MDF
- Perfect to finish plastic repairs
- Visual aid during application (black shining filler); makes it easy to see all irregularities & imperfections
- Built-in sanding guide: during sanding the putty fades from black to dark grey
- The spots that are too low (not sanded) clearly remain black
- Once degreased, the filler regains its deep black colour; inspecting for possible irregularities is easy now.
- Built-in coating guide: whether one finishes with beige or grey filler, once the black colour is covered, one can also be sure of the necessary thickness of the filler coating.
- Built-in sanding through guide: if afterwards one would sand through the putty accidentally, the black base will occur as a sanding-through guide.

Colour: black
Hardener: BPO red
Mixing ratio in %: 1-3



Built-in coating guide



Built-in sanding through guide

POLYESTER PUTTIES

Polyester putties



GAP 50 **POLYESTER PUTTY ALU**

2kg
+ hardener

- Polyester putty refined with aluminum particles
- Perfect for use on body parts subject to mechanical stress
- Used to fill coarse irregularities, pores and holes
- Good adhesion on iron, steel, aluminum, galvanized substrates and glass fiber reinforced materials
- Good stability on vertical surfaces
- Can withstand temperatures of more than 90°C
- High elasticity
- Good sandability

Colour: aluminium grey

Hardener: BPO red

Mixing ratio in %: 2

DEB 12 **DEBRASEL ALSI + HARDENER**

1L
+ hardener

- Alsi 12 is a cold metal that can be used as an alternative to fluid tin
- Replaces Pb – Sn
- Exceptional hardness
- Flaky composition lends the product a very high degree of flexibility
- Once fully cured, it resists hydrocarbons (gasoline, diesel fuel) and some acids (battery acid)
- Reshaping of rough edges, wheel casings, doors and roof
- Perfect for repairing light alloy wheels
- The ultimate product for classic car restoration
- Max. heat resistance

Colour: steel grey

Hardener: DEB 51

Mixing ratio in %: 0,5

GAP 40 **POLYESTER PUTTY FIBER**

1,8kg
+ hardener

- Universal polyester putty with glass fibres to fill up larger surfaces and bigger irregularities
- Impregnated fibres for easy and equal spreading and finishing
- Perfect for polyester applications and repairs
- For bridging of cracks, small holes and rusted-through areas
- Waterproof; ideal for boat & marine repairs
- Good adhesion on iron, steel, aluminum and glass fibre reinforced materials
- High stability
- Limited sandability

Colour: light grey

Hardener: BPO red

Mixing ratio in %: 2



116mm x 78mm



50mm, 80mm, 100mm, 120mm




100mm x 70mm




95cm x 34cm x 30cm


PPM 10 PLASTIC SPREADERS



PPM 20 METAL SPREADERS



PPM 40 RUBBER SPREADERS



GAP 60 MIXING BOARD

Multi-layered mixing palette board (100 sheets) for better mixed putty. It is better to use this board instead of mixing the putty with its hardener on the palettes themselves to prevent pin holes during application. Made of non-absorbing treated paper to avoid resin and hardener to be soaked up by the paper. Reduces cleaning: after use, simply tear off the used sheet and throw it away.



BONDING, SEALING AND PLASTIC REPAIR

Increasingly more, traditional joining processes in the automotive industry are replaced by bonding technologies. The arrival of new synthetic materials and lighter metal alloys require new and adapted repair procedures.

Finixa offers a wide range of adhesives and sealants especially developed for the professional body shop; versatility, problem-solving, time saving, ease of use and environmental friendliness are the parameters in the development of our products.

Also take a look at our plastic repair technology. The ultra-fast and cost-effective curing times combined with an ease of use and extreme adhesion make this the absolute first choice of every professional.

BONDING, SEALING AND PLASTIC REPAIR

6.1	General information.....	85
6.2	Bonding	86
6.3	Sealing	87
6.4	Accessories	88
6.5	Metal bonding	89
6.6	Plastic repair	90-91

GENERAL INFORMATION

BONDING

In the bonding area our product range includes:

2K

2-component self-mixing epoxy-systems for structural metal bonding

1K

1-component adhesive based on the latest MSP technology for bonding and sealing



Double sided foam tapes with acrylic adhesive



Contact adhesive in easy to use spray can



Instant gel adhesive for universal bonding and problem solving

SEALING

1K

1-component sealers based on the latest MSP-technology for application with standard cartridge gun and finished by brush or in sprayable version
Sealer on a roll for easy and fast application without drying time



PLASTIC REPAIR

2K

Our plastic repair system "PLI" is a professional 2-component, self-mixing PU-system.

Use:

superfast bonding of different types of material
repairing of plastic material

Choice of 3 different curing times depending on the application.

PLI 01

25 sec.	25 sec.	5 min.	3 min.
open time	work time	sand after	clamp time

PLI 02

1,5 min.	1,5 min.	10 min.	5 min.
open time	work time	sand after	clamp time

PLI 03

3,5 min.	5 min.	30 min.	10 min.
open time	work time	sand after	clamp time

PLI 00

All the necessary application products conveniently packed in a plastic workshop case.

BONDING, SEALING AND PLASTIC R

Bonding

NEW




400 ml



290 ml



20g



TSP 1100 CONTACT GLUE

- Extremely versatile, fast-drying spray adhesive that bonds to a wide range of materials
- Professional, industrial strength
- High initial strength
- High strength, fast, contact type adhesive
- Bonds laminate, wood, metal, plastic and more

MSA 100 MS FAST ADHESIVE

MS fast adhesive is a universal sealant and adhesive based on hybrid technology for the professional user which cures under influence of humidity to form a durable elastic rubber.

- Durable, permanent elastic
- Universal bonding and sealing
- Adheres perfectly without primer on most even damp surfaces
- Free of isocyanates, solvents and silicones
- No shrinkage and bubble free
- Good UV resistance
- Neutral curing, almost odorless
- Non corrosive to metals
- High mechanical resistance strength
- Absorbs acoustical and mechanical vibrations
- Paintable with most common 1 and 2k paints

IAG 20 INSTANT ADHESIVE GEL

- Instant adhesive gel provides a rapid bonding of a wide range of materials (metals and plastics and others). Can also be used to bond porous materials such as wood, paper, leather and fabric.
- Can be used on all surfaces
- Medium viscosity
- 1k-product
- Cures at normal room temperature
- Designed for OEM assembly

DZB 04-25 DOUBLE SIDED TAPE RED

- Acrylic adhesive base tape for attaching protective side moldings on vehicles.
- Strong initial contact; offers superior adhesion at any given temperature.
- In order to get a 100% adhesion, make sure the surface is properly degreased before application.
- The advantage of this unique acrylic tape is that the initial strength after 2 minutes is 80% of the total, whereas traditional double sided foam tape requires 12 to 24 hours to reach the same strength.

Available sizes:

4mm, 6mm, 9mm, 12mm, 15mm, 19mm, 25mm




ESS 08-10 SEAM SEALER ON A ROLL


- OEM profile.
- Can be applied quickly and easily.
- Heat resistant and can be overpainted immediately.

ESS 20 ROLLER FOR EASY SEAM SEALER

- Hand roller for applying seam sealer ESS
- Provides constant and even pressure
- Ensures better adhesion



290 ml



SSS 100-200-300-400 SPRAYABLE SEAM SEALER

- MS Polymer
- Firm-setting sealer for interior and exterior auto body seams and joints.
- Replaces and repairs factory sealing jobs in trunk, floor and drip rail areas.
- No primer needed, good adhesion, lasting flexibility.
- Atomised, using a pneumatic caulking gun, the seam sealer can be used inside door skins, inside body panels, or any area where a sound deadening and/or structured coating is needed.
- Standard 290ml cartridge, fits in all standard caulking guns.
- Available in white, grey, black and beige color.
- Paintable after 30 minutes with any water-based or solvent-based primer, basecoat or topcoat.





50mm x 300mm

FOL 62 LOGO TAPE

- Adhesive transfer with dimensions 50mm x 300mm for re-fixing logos / emblems on to the panel.
- Clean surface and logo with degreaser, remove cover strip, press the logo down on the adhesive transfer for several seconds and remove adhesive transfer.
- The logo now has enough adhesive in all the right places to be attached permanently to the body work.



30 mm

SSS 030 FINIXA BRUSH

- Semi-rigid nylon brush to apply and structure seam sealers
- Helps copying the original factory finish
- Solvent-resistant



10 p.

SSS 000 SPRAY TIP - STANDARD NOZZLE FOR SSS

- Replacement nozzle for SSS and MSA cartridges
- Standard sealant nozzle



100 p.

SSS 005 SPRAY TIP - FLANGED NOZZLE FOR SSS

- Creates perfect straight beads up to 13mm wide.
- Cut flange to obtain the precise distance from edge of panel.

PLI 60 APPLICATOR GUN FOR METAL BONDING

Manual bi-mixer for 220ml 2/1 cartridges

PLI 50 METAL BONDING

- Epoxy based glue developed to bond panels of equal or different materials together. Offers an alternative to welding.
- The solution to bond panels of different composition to one another.
- Applications: replacement of a roof panel or aluminium fender, aluminium door panel on a steel door frame.
- Can be used as an alternative for welding panels.



PLI 55 MIXER TIPS FOR METAL BONDING

Disposable static mix nozzels for Finixa metal bonding. 10 pieces.



BONDING, SEALING AND PLASTIC REPAIR

Plastic repair



1 **PLI 01** **PLASTIC REPAIR SET "FAST"**

Bonding & repairing fixings and brackets

25 sec.	25 sec.	5 min.	3 min.
open time	work time	sand after	clamp time

2 **PLI 02** **PLASTIC REPAIR SET "MEDIUM"**

Repairing tears & cracks

1,5 min.	1,5 min.	10 min.	5 min.
open time	work time	sand after	clamp time



3 **PLI 03** **PLASTIC REPAIR SET "SLOW"**

Repairing tears & cracks

3,5 min.	5 min.	30 min.	10 min.
open time	work time	sand after	clamp time

PLI 16


CONTOUR CANVAS FOR PLASTIC REPAIR

- Plastic contour release film
- Prevents air entrapment in the adhesive
- To force the bead of adhesive into the groove
- To shape the adhesive closely to the original contour before hardening

PLI 15

REINFORCEMENT CANVAS FOR PLASTIC REPAIR 12CM X 3.6M

- Combination of fiberglass reinforcing tape and release film
- Designed to provide additional strength to the repair





PLI 10 APPLICATOR GUN FOR PLASTIC REPAIR

Manual bi-mixer for side by side 50 ml 1/1 cartridges

PLI 00 PLASTIC REPAIR SET

Complete set in handy case for plastic repair



TSP 600 FOAM IT!

Foam it! is an ammonia-free universal water-based cleaner and degreaser in an aerosol. In contradiction to what is on the market already, Foam it! is not only ammonia-free but leaves, once sprayed, a thin foam layer on the surface. This foam releases all kinds of dirt and grease almost instantly from any surface and wipes off very easily, without leaving any traces. Can be used as a general purpose automotive or domestic cleaner, but is also useful to prepare a surface before painting or plastic repair considering its unique degreasing formula.

See overview on page 35

TSP 030 ADHESION PROMOTER

- Adhesion promoter to be used on most plastics
- Spray one light coat
- Excellent adhesion
- Fast drying
- Paintable after 15 minutes

See overview on page 132

PLI 05 MIXER TIPS FOR PLASTIC REPAIR 50ML 10P.

Disposable static mix nozzels for Finixa plastic repair. 10 pieces.



SANDING

Based on our experience in the professional body shop and in cooperation with several paint manufacturers, we have developed a complete program of abrasives adapted to the latest technology in car refinishing. With the introduction of environmentally friendly paints, high-solid products, UV-primers, clear coats, water-based paints, anti-scratch coatings, self-repairing clear coats, anti-chip clear coats, etc. into the automotive refinish, the requirements that present day abrasives have to meet, have evolved substantially.

With Finixa abrasives, you do not only get a complete program of different shapes to be used by hand or with a sander, but you get a cost effective product that is fast, sharp and long-lasting in any modern application.

SANDING

7.1	General information	95
7.2	Round abrasives	96-98
7.3	Flat foam pads	99
7.4	Scuff rolls	100
7.5	Sanding cloths	101
7.6	Sanding strips	102
7.7	Specials	103
7.8	Sanding machines & accessories	104-106
7.9	Sanding blocks & accessories	107

GENERAL INFORMATION

QUALITY TESTING

Finixa abrasives are tested extensively before they are introduced onto the market. By using a sanding robot, human error or subjectivity is excluded. The robot applies a constant pressure on the surface and makes the same type of movements. This way, we can objectively measure results and a high quality of Finixa abrasives can be ensured.

WHAT SANDING PAPER IS MADE OF

Stearate


- Prevents loading
- Minimizes the risk of pig tails
- Improves cooling; conducts the heat

Top adhesive

- Organic bonding
- Semi-synthetic bonding
- Temperature resistant synthetic bonding
- Waterproof bonding

Grit

- Flint
- Amaril
- Silicium Carbide
- Aluminium Oxide
- Aluminium Oxide + blue fire process




Backing

- Paper
- Linen
- Fibre
- PVC
- Nylon
- Foam

Base adhesive

- Organic bonding
- Semi-synthetic bonding
- Temperature resistant synthetic bonding
- Waterproof bonding

HOW DO WE CLASSIFY OUR ABRASIVES?



Speed: cutting speed of the abrasive

Durability: longevity of the abrasive under normal use

Anti-clogging: treatment of the sanding paper to prevent clogging

Waterproof: compatibility of the abrasive with water

Sanding pattern: homogeneity of the surface after sanding




Paper backing
15 holes

SPDA 0040-3000
SANDING DISC Ø 150MM - 15 HOLES

- Paper disc
- Faster
- Longer
- Without clogging
- Old paints & new paints
- High solid primers & clear coats & polyester putties

Available grits :
P40, P60, P80, P100, P120, P150, P180, P220,
P240, P280, P320, P360, P400, P500, P600,
P800, P1000, P1200, P1500, P2000, P2500,
P3000




SFDA 0036-2000
SANDING DISC Ø 150MM - 15 HOLES

- Film disc
- Faster
- Longer
- Without clogging
- Old paints & new paints
- High solid primers & clearcoats & polyester putties

Available grits :
P36, P40, P60, P80, P100, P120, P150, P180,
P220, P240, P280, P320, P360, P400, P500,
P600, P800, P1000, P1200, P1500, P2000



pvc backing
15 holes





Ø 75mm
No holes



Ø 125 mm -
8 holes



Ø 150mm
without
holes




Ø 203 mm -
8 holes

SFDP 0080-2000 **SANDING DISC**

pvc backing


Available grits :
P80, P120, P180, P240, P320, P400, P500,
P600, P800, P1000, P1200, P1500, P2000



SPDD 0080-1200 **SANDING DISC**

Paper backing


Available grits :
P80, P100, P120, P150, P180, P220, P240,
P280, P320, P360, P400, P500, P600, P800,
P1000, P1200



SPDS 0040-1200 **SANDING DISC**

Paper backing


Available grits :
P40, P60, P80, P100, P120, P150, P180, P220,
P240, P280, P320, P360, P400, P500, P600,
P800, P1000, P1200



SPDE 0080-0400 **SANDING DISC**

Paper backing

Available grits :
P80, P120, P150, P240, P320, P400



SANDING

Round abrasives



Ø 35 mm
No holes



Ø 50mm
No holes



Ø 75mm
No holes




Ø 150mm
No holes

SPDM 1500-3000 SANDING DISC

pvc backing


Available grits :
P1500, P2000, P2500, P3000



SUNI 0036-0050 QUICK CHANGE SANDING DISC

pvc backing


Available grits :
P36, P50



SPDR 0500-3000 FOAM DISCS VELCRO

foam backing


Available grits :
P500, P800, P1000, P1500, P2000, P2500, P3000



SPDQ 0500-3000 FOAM DISCS VELCRO

foam backing

Available grits :
P500, P600, P800, P1000, P1500, P2000, P2500, P3000




FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS

FFP 0320-1500 FLAT FOAM PADS 115MM X 115MM

- Holds liquid, so easy to dose
- Easy access to difficult areas with maximum comfort
- No risk of sanding through or leaving behind marks
- Perfect for blending; eliminates the need for unnecessary polishing

Matting becomes an easy, comfortable job with this foam backing pad. The sanding grit is no longer applied on a paper backing but glued directly into the foam. The result is astonishing: faster matting than with traditional scuff roll solutions, finer than with foam backing abrasives, more flexibility to get access to the smallest corners and water absorbing!



115mm x 115mm
Primer prep



115mm x 115mm
Base coat prep



115mm x 115mm
Clear coat prep



115mm x 115mm
Fade out prep

SANDING

Scuff rolls



100mm x 10m

SBR 10


SBR 20

SBR 30

SBR 10-20-30 SCUFF ROLLS

Non-woven nylon abrasive tissue with impregnated sanding grain, to quickly and comfortably depolish surfaces that need to be sprayed.

- SBR 10: very fine - red - P360
- SBR 20: ultra fine - grey - P1500
- SBR 30: micro fine - gold - P2000



1 kg

POL 70 MATTING COMPOUND


Matting compound is a composition of liquid chemicals and abrasives intended for surface preparation prior to the blending and painting of new panels. It is suited for any type of paint including waterborne. To be used in combination with non-woven cloth, for instance the SOF 20 or SBR 20.

- For all types of paints
- Gives a matt surface
- Easy to apply
- Easy to remove without traces
- Can be used dry or combined with degreaser DGR



SCA 0500-2000 SANDING CLOTH 80MM X 133MM

The sanding cloth is a new tool for the bodyshop: sand wet complete surfaces and not only the edges in applications like preparing for blending or polishing, shallow equal scratchpattern, just by hand or on the SAP 01 sanding pad. Moisten with water based degreaser or just water. The cutting power is high, fast, uniformed, long lasting, works up to two times faster than wet sanding paper, more flexible by hand and easier to reach smaller corners, curves and edges; no risk of sanding through or re-works.



80mm x 133mm
Brown



80mm x 133mm
Purple



80mm x 133mm
Red



80mm x 133mm
Green




75mm x 130mm x 10mm

SAP 01 SANDING PAD FOR SCA

Sanding pad to use with Finixa SCA sanding cloth. For an excellent result, especially on uneven surfaces. Measurements: 75mm x 130mm x 10mm.

SANDING

Sanding strips



70mm x 127mm
- 8 holes



70mm x 198mm
- 8 holes



70mm x 420mm
- 14 holes




115mm x 230mm
- 10 holes

SPSA 0060-0400 SANDING STRIP

Paper backing

Available grits :

P60, P80, P100, P120, P150, P180, P240,
P320, P400




SPSB 0060-0400 SANDING STRIP

Paper backing

Available grits :

P60, P80, P100, P120, P150, P180, P240,
P320, P400




SPSC 0060-0400 SANDING STRIP

Paper backing

Available grits :

P60, P80, P100, P120, P150, P180, P240,
P320, P400




SPSD 0060-0400 SANDING STRIP

Paper backing

Available grits :

P60, P80, P100, P120, P150, P180, P240,
P320, P400



SAB 30 SANDING BLOCK WITH EXTRACTION



70x127mm

SAB 31 SANDING BLOCK WITH EXTRACTION



70x198mm

SAB 32 SANDING BLOCK WITH EXTRACTION




70x420mm

SAB 33 SANDING BLOCK WITH EXTRACTION



115x230mm



230mm x 280mm



230mm x 280mm -
waterproof




114mm x 25m -
Softback

SUNE 0036-0360 **SANDING SHEET**

Paper backing

Available grits :

P36, P40, P60, P80, P100, P120, P150, P180,
P220, P240, P280, P320, P360




SUNE 0400-2500 **SANDING SHEET**

Paper backing

Available grits :

P400, P500, P600, P800, P1000, P1200, P1500,
P2000, P2500




SPFA 0080-1000 **SANDING PAPER**

foam backing

Available grits :

P80, P150, P180, P240, P320, P400, P500,
P600, P800, P1000

- Sanding paper on roll with foam backing.
- Packed in a handy dispenser box; provides protection from dust and other pollution.
- The sanding paper is perforated; each single sheet (114mm x 125mm) can easily be torn off.
- At the back the paper has a comfortable foam; even pressure during manual sanding.
- Easily adjusts to round, concave or convex shapes.
- Prevents sanding at the edges.
- The foam backing can be used to easily free the sanded surface from sanding dust.



SANDING

Sanding machines & accessories



SAM 50
Ø 150mm
2.5 deviation



SAM 51
Ø 150mm
5.0 deviation



SAM 00
Ø 150mm
2.5 deviation



SAM 01
Ø 150mm
5.0 deviation

7 SAM 50-51

PREMIUM PNEUMATIC ECCENTRIC SANDING MACHINE

- Premium ergonomic eccentric sanding machine
- Very low noise level
- Perfectly balanced centre of gravity
- Vibration-free
- Delivered with sanding pad: diameter 150mm, bottom velcro, 15 holes
- Available with 2,5mm deviation, for finishing work, P400 to P3000
- Available with 5,0mm deviation, for preparation work, P40 to P360
- Built-in speed control, can be adjusted continuously between 0 - 20 000 rpm
- Very light: 790g including sanding pad
- Built-in option to work with or without dust extraction

SAM 50 - 2.5

Vibrations: 2,14 m/s²
Noise: 78,9 dBA
Weight: 0,79 kg
Motor power: 0,25 HP
Free speed: 12.000 RPM
Air consumption: 481 L/min
Pressure: min. 5 Bar - max 6,2 Bar

SAM 51 - 5.0

Vibrations: 2,48 m/s²
Noise: 78 dBA
Weight: 0,79 kg
Motor power: 0,28 HP
Free speed: 12.000 RPM
Air consumption: 481 L/min
Pressure: min. 5 Bar - max 6,2 Bar

SAM 00-01

STANDARD PNEUMATIC ECCENTRIC SANDING MACHINE

- Standard ergonomic eccentric sanding machine
- Low noise level
- Perfectly balanced centre of gravity
- Low vibration
- Delivered with sanding pad: diameter 150mm, bottom velcro, 15 holes
- SAM 00: available with 2,5mm deviation, for finishing work, P400 to P3000
- SAM 01: available with 5,0mm deviation, for preparation work, P40 to P360
- Built-in speed control, can be adjusted continuously between 0 - 20 000 rpm
- Extremely light: 660g including sanding pad
- Built-in option to work with or without dust extraction

SAM 00 - 2.5

Vibrations: < 2,5 m/s²
Noise: 80 dBA
Weight: 0,9 kg
Motor power: 0,28 HP
Free speed: 10.000 RPM
Air consumption: 112 L/min
Pressure: min. 6,3 Bar

SAM 01 - 5.0

Vibrations: < 2,5 m/s²
Noise: 80 dBA
Weight: 0,9 kg
Motor power: 0,28 HP
Free speed: 10.000 RPM
Air consumption: 112 L/min
Pressure: min. 6,3 Bar



SAM 125S
8 holes - Ø
125mm



SAM 15S
15 holes - Ø
150mm



150mm - 10mm
15 holes



SAM 125M
8 holes - Ø
125mm



SAM 15M
15 holes - Ø
150mm



150mm - 5mm
15 holes

SAM 125 SANDING PAD UNIVERSAL VELCRO

- Sanding pad 8 holes, Ø 125mm.
- Supplied with the necessary spacers and different bolts.
- Fits on all types of sanding machines except brand specific 'quick change' coupling.
- S for soft: generally used on sanding machines with 2,5mm deviation and grit P400 or finer.
- M for medium: generally used on sanding machines with 5mm deviation and grit P400 or coarser.

SAM 15 SANDING PAD VELCRO

- Sanding pad 15 holes, Ø 150mm.
- Supplied with the necessary spacers and different bolts.
- Fits on all sanding machines with the exception of machines with brand specific 'quick change' coupling.
- S for soft, generally used on sanding machines with 2,5mm deviation and grit P400 or finer.
- M for medium, generally used on sanding machines with 5mm deviation and grit P400 or coarser.

SAM 36-37 SOFT INTERFACE PAD 5 - 10 MM

- Flexible sanding pad adaptor that changes the existing medium or solid pad on the sanding machine into a soft pad. This way it is possible to combine with finer sanding paper; P600 and finer.
- option 5mm or 10mm
- 15 holes

SANDING

Sanding machines & accessories



SAM 02 PALM SANDER

- 75mm/3 inch - 2.5mm orbital palm sander
- Ergonomic grip provides greater operator, comfort and control
- Built-in regulator for accurate speed control
- Muffling system to reduce sound level

SAM 021 SANDING PAD VELCRO

75mm



690mm x 580mm

SAB 50 VELCRO BOARD FOR SANDING BLOCKS

- The organizer for your sanding gear.
- Can easily contain most of your used sanding blocks and 2 eccentric sanders.
- The organization can be personalized, therefore the photograph is showing only one possibility.



SAB 01 SANDING BLOCK FOR Ø150MM

- Sanding block
- Ergonomic grip
- For sanding discs Ø150mm



50mm x 70mm

SAB 07

SANDING BLOCK FLAT HAND GRIP + 3 DIFFERENT SHAPES

- Set of sanding blocks with 3 different shapes
- Use your sanding disks on your universal sanding blocks
- Ergonomic grip
- 3 different shapes to sand flat, concave and convex surfaces
- No more waste of half used sanding discs
- Ø 15 cm SPDA / SFDA



70mm x 198mm

SAB 35

SANDING BLOCK WITH EXTRACTION

- Ergonomic grip
- 4 extensions, 8 holes
- Balanced weight distribution for an equal pressure
- Equipped with a connection for dust extraction
- Equipped with a rounded angle to easily remove the used sanding paper

SAB 30-31-32-33

SANDING BLOCK WITH EXTRACTION

- Ergonomic grip.
- Balanced weight distribution for an equal pressure.
- Equipped with a connection for dust extraction
- Equipped with a rounded angle to easily remove the used sanding paper.

See overview on page 102







MASKING

Automotive masking tape, paper and film are the key products for masking cars and other vehicles with professional results. A good masking job will result in a superior, clean finish once the painting process is complete. Masking requires time and attention to detail. Finixa offers a wide range of professional masking products that will save you a lot of time and guarantee a top finish.

Before you start masking, make sure the car is free of dust and degreased for maximum adhesion and a good end result.

MASKING

8.1	General information	111
8.2	Masking film	112-113
8.3	Masking paper	114
8.4	Masking film dispenser	115
8.5	Masking film cutter	116
8.6	Wheel protection	117
8.7	Fine line & sensor tape	118
8.8	Lifting tape	119
8.9	Masking tape	120-121
8.10	Masking foam	122-123
8.11	Protection for the interior of the car	124-125

GENERAL INFORMATION



MASKING FILM

A full range of high-quality HDPE, static loaded films for all common masking and covering applications. All films are folded for easy "one man" application.

Types of films available:

- Pink premium masking film: corona treated on the outside, special layer on the inside absorbs humidity on the car.
- Transparent premium and standard film: corona treated, printed to indicate the paint absorbent side.
- Green HDPE film: for covering applications or masking applications in combination with masking paper, not corona treated
- Pre-cut static and corona treated film with integrated masking tape on one side.



Sedan



SUV



Van

FILMS SIZES

Sedan

Passenger car with separate compartments for engine, passengers and cargo.

SUV

Vehicle classified as a light truck, but operated as a family vehicle.

Van


A medium-sized motor vehicle, typically without side windows in the rear part, for transporting goods



LIFTING TAPE

Perforated or non-perforated crepe masking tape in combination with a plastic liner to slightly lift rubber moldings from the body.
To avoid sharp paint edges and to protect rubber trims and moldings against overspray.

COMPARISON CRITERIA



- **Ripping:** ease with which the tape can be torn by hand
- **Lifting height:** the wider and stiffer the rubber, the higher the lifting height must be
- **Solvent:** resistance level of the tape to solvent-based products
- **Water:** resistance level of the tape to water based products




MASKING TAPE

A full range of high-quality masking tapes with a variety of backings, adhesion strengths, clean removal properties and temperature range performance.

Types:

- Easy-to-tear paper tape with an easily released pressure-sensitive adhesive
- High-performance tapes with superior temperature resistance and high adhesive strength
- Masking tapes for use with solvent and water based paints
- Tapes for general masking tasks or challenging jobs requiring high flexibility and sharp paint-line properties

COMPARISON CRITERIA



- **Temperature:** level of temperature resistance
- **Thickness:** indication of the thickness of the given masking tape
- **Flexibility:** indication of flexibility of the given masking tape
- **Solvent resistance:** level of resistance of the tape to solvent-based products
- **Water resistance:** level of resistance of the tape to water-based products



MASKING FOAM

A full range of high-quality masking foams with and without adhesive layer.
Round and oval shapes for door jamb masking, rectangular for blending applications and a unique "8" shape for primer applications.



FOL 43

PREMIUM MASKING FILM

- The lilac transparent masking film FOL 43 is not only a good static masking film that holds paint on the exterior of the film, it also has a special layer on the inside of the film that absorbs humidity from the car. This avoids white spots after spraying.
- Excellent paint absorbing on the exterior side (logo side).
- Easily cut.
- Statically loaded: can be applied by 1 person.

Available sizes:

4m x 150m

Suited for





CRM 48 STANDARD PAINT ABSORBENT MASKING FILM

- The film has a width of 4,8 m, ideal to mask bigger cars like pick-ups and/or SUV's.
- Corona-treated transparent film (with Finixa printed on the paintable side) to protect the car from overspray.
- Statically charged and folded for application by one person.
- Comes in an easy to use dispenser box.
- Can also be mounted on the Finixa EQU 70 masking film dispenser.

Available sizes:
4.80m x 200m

Suited for



FOL 40-42-45-46 PAINT ABSORBENT MASKING FILM

- HDPE white transparent film printed to indicate the paint absorbent side.
- The film is slightly transparent to facilitate cutting away the surface to be painted.
- Sufficiently static to protect the vehicle from overspray
- Folded in such a way that the film can be unrolled, unfolded and cut by only one person.
- Film has corona treatment for optimum paint absorption.

Available sizes:
4 x 200m
5 x 120m
6 x 150m

Suited for



CRM 20-40 STANDARD PAINT ABSORBENT MASKING FILM

- Corona-treated, semi-transparent HDPE film with Finixa printed on the paintable side
- Statically charged and folded for application by one person
- Semi-transparent for easy cutout
- Comes in an easy to use dispenser box for dust protection
- Can also be mounted on the Finixa EQU 70 masking film dispenser

Available sizes:
4 x 150m
4 x 300m

Suited for



MASKING

Masking paper



DAE 035-260

EASY TEAR MASKING FILM WITH MASKING TAPE

- Easy to tear static masking film with masking tape.
- Corona treated for optimum paint absorption.
- To be unfolded by right-handed people.

Available sizes:

0,35m x 25m

0,60m x 25m

1m x 25m

1,2m x 25m

1,8m x 25m

2,6m x 25m

Suited for



PLA 03

HDPE MASKING FILM

- HDPE green masking film is non-paint absorbent and is used only for covering.
- No corona treatment; needs to be combined with masking paper in case used in the spray booth.

Available sizes:

3,8m x 200m

Suited for



MAP B 020-120

MASKING PAPER 40 G/M²

- 40 gr/m² kraft paper
- Pure, not recycled
- One side glossy and therefore paintproof
- Dustfree
- Available in 7 sizes
- 450 m per roll
- Individually packed

Available sizes:

0,2m x 450m

0,3m x 450m

0,37m x 450m

0,4m x 450m

0,6m x 450m

0,9m x 450m

1,2m x 450m

Suited for





EQU 70 **DISPENSER FOR MASKING FILM SINGLE**

- Mobile dispenser for masking film
- Easy to operate by 1 person
- Unroll the film over the vehicle and cut along the cutter guide with the film cutter
- Saves space in the workshop

Suited for
FOL 43, CRM 48, FOL 40-46, CRM 20-40, PLA 03



EQU 57 **DISPENSER FOR MASKING PAPER**

- Easy, fast and time-saving dispenser for masking paper
- Automatically applies the tape to the paper
- Holds 3 widths of masking paper: 30-60-90 cm
- Toothed blades for easy and straight tearing
- Mobile: equipped with large and stable wheels for easy moving

Suited for
MAP B 020, 030, 040, 060, 090, 120

MASKING

Masking film cutter



PLA 50 STANDARD CUTTER FOR MASKING FILM

- Film cutter with a fixed blade
- The blade can never come into contact with the bodywork, no risk of damages



PLA 52

PLA 55

PLA 52 PREMIUM CUTTER FOR MASKING FILM

- Film cutter with replaceable razor blade
- The blade can never come into contact with the bodywork, no risk of damages
- PLA 55: replacement blades 10 pc.

PLA 55 REPLACEMENT BLADES



NEW

CUK 00 CUTTER KNIFE IN STAINLESS STEEL

- General purpose stainless steel cutter knife
- Standard 9mm replaceable blade
- Sliding knob with lock system
- Includes pocket clip



FOL 65-66 **WHEEL WELL PROTECTION COVER**

- This cover does not only protect the wheel, but the entire wheel well area (tire, well & rim) against overspray.
- The cover also prevents dust from coming out of the wheel well while spraying.
- Easy to install, re-usable
- Use both handles to pull together the cover, insert in wheel well and let go. The steel spring inside will secure the cover into place.

Available sizes:
88 x 58 x 20cm
96 x 64 x 22cm

Suited for



PLA 81 **WHEEL & RIM PROTECTION COVER**

- Transparent, disposable wheel cover
- Protects the tire & rim while repairing the vehicle
- Thickness 20µm
- Size: 70cm x 34.5cm x 90cm

Available sizes:
70 x 34,5 x 90cm

Suited for



TMF 80 **RIM MASKING FILM**

- The fast and professional way to paint / repair rims without dismantling the tire; the wheel does not need to be re-balanced after repair
- HDPE tire cover with elastic cord
- Corona-treated for good paint absorption
- Can be used on rims from 13 to 22 inch

Suited for



MASKING

Fine line & sensor tape




FOL 303-325 FINE LINE TAPE BLUE

- PVC tape for specific masking tasks such as spraying of multiple colours, art-work or custom painting
- This tape is more flexible than conventional masking tapes
- The excellent adhesive quality makes it possible to mask plastic and rubber
- 7 different widths available
- Unique stretch

Available sizes:

3, 6, 9, 12, 15, 19, 25mm x 33m



PSM 17 PARKING SENSOR MASK


- The fastest and safest way to mask integrated parking sensors
- Avoids contamination of sensors
- No need to dismount the parking sensors
- Provides protection against potential damage from sanding, painting and polishing
- Clean and easy removal due to lifting tabs
- No adhesive residue
- Great for masking door keyholes
- Remove while clearcoat is wet to avoid lacquer bridging



FOL 51 LIFTING TAPE

- Masking tape with 10mm plastic strip for masking around wind screens. Simply place the plastic strip between rubber and panel and then pull away the rubber from the panel by attaching the tape to the window.
- Easy to cut to size with scissors.

Available sizes:
10mm x 10m



FOL 51ET LIFTING TAPE 'EASY TEAR'

- Masking tape with 10mm plastic strip for masking around wind screens. Simply place the plastic strip between rubber and panel and then pull away the rubber from the panel by attaching the tape to the window.
- The tape and strips are perforated every 46mm, so they can be torn by hand.
- Always tear from the plastic side to the tape side.

Available sizes:
10mm x 10m



FOL 501MT LIFTING TAPE 'MULTI'

- Masking tape with two different sized plastic strips for masking various areas of the vehicle. The combination of two plastic strips makes it possible to use one tape for three different applications. Simply place one, two or the two strips folded together between rubber and panel and then pull away the rubber from the panel by attaching the tape to the wind screen.
- The tape and strips are perforated every 42mm, so they can be torn by hand.
- Always tear from the plastic side to the tape side.

Available sizes:
9, 12, 20mm x 10m



MASKING

Masking tape




MST 919-950

MASKING TAPE 100 °C

- High-quality automotive masking tape
- Can be used with all automotive paints, mainly with solvent-based paints
- Excellent adhesion on most surfaces
- Suited for IR and UV drying
- Heat resistant: 10 minutes at 100 °C, 30 minutes at 80 °C, 60 minutes at 60 °C
- Thickness: 0,125mm
- Adhesive strength on steel: 4,3 N/25mm

Available sizes:

19, 25, 30, 38, 50mm x 50m




MST 519-550

MASKING TAPE 110°C

- Professional high-quality automotive masking tape
- Can be used with all automotive paints, mainly with solvent-based paints
- Excellent adhesion on most surfaces
- Suited for IR and UV drying
- Heat resistant: 10 min. at 110 °C, 30 min. at 100 °C, 60 min.at 80°C
- Thickness: 0,130mm
- Adhesive strength on steel: 4,5 N/25mm

Available sizes:

19, 25, 30, 38, 50mm x 50m




MST 719-750

MASKING TAPE 120 °C

- Entirely saturated masking tape of high adhesive strength
- Can be used with all water- and solvent-based paints
- Easily removable
- Excellent adhesion on most surfaces
- Solvent- & water-resistant
- Suited for IR and UV drying
- Heat resistant: 10 minutes at 120°C, 30 minutes at 90°C
- Thickness: 0,130mm
- Adhesive strength on steel: 4,8 N/25mm

Available sizes:

19, 25, 30, 38, 50mm x 50m





TAP 52


TAP 50

MST 619-650
MASKING TAPE 140°C

- Entirely saturated masking tape with very high adhesive strength
- Can be used with all water- and solvent-based paints
- Easily removable
- Excellent adhesion on most surfaces
- Solvent- and water-resistant
- Suited for IR and UV drying
- Heat resistant: 10 minutes at 140°C, 30 minutes at 120°C
- Thickness: 0,140mm
- Adhesive strength on steel: 5 N/25mm

Available sizes:

19, 25, 30, 38, 50mm x 50m




MST 819-850
MASKING TAPE GOLD 100 °C

- Masking tape of the new generation
- Can be used with all water- and solvent-based automotive paints
- Solvent- and water-resistant
- Excellent adhesion on all surfaces, also on plastic and rubber
- More flexible than traditional masking tape
- Ultra thin carrier; Japanese flat paper (rice paper)
- Can easily be used in soft curves and can replace fine line tape
- Saves a considerable amount of time during disassembly and assembly
- Never leaves traces of glue, not even on polycarbonate of head and tail lights
- Heat resistant: 30 minutes at 100 °C
- Thickness: 0,09mm
- Adhesive strength on steel: 4,8 N/25mm

Available sizes:

19, 25, 30, 38, 50mm x 50m



TAP 50-52
DUCT TAPE

- Strong but tearable cloth based tape, ideal as a problem solver and very suitable for protecting the bodywork against sanding through paint on an adjacent area.
- Does not leave glue behind after removal.
- Can be handy for towing and transporting a damaged vehicle.
- Available in silver or black.
- High quality.

MASKING

Masking foam

FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS



SPT 13-17 SPON TAPE - ROUND

- Round shaped foam strip for masking joints between two panels.
- One side of the strip has been treated with heat resistant adhesive.
- Simply stick the tape on the inside of one of the panels and close the other panel.
- Protects the joint perfectly, absorbs the paint and avoids edge building.



SPT 25 SPON TAPE - OVAL


- Oval shaped spon tape to protect joints during paint work
- Unlike the traditional spontapes, SPT 25 is put on the moving part of the joint
- The paint never comes in contact with the glue layer
- The tape can still be repositioned for a perfect finishing after closing the door
- Foam is perfect to use with fade-out spraying, without edge forming



SPT 05 FLEXI 'NO EDGE' BLENDING TAPE

- Foam tape helps blending out clear coats and 2K topcoats
- Can be used to avoid edge forming by applying primers
- Saves time when sanding primers and polishing clear coats
- Flexible application, also on round forms
- Easy to use for masking curves
- TIP: remove before drying to avoid glue residue





JST 15-22 JOINT STOPPER

- The easiest and fastest way to mask door apertures and other vehicle gaps before primer application
- Seals and protects jambs from overspray
- No primer build-up on panel edges
- Precise fingertip adjustment
- Unique 8-shape, stays fixed during spraying
- Easy to remove, no glue
- Remove while the primer is still wet to obtain a soft feathered edge
- Reduces process times to a minimum
- Available sizes: 15mm x 35m & 22 mm x 25m



JST 15
15mm x 35m



JST 22
22mm x 25m



MASKING

Protection for the interior of the car



PAP 61



PAP 60



PLA 60

PLA 60, PAP 60-61 FOOTMATS

For floor protection we offer three types of footmats:

- Plastic footmats: are water repellent and stronger - with anti skid coating (PLA 60)
- Paper footmats on a plastic film (PAP 61)
- Paper footmats: absorb water and dirt (PAP 60)



COP 00

PLA 62

PLA 62 SEAT COVERS

- For protection of the seat upholstery.
- White transparent.
- Dimensions: 820mm x 1300mm x 500mm.

COP 00 NYLON SEAT COVER

- Durable and reuseable nylon seat cover
- High-quality look and feel
- Washable
- Water and oil repellent



PLA 67

PLA 68

PLA 67-68 STEERING WHEEL FILM

- For protection of the steering wheel
- Comes with a handy built-in handle to unroll the film
- Transparent



COP 05 COVER SET

- Cover set for car interiors to protect against dirt while repairing the car
- Includes: one seat cover, one footmat, one steering wheel cover, one gear shift lever cover and one hand brake cover.
- Easy in handling as there is 1 set per job
- Strong white plastic film



TCS 200

TEAR-OFF COVER SET

- All-in-one interior protection set on a roll
- Protects against oil, dirt and water
- Universal use, fits all sizes
- Easy fit seat cover and floor mat with non-slip inner surface
- Non-slip steering wheel cover
- Universal gear lever and hand brake cover

Tear-off covers:

- **part 1-2** – Seat cover and floor mat
- **part 3** – Non-slip steering wheel cover
- **part 4** – Gear lever protection
- **part 5** – Hand brake protection



filler
500 ml

FINIXA
2K clear coat
500 ml

FINIXA
wheel spray
500 ml

FINIXA
500 ml

4350 02:43:58

TECHNICAL SPRAYS

Aerosol spray cans are a fast, easy, time saving and cost-effective way to apply paint-like products.

Finixa offers a wide range of technical sprays to help the professional body shop in nearly each step of the car body repair process; from the panel beating shop where the focus is mainly on corrosion protection, to primers and fillers for the preparation area and clear coats and lacquers for the paint shop.

Finixa technical sprays give you a professional application and finish, especially for smart and spot repair.



TECHNICAL SPRAYS

- 9.1** General information **129**
- 9.2** Technical spray cans **130-137**

GENERAL INFORMATION

CATEGORIES OF AEROSOLS

On the following pages our aerosols are categorized according to their use in the auto body repair process. In which step the aerosol is to be used, can be recognized by one of the following pictograms: metal work, paint preparation and paint.



METAL WORK:

Corrosion protection and weldability are the key words for modern panel repairs.

Zinc spray for metal protection and weld-through primers to protect different types of welded joints before and after the welding.



PAINT PREPARATION:

Here the main application is priming and filling.

2 K polyester spray putty and primer filler, but also the latest technology in UV primers and easy to use sanding guides as aerosols as well as anti-gravel protection.



PAINT:

In this area we offer different paints for touch-up and repair applications.

2K clear and fade out thinner, specially developed for smart and spot repair, control spray for exact colour matching and prefill spray cans for water- and solvent-based paints.

USER INFORMATION



Finixa technical sprays

Make sure can and surface are at room temperature (between 15 - 35 °C)

Preferably, the surface is sanded (Grain P280-P400)

Only apply the aerosols on clean and dust-free surfaces (degrease with DGR first)

Be sure to shake the can before use (min. 1 minute)

Apply thin layers from a distance of 20-30 cm

We advise to apply several thin layers crosswise (in stead of 1 heavy layer)

Respect flash-off times between layer applications

After use, turn the can upside down and spray until only propellant comes out

Do not coat with PE or EP products

REPLACEMENT NOZZLES

For most types of technical sprays, replacement spray nozzles are available. What type of nozzle is suited, is indicated per aerosol on the following pages. All nozzles are packed per 10 pieces.

- **TSP 1XX** Nozzle for aerosols TSP 1XX and TSP 3XX
- **TSP 2XX** Nozzle for aerosol TSP 2XX
- **TSP 4XX** Nozzle for aerosol TSP 4XX
- **TSP 5XX** Nozzle for aerosol TSP 5XX
- **TSP 9XX** Nozzle for aerosol TSP 9XX
- **TSP 10XX** Nozzle for aerosol TSP 10XX
- **TSP 11XX** Nozzle for aerosol TSP 11XX

TECHNICAL SPRAYS

Technical spray cans



TSD 50 MAGNETIC AEROSOL HOLDER

- Now with new pre-mounted magnets on the back.



400ml

TSP 190 ETCH PRIMER

- Etching primer for bare metal surfaces. Provides excellent anticorrosion protection.
- Overpaintable without sanding with any 1K or 2K primer/filler.



TSP 1XX



400ml

TSP 530 WELD THRU PRIMER - COPPER

Acrylate resin based copper anti-corrosion primer offers rust protection for SPOT, MIG & TIG welding applications. High concentration of copper in the dry film in a fast drying formulation to speed up the welding process with limited impact on the weld. Has excellent adhesive properties. The product can be used before and after welding. Copper primer can be painted over with most types of lacquer systems.



TSP 5XX



400ml

TSP 810 WELD THRU PRIMER - ZINC PHOSPHATE

Alkyd resin based zinc-phosphate anti-corrosion primer offers rust protection for SPOT, MIG & TIG welding applications. High concentration of zinc in the dry film in a fast drying formulation to speed up the welding process with limited impact on the weld. Has excellent adhesive properties. The product can be used before and after welding. Zinc phosphate primer can be painted over with most types of lacquer systems.





400ml



250ml



400ml

TSP 410 ZINC SPRAY



TSP 4XX

- This zinc spray can be used to temporarily protect naked metal before or after welding, can also be used for spot welding, paintable with all 1 and 2K paints, solvent and water based paints.
- Contains 85% zinc.



TSP 720 2K SPRAY PUTTY

Fast drying high-build 2K polyester spray putty.
A SMART repair solution:

- Fast drying, sandable after 1 hour curing at 20°C and normal humidity.
- High-build capacity up to 100µm in 3 layers (leave flash off 5' between layers).
- Excellent adhesion on bare metal, galvanized substrates and sanded old paint jobs.
- Can be sprayed over with all common 1K base- and 2K topcoat systems on the market.
- Isocyanate-free.



TSP 110-140 PRIMER/FILLER



TSP 1XX

- Universal primer/filler in white, light grey, grey and dark grey suitable to finish with all solvent and water based 1K and 2K paints. Can be applied on all surfaces, ideal for fast repairs after sanding too hard. Also ideal for spot or panel repair, especially for smaller surfaces. Apply fine layers.
- If you desire a thick layer: first apply 1 full layer at a distance of 30-35cm and afterwards finish with a crosswise layer at a distance of 20cm.
- All primer/fillers sprays have a special nozzle which sprays a flat vertical pattern, comparable to a spray gun. Primer with a high viscosity: shake the can very well before the first use.



TECHNICAL SPRAYS

Technical spray cans



TSP 210-230 ANTI-GRAVEL

Anti-gravel is available in light grey and black, supplied with a round thick spray jet to apply the viscous product in thicker layers. To get a composition of layers: apply layers crosswise at a distance of 35cm. Shortening the distance provides a more glossy result. Can be painted with all 1 and 2K paints.



AGB 01 - AGG 01 ANTI-GRAVEL COATING

- Solvent-based stone chip protection in grey or black colour. Flexible, good adhesion.
- Anti-gravel coating based on synthetic resins and rubbers
- Fast drying, can be applied drip-free
- Excellent rust- and gravel protection, reduces the noise inside cars
- For use on front and rear spoilers, sills, side skirts, wheel arches, etc.
- Can be painted over with any kind of paint



TSP 2XX

TSP 310 - 320 SANDING GUIDE

- Black & fluo green
- Unique product! Thanks to unique composition this sanding guide can be sanded after 3 seconds at 20°C without filling the sanding paper. Contrary to most comparable products in the market this product causes no extra abrasive consumption. Available in black and green.



CPS 150 CONTROL POWDER

Control powder is used to detect imperfections. The powder will allow the operator to achieve a perfect flatness of the surface and body contours equal to the original ones. In the repair process, the powder is used prior to application of the base coat. Contains 150 g.



TSP 1XX



400ml

TSP 150 UV PRIMER



TSP 1XX

- A one-component UV curable primer- filler
- 2 minute cure
- No mixing
- Increased productivity
- For use on properly cleaned and sanded steel, aluminum, galvanized steel, cured and sanded OEM finishes, polyester body fillers, rigid and semi-rigid plastic, ...
- Perfect for spot and smart repair



400ml

TSP 1200 UV PRIMER CLEANER

- Especially formulated for UV primer
- To be used after curing and before sanding
- Increases the life span of the abrasive material
- Can also be used to remove non-cured UV primer



400ml

TSP 030 ADHESION PROMOTER



TSP 5XX

- Adhesion promoter to be used on most plastics
- Spray one light coat
- Excellent adhesion
- Fast drying
- Paintable after 15 minutes



TECHNICAL SPRAYS

Technical spray cans



TSP 710 2K CLEAR COAT

2K clear coat for the professional user: a SMART repair solution. Apply 2 layers with an interval of 10 minutes to get the perfect spray gun finish, which is scratch free, petrol- and UV-resistant and suffers no weather influences. Isocyanate-free.



250ml

TSP 920 FADE OUT THINNER

- Blending solvent to dissolve edges of clear coats making a perfect transition between old and new clear coat. Universal use as it is compatible with all A-brand clear coats. No spray gun needed; so much faster in SMART repair.



TSP 9XX



400ml



TSP 520
Ultra fine



TSP 525
Fine

400ml

TSP 520-525 WHEEL SPRAY



TSP 5XX

- Ultrafine & Fine
- Two aerosols completing the program, two alloy silver colour repair tools, one is medium bright and fine, the other is very bright and ultrafine. Both repair most of the alloy wheels on the market fast and easy.



RENEWED
FORMULA

400ml

TSP 910 MATT BLACK



TSP 9XX

Black matt paint for quick plastic repair or to cover up overspray on plastic inner parts in a fast and easy way.



NEW



TSP 1000



TSP 1010

400ml

TSP 1000-1010 HIGH GLOSS



TSP 10XX

- Fast-drying, high-quality, professional topcoat
- High gloss
- Easy application, constant atomization pressure
- Good surface hardness
- Resistant to petrol, chemicals and weather influences
- Non-fading and UV resistant.
- Very good polish ability
- Available in black and white



TECHNICAL SPRAYS

Technical spray cans

NEW



400ml

TSP 180 1K CLEAR COAT

- Fast drying, high-quality professional 1K clear coat in aerosol
- Easy application, constant atomization pressure
- Very good flow
- High gloss level
- Good surface hardness
- Resistant to petrol, chemicals and weather influences
- Non-fading and UV resistant.
- Very good polish ability
- No colour deviation
- Easy to fade out with TSP 920 fade-out thinner



NEW



400ml

TSP 550 STRUCTURE SPRAY



TSP 5XX

- Special product to repair the texture on plastic parts
- Choice of structural finishes
- Easy to use
- Dries very quickly
- Can be painted over with all conventional 1K basecoat and 2K topcoat systems



400ml

TSP 930 CONTROL SPRAY



TSP 9XX

- The temporary gloss layer of the Finixa control spray replaces the clear coat without leaving any trace on the surface.
- Spray a thin layer on a sample plate (that is sprayed with a basecoat) to create a temporary shine. Compare the sample plate with the desired color for inspection.
- TSP 930 is also the perfect tool to detect imperfections. The gloss layer works as a magnifying glass and it will detect errors faster and easier. Finixa control spray evaporates completely after use without leaving any residue on the sprayed surface.





TSP 100 PREFILL SOLVENT BASED



TSP 1XX

- A spray can, can be pre-filled with propellant to be compatible with most brands of solvent based paints.
- The paint is transferred via a filling device into the can to produce a ready-to-use end product (dealers liability).
- Adaptable spray nozzle for horizontal (spray gun effect) to round (for closed parts) alignment of the spray pattern.
- Higher spray rate and higher working speed.
- Ideal for spot repair.



400ml

TSP 159 FILLING CAPS FOR TSP 100



TSP 900 PREFILL WATER BASED



TSP 9XX

- A spray can, can be pre-filled with a propellant balanced to be compatible with most brands of water based paints.
- The paint is transferred via a filling device into the can to produce a ready-to-use end product (dealers liability).
- Adaptable spray nozzle for horizontal (spray gun effect) to round (for closed parts) alignment of the spray pattern.
- Higher spray rate and higher working speed.
- Ideal for spot repair.



400ml

TSP 959 FILLING CAPS FOR TSP 900





SPRAYBOOTH MAINTENANCE AND PROTECTION

Finixa offers a complete line of washable and strippable coatings that provide an economic alternative to labour intensive spray booth scraping and cleaning. There is no bigger investment in an autobody shop than the paint booth. And the booth is where the final, most visible step in the repair process takes place. A properly maintained paint booth can mean the difference between success and failure for a repair shop.

SPRAYBOOTH MAINTENANCE AND PROTECTION

- 10.1 General information 141
- 10.2 Cleaning 142
- 10.3 Dust control 143
- 10.4 Protection 144-147

GENERAL INFORMATION

DUST CONTROL

CLEANING



All our products for spray booth maintenance are water-based, biodegradable and environmentally friendly. Our cabin clean is a biodegradable, water-based paint solvent, it is VOC-free and safe to use.

2004/42/EG

VOC compliant

Volatile organic compounds (VOCs) are organic chemicals that have a high vapor pressure at room temperature. VOCs are regulated by law to minimize the environmental impact. Products labelled 'VOC compliant' comply with these set regulations.

DUST CONTROL

Unique liquid specially developed to reduce dust by ionization. Dust control is the most original and efficient formula for suppressing dust circulation by ionizing the dust so it is being drawn together in clusters which makes it too heavy to circulate in the air.

PROTECTION

For the protection of your spray booth you can choose whether you want to protect your spray booth with a liquid product that is washable or peelable, or with a protective film that can be easily replaced and disposed of.

Washable and strippable coatings are an easy way to keep your spray booth free from the dangerous accumulation of combustible paints and solvents.

Our premium, water-based coatings are easily applied to walls, windows, and lights.

At the end of their service life you wash down (washable coatings) or simply peel off (strippable coatings) the contaminated coating.

For the washable coating you have the choice between a sticky and a non-sticky version.

Our booth mask wall protection film is very easy to apply and we also offer transparent protection film for the windows and lights.



CBC 05

CABINE CLEAN PAINT DISSOLVENT

- Biodegradable paint solvent
- Water-based
- VOC-free
- Apply the product with a brush or roll, let it rest for 5 to 15 minutes and then remove with a rag
- Rinse with water
- Dissolves both water-based and solvent-based 1 and 2K paint products
- Useful to remove dried remaining paint on spray guns, paint mix tables, mixing room, floor and spray booth walls
- Warning: always test on a small surface first



5L

CBC 05



- 5L
DUC 05
- 10L
DUC 10
- 25L
DUC 25

DUC 05-10-25 DUST CONTROL

- The most original and efficient formula for suppressing dust circulation inside a spraybooth, workshop and warehouse. Dust Control ionizes the dust so it is being drawn together in clusters which makes it to heavy to circulate in the air. Mist economically with pressure sprayer.
- Biodegradable.

Number of layers (min-max): 1/1

Coverage: 80m² / L

Drying time: 15 min.

Removal: not applicable, the product works 7-14 days

Application:

- Make sure the surface is dry
- Apply with a pressure sprayer - fill the pump to 3/4
- Atomize the product lightly but regularly



DUC 50 FINIXA DUST CONTROL PRESSURE SPRAYER

- Designed for dust control application
- 5l manual pressure sprayer
- Adjustable spray nozzle, trigger lock
- Pressure release valve
- Shoulder strap

SPRAYBOOTH MAINTENANCE AND PROTECTION

Protection



5L
CBP 05

10L
CBP 10

25L
CBP 25



5L
CBP 05

10L
CBP 10

25L
CBP 25



5L
CLM 05

CBP 05-10-25

CABIN WALL PROTECTION WASHABLE - PRO

- Transparent, tacky and washable coating for the protection of spraybooth walls against overspray. Product stays tacky in order to hold on to swirling dust.
- Apply one thick layer by means of a pressure tank, airmix or airless pump in 1 thick layer.
- Remove afterwards with water and sponge.
- Biodegradable.
- Remove or apply another coat when the product is no longer tacky.
- Average consumption per spraybooth: 12L.
- Depending on temperature and humidity, the product will stay tacky for 10-12 weeks.

Number of layers (min-max): 1/3

Coverage: 10m²/L/layer

Drying time: 15 min. 60°

Removal: water and sponge - high-pressure washer

Application:

- Paint roller: no dilution
- Spray gun: needle 2.5
- Pressure tank: 2.0 - no dilution
- Airless: tip 515-0.015" - no dilution



CBP B 05-10-25

CABINE WALL PROTECTION WASHABLE - BASIC

- Transparent, tacky and washable coating for the protection of spraybooth walls against overspray. Product stays tacky in order to hold on to swirling dust.
- Apply with spray gun (2.5) in two or three coats. The thicker the total coat, the longer it stays active. Applying another coat after some time will re-activate the product.
- Remove afterwards with water and sponge.
- Biodegradable.
- Remove or apply another coat when the product is no longer tacky.
- Average consumption per spraybooth: 15L.
- Depending on temperature and humidity, product will stay tacky for 6 - 8 weeks.

Number of layers (min-max): 2/4

Coverage: 8m²/L/layer

Drying time: 15 min. 60°

Removal: water and sponge - high-pressure washer

Application:

- Paint roller: no dilution
- Spray gun: needle 2.5
- Pressure tank: 2.0 - no dilution
- Airless: tip 515-0.015" - no dilution



CLM 05

LIQUID MASKING WALL PROTECTION - WASHABLE

- Originally designed to protect vehicles against overspray.
- About the same application as Cabine Protect transparent washable coating with the difference that this product dries completely and does not stay tacky.
- Apply with spraygun (2.5) in one thick coat. Remove with water and sponge.
- Biodegradable.

Number of layers (min-max): 1/3

Coverage: 15m²/L/layer

Drying time: 15 min. 60°

Removal: water and sponge - high-pressure washer

Application:

- Paint roller: no dilution
- Spray gun: needle 1.5
- Pressure tank: 1.8 - no dilution
- Airless: tip 513-0.013" - no dilution





FOR MORE INFORMATION,
CHECK OUT OUR VIDEO ON:
WWW.FINIXA.COM/EN/VIDEOS

CPP 17

CABIN PROTECT WALL PROTECTION - PEELABLE

- White, peelable coating for the protection of spraybooth walls against overspray.
- Apply with a spraygun (2.5) in 2 to 3 coats.
- After contamination, it is best to put an extra coat on and repeat, this will save time and makes it easier to peel off the coating in one piece once it has reached a certain thickness.
- Biodegradable.

Number of layers (min-max): 2-15

Coverage: 5-6m²/L/layer

Drying time: 15 min. 60°

Removal: peeling

Application:

- Paint roller: no dilution
- Spray gun: needle 2.5 - dilution max. 3% water
- Pressure tank: 2.0 - no dilution
- Airless: tip 619-0.019" - no dilution



17L

CPP 17

SPRAYBOOTH MAINTENANCE AND PROTECTION

Protection



270 cm x 100m

PLA 32

BOOTHMASK WALL PROTECTION FILM

- Static and paint absorbent white film cut to size in order to be used to protect spraybooth walls against overspray.
- The unique folding of the film makes it much easier and faster in application. Unroll the foil directly on the cabine wall over the complete lenght and add a magnet in the middle of the foil. Just unfold the foil up and down and add the additional magnet and the cabine is ready.
- Easy to remove.



100 cm

PLA 45-4525

MAGNET STRIP PLIABLE/CUTTABLE



CPF 10
400mm x 50m

CPF 11
600mm x 100m

CPF 10-11

CABINE LIGHT PROTECTION FILM

- A high-tack transparent masking film for interior and exterior use with a water-based acrylic adhesive and a U.V. inhibitor.
- Transparent adhesive film to protect the lighting fixtures inside a spraybooth with a minimum loss of lighting intensity
- Does not leave glue residue after removal
- Can also be used to cover broken wind shields



PRF 600-1200

SELF-ADHESIVE PROTECTION FILM - WHITE

- A white polypropylene adhesive film, designed to protect any kind of surface from chemical products
- To protect mixing tables and floors from getting contaminated by overspray, paint spill, oil, etc.
- Skid proof, even wet, due to grain particles in the film
- Acrylic adhesive layer
- Clean removal, no residue up to 10 days
- White colour for optimal light reflection
- Good dimensional stability and flatness
- Low electrostatic charge
- Good barrier to water vapor
- Resistant to oils and greases
- Good puncture, flex and crack resistance

NEW

PRF 600
60cm x 25m

PRF 1200
120cm x 25m



NEW

50mm x 50m

CPT 50

CABIN PROTECT TAPE - WHITE

- All-purpose white duct tape to seal the seams between self-adhesive protection films PRF 600 or 1200
- Unwinds easily
- Applies smoothly
- Excellent for reinforcing
- 50mm x 50 m



PERSONAL PROTECTION

When preparing surfaces or applying paint, a specific level of protection is required against the risks users are exposed to.

Finixa's range of protective clothing offers not only protection, but also comfort and durability. Depending on the specific workshop task we offer either reusable or disposable dust & spray masks, gloves, safety boots and coveralls.



PERSONAL PROTECTION

- 11.1 General information 151
- 11.2 Dust & spray masks 152-153
- 11.3 Gloves 154-157
- 11.4 Personal hygiene..... 158
- 11.5 Safety boots 159
- 11.6 Spray overalls 160-165

GENERAL INFORMATION



GLOVES

- Nitrile disposable gloves for universal use
- P.u. coated & micro-foam gloves for panel work, mechanical and assembly jobs
- Solvent-resistant gloves for spray gun cleaning and long term solvent protection
- Universal hand cleaner and cleaning wipes

SAFETY BOOTS

- Low model - S1
- High model - S3



Preparation



Spraybooth



MASKS

DUST MASKS FOR PANEL WORK & PREPARATION:

- P1 - retains 80% of the particles < 2 micrometers
- P2 - retains 94% of the particles < 0,5 micrometers
- P3 - retains 99,95% of the particles < 0,5 micrometers

SPRAY MASKS FOR PRIMING & PAINTING

- A1
protects against organic gases and vapours, boiling point > 65°C to work with solvents created by varnish, paints and adhesives
- A2
same as A1, but to higher concentrations



Preparation



Water-based



Solvent-based

SPRAY OVERALLS

- Premium ESD overall – in new racing design
- 2-part coverall – jacket and pants
- Polyester overall
- High-tech spray overall
- Carbotec spray coat and overall
- Polyester white and blue spray overall
- Disposable spray overalls - polyester fabric (certified EN1149:1)



Anti-static



Washable at 30°C



Biodegradable packaging

PERSONAL PROTECTION

Dust & spray masks



MAS 12 DUST MASK FINE

P2

- Dust mask fine for optimum comfort.
- With or without valve.
- Safety class P2.
- Packed per 15.



Preparation



Water-based



Solvent-based

MAS 13 CARBON DUST MASK

P2

- Dust mask P2 including charcoal filter parts absorbing any hazardous dust particles, high comfort, long-life, FFP2.
- Packed per 5.



Preparation



Water-based



Solvent-based

MAS 00 SPRAY MASK A1, P2

A1 P2

- Comfortable silicone mask (high quality).
- Fits tight around the face and does not cause irritation.
- With exchangeable gas filtering cartridge and exchangeable dust filtering cartridge.
- To improve the lifespan of the filters we added 2 removable protection caps, these caps give an additional protection during storage making the carbon in the filter perform longer.



Preparation



Water-based



Solvent-based

MAS 20 SPRAY MASK A2, P3

A2 P3

- Comfortable silicone mask (high quality).
- Fits tight around the face and does not cause irritation.
- With exchangeable gas filtering cartridge and exchangeable dust filtering cartridge.



Preparation



Water-based



Solvent-based

MAS 06 GAS FILTERING CARTRIDGE A1 FOR SPRAY MASK

- Gas filtering cartridge A1 for MAS 00
- Active carbon filter A1
- Replacement after a period of 40 hours at normal use or once a month
- Packed by 2 pieces

MAS 09 CARTRIDGE RING FOR SPRAY MASK

- Cartridge ring for spray mask MAS 00
- Holds the pre-filter (MAS 05) on the cartridge (MAS 06)
- Packed by 2 pieces

MAS 05 DUST FILTERING CARTRIDGE P2 FOR SPRAY MASK

- Pre-filter P2
- Protects the carbon filters from overspray
- Dust classification P2 - UNE-EN 143-CE 015
- 10 pieces per bag

MAS 50 CLEANING WIPES

- Mini wet towel to clean your mask
- Lemon fragrance
- Towel size: 120 x 220 mm
- Packaging: 50 pieces per box



























































MAS 03 DUST & GAS FILTERING CARTRIDGE A2 P3 FOR SPRAY MASK

- Active Carbon Filter A2 with built-in pre-filter P3
- According to UNE-EN 14387
- Replacement after a period of 40 hours at normal use or once a month
- Packed by 2 pieces



USABILITY CHART

PERSONAL PROTECTION: GLOVES

	GLN Nitrile disposable gloves	GCN Nitrile disposable gloves	GLL B PU coated gloves	GLMB Microfoam nitrile gloves
PANEL REPAIR				
DEGREASING & DUSTING				
APPLYING PUTTY				
SANDING				
SEALING & BONDING				
PLASTIC REPAIR				
LEATHER REPAIR				
WATER-BASED SPRAY				
SOLVENT-BASED SPRAY				
CLEANING & REFINISHING				
CLEANING SPRAY GUN - WATER				
CLEANING SPRAY GUN - SOLVENT				
ASSEMBLY & DISASSEMBLY				
MASKING				
POLISHING				



GLN 08-10

NITRILE DISPOSABLE GLOVES

- Disposable nitrile gloves are 3 times stronger than latex or vinyl and offer optimum comfort combined with optimum protection.
- No sweaty hands as compared to vinyl and latex.
- Packed per 100 pieces in a dispenser box.
- Thickness 0.12 +/- 0.01 mm.

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

GCN 08-10

NITRILE DISPOSABLE GLOVES

- Disposable nitrile gloves are 3 times stronger than latex or vinyl and offer optimum comfort combined with optimum protection.
- No sweaty hands as compared to vinyl and latex.
- Packed 100 pieces in a dispenser box.
- Thickness 0.14mm +/- 0.11mm.

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

GLL 07-11B

PU COATED GLOVES

- Ultra-light and comfortable glove.
- Universal use for mechanical jobs, assembly, preparation and spraying.
- Open nylon structure (outside).
- PU coating on a nylon carrier (inside).
- Excellent finger sensitivity.
- Colourfast.
- Prevents sweaty hands.
- Packed per 12 pair.

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

GLMB 07-11


MICROFOAM NITRILE GLOVES

- Reusable gloves specifically designed for assembly work.
- Strong and comfortable hand protection thanks to this nitrile foam coated glove.
- 360° breathable; never have sweaty hands.
- Packed per 12 pair.

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

USABILITY CHART

PERSONAL PROTECTION: GLOVES

	GLP PVA gloves red	GLC Nitrile gloves green	GLD Nitrile gloves red	GLQ Ketone resistant gloves
PANEL REPAIR				
DEGREASING & DUSTING				
APPLYING PUTTY				
SANDING				
SEALING & BONDING				
PLASTIC REPAIR				
LEATHER REPAIR				
WATER-BASED SPRAY				
SOLVENT-BASED SPRAY				
CLEANING & REFINISHING				
CLEANING SPRAY GUN - WATER				
CLEANING SPRAY GUN - SOLVENT				
ASSEMBLY & DISASSEMBLY				
MASKING				
POLISHING				



GLP 09-10
PVA GLOVES RED

Red
1 pair

- Reusable, long PVA (Polyvinylalcohol) gloves with cotton interlock lining to offer maximum protection against chemicals.
- For handling strong organic solvents.
- Unlimited protection against solvents.
- Length of the gloves: 355mm.
- TIP: when you feel cold through the gloves while using them in combination with solvent products, you have to replace the gloves even if they don't show any holes. The solvent will come through the gloves and will penetrate human skin and body.

S	M	L	XL	XXL
07	08	09	10	11

GLC 08-10
NITRILE GLOVES GREEN

Green
1 pair

- Reusable, long nitril gloves that offer minimal protection against chemicals.
- Ideal for cleaning, recycling or coagulating jobs.
- Minimal protection against solvents (+/- 10 minutes).
- Length of the gloves: 330mm.
- TIP: when you feel cold through the gloves while using them in combination with solvent products, you have to replace the gloves even if they don't show any holes. The solvent will come through the gloves and will penetrate human skin and body.

S	M	L	XL	XXL
07	08	09	10	11

GLD 09-10
NITRILE GLOVES RED

Red
1 pair

- Reusable, long nitrile gloves that offer medium protection against chemicals.
- Ideal for cleaning, recycling or coagulating jobs.
- Medium protection against solvents (+/- 20 minutes).
- Length of the gloves: 380mm.
- TIP: when you feel cold through the gloves while using them in combination with solvent products, you have to replace the gloves even if they don't show any holes. The solvent will come through the gloves and will penetrate human skin and body.

S	M	L	XL	XXL
07	08	09	10	11

GLQ 08-10
KETONE RESISTANT GLOVES BLUE

Blue
1 pair

GLQ is made from a unique formulation which provides exceptional protection against a wide range of aggressive solvents. It offers excellent resistance to ketones, including MEK and acetone, as well as aromatics such as toluene. The performance level is equivalent to our GLP but due to the lightweight unsupported glove construction it feels like a second skin resulting in greater tactile sensitivity which reduces hand fatigue. Length of the gloves: 320mm.

TIP: when you feel cold through the gloves while using them in combination with solvent products, you have to replace the gloves even if they don't show any holes. The solvent will come through the gloves and will penetrate human skin and body.

S	M	L	XL	XXL
07	08	09	10	11

PERSONAL PROTECTION

Personal hygiene

HCL 3000 HAND CLEANER

- All-round hand soap for the bodyshop professional.
- Specifically designed for removing solvent- and water-based paints, glue, oil, grease and other contamination.
- Biodegradable.
- Contains a hand moisturizing and hand nutrient agent, based on aloe vera.



3l

HCL 50 WALL DISPENSER FOR HCL 3000 - WITH PUMP



SCR 100 IMPREGNATED CLEANING CLOTHS

- Polypropylene cloth impregnated with a cleaner suitable for removal of solvent based paints, ink, grease oil, wax etc.
- Very suitable for places where there is no washing facility.
- Orange cloths 26 cm x 27 cm



SAS 38-46
SAFETY BOOTS

Black, 1
pair



- Low safety boot S1p.
- 100% metal free thanks to a composite toe protection and anti-perforated kevlar sole.
- Antistatic and antislip, comfort sole and anti-sweat sides.
- 'EX' approved.



Available sizes: 38-46

SAS 138-146
SAFETY BOOTS

Blue, 1
pair



- High safety boot S3.
- 100% metal free thanks to a composite toe protection and anti-perforated kevlar sole.
- Antistatic and antislip, comfort sole and anti-sweat sides.
- 'EX' approved.



Available sizes: 38-46

PERSONAL PROTECTION

Spray overalls

RSO 07-11

RACING SPRAY OVERALL

- Material: 98% Polyester, 2% Carbon
- EN1149:1 permanent antistatic
- PPE CAT. I
- Original Dupont Teflon Coating (water & dirt repellent)
- Silicone-free, lint-free
- AVS air ventilation system, slot at the back and net inset at the axle
- High wearing comfort, breathable
- Adjustable hood with elastic band & velcro
- Collar closing with velcro
- 1 breast pocket, 2 side pockets, 1 hip pocket
- 2-way zipper, covered
- Big, comfortable elastics at the wrist
- Adjustable foot link closing
- Washable at 30°C or by chemical cleaning

S
07

M
08

L
09

XL
10

XXL
11

XXXL
12



Washable at
30°C



Biodegradable
packaging



Anti-static
EN1149:5



TPJ 07-11

2.PROTECT JACKET

- Washable jacket for preparation and painting jobs
- Material: 100% Polyester
- Silicone-free, lint-free
- PPE CAT. I
- Breathable
- Hood with cord cuff, elastics at ankle, wrist and waist
- 2-way zipper with flap
- Breast pocket with velcro
- Washable up to 30°C or by chemical cleaning
- Matches with TPP 2.Protect pants

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------



Washable at
30°C



Biodegradable
packaging



Anti-static
EN1149:1



TPP 07-11

2.PROTECT PANTS

- Washable pants for preparation and painting jobs
- Material: 100% Polyester
- Silicone-free, lint-free
- PPE CAT. I
- Breathable
- 2 side pockets
- Knee pockets for separate available kneepad SOGK 02
- Washable up to 30°C or by chemical cleaning
- Matches with TPJ 2.Protect jacket

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------

PERSONAL PROTECTION

Spray overalls



Biodegradable packaging



Anti-static
EN1149:1



SOG 07-11

POLYESTER SPRAY OVERALL WITH OPTIONAL GREY KNEE PROTECTION

- Very strong high-density, grey overall
- Polyester is antistatic and therefore attracts less dust
- Polyester fibre that protects against paint penetration
- With hood and breast pocket
- New design of sleeves insert for optimal arm movement
- Air ventilation on back, armpit and crotch
- Cord cuffs at the wrists and ankles
- With optional knee protection

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------

SOGK 02

KNEE PAD FOR SPRAY OVERALL GREY

- Comfortable and certified knee protection
- Ideal if you only kneel down now and again during indoor work on even surfaces
- Can be placed at different heights in the kneepad pocket
- Always in place – high sides prevent the knee from sliding off the kneepad
- One size
- Material: 100% polyethylene



Washable at
30°C



Biodegradable packaging



Anti-static
EN1149:1

PHO 07-11

HIGH TECH SPRAY OVERALL

- A new revolutionary technology.
- The only washable overall on the market that gives 100% protection during the application of high solid paint products.
- The front is a Teflon-treated polyester fibre that protects against paint penetration.
- The back is completely made of multi dry woven material.
- Multi dry absorbs all the perspiration of the body and vaporises this humidity into the air (from the head, back, armpits, back of the knee).
- Very comfortable to wear.
- The overall has two large side pockets and one breast pocket.
- It also has shoe protection.
- Centred waist band for comfort.
- Washable at 30 °C, up to 10 times.

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------



Anti-static
EN1149:5



Washable at
30°C



Biodegradable
packaging

CARBOTEC OVERALL & SPRAY COAT

Carbotec models are completing our overall program as highest standard available on the market: Carbotec technology comes in overall or spray coat; made of lint-free & silicone free polyamide filaments in addition, the fabric is woven with 2% carbon fibre to avoid any electrical charging (EN1149). The original DuPont Teflon coating ensures that the overall is dirt- and water-repellent. The AVS ventilation system will guarantee the wearer excellent breathability. The Carbotec offers a high degree of process reliability.



TCC 07-12

TEFLON® CARBOTEC SPRAY COAT

- Polyester fabric, woven with 2% carbon fibre.
- Permanent antistatic, original Dupont Teflon coated.
- 1 chest pocket, 2 side pockets.
- Plastic press buttons, cord cuffs at the wrist.
- 2-way zipper covered / velcro closing.
- Washable, breathable.

S	M	L	XL	XXL	XXXL
07	08	09	10	11	12

TCO 07-12

TEFLON® CARBOTEC OVERALL

- Polyester fabric, woven with 2% carbon fibre.
- Permanent antistatic, original Dupont Teflon coated.
- Air ventilation slot at the back and under the arms.
- Integrated hood, 2 chest pockets, 2 side pockets, 1 back pocket.
- Plastic press buttons, cord cuffs at the wrist.
- Velcro closing & zipper at the ankle, 2-way zipper covered.
- Washable, breathable.

S	M	L	XL	XXL	XXXL
07	08	09	10	11	12

PERSONAL PROTECTION

Spray overalls



EN1149:1

NSC-WSC 07-12

POLYESTER SPRAY OVERALL WHITE / POLYESTER SPRAY OVERALL BLUE

- Ultra-light economical polyester overall in 190gr material.
- Reusable and washable spray overall with hood and breast pocket.
- Standard colour: white.
- Also available in blue: for a minimal reflection in the lacquer.
- Polyester has the following advantages (compared to nylon): slows down fire and is therefore safer.
- Polyester 'breathes' and is therefore more comfortable to wear.
- Polyester is antistatic and therefore attracts less dust.

S
07

M
08

L
09

XL
10

XXL
11

XXXL
12



NSC



WSC



TSO 08-11

DISPOSABLE SPRAY OVERALL WHITE

- Material: Tyvek® 1431 N, 41 g/m²
- Antistatic treatment
- 3 piece hood
- External stitched seams, Tyvek ®
- Zipper with storm flap
- Elastic cuffs, ankles and waist

S	M	L	XL	XXL	XXXL
07	08	09	10	11	12



CSO 07-11

DISPOSABLE SPRAY OVERALL WHITE

- Material: 50% PP / 50% PE (63g/m²)
- Antistatic treatment
- 3 piece hood
- External stitched seams
- Zipper with storm flap
- Elastic cuffs, ankles and waist

S	M	L	XL	XXL	XXXL
07	08	09	10	11	12







EQUIPMENT

Finixa offers you a wide range of technical equipment, as well as the corresponding chemicals and accessories for use in the different departments of your workshop.

For the paint mixing room, we offer a complete line of spray gun cleaners for both water- and solvent- based cleaning to ensure your spray guns will stay clean and in optimal condition.

Our spray gun cleaners can be modularly adapted to suit your needs.

For water-based cleaning, we can offer you gun shampoo, regenerator and coagulation powder.

For the spray booth and workshop there are various panel stands and parts storage systems available.

EQUIPMENT

12.1	General information	169
12.2	Panel stands & Trestle	170-171
12.3	Gun cleaner	172
12.4	Gun cleaning products	173
12.5	Isolation pads	174
12.6	Panel accessories	175-176
12.7	Fluo markers	176
12.8	Colour inspection lamp	177
12.9	Step-up	177

GENERAL INFORMATION

EQUIPMENT CLASSIFICATION



Spraybooth



Paint room



Workshop
and storage



PROPERTIES GUN CLEANERS

Not included Included

	AGC 50	AGC 21	AGC 40	AGC 70
Water				
Solvent				
Automatic cleaning				
Automatic venturi for vapor evacuation				
Product recycling for pre-wash				
Product fed pre-cleaning brush				
Manually operated jet for fresh product rinsing				
Fully automatic rinsing				
Coagulation included				
Galvanized bin cover				
2-part access door				
External air blow gun				
2 solvent-resistant diaphragm pumps				

EQUIPMENT

Panel stands & Trestle



EQU 80 SPARE PART CART

- Keep your parts organized for each job in the handy chariot.
- 2100x650x900mm
- 230kg max.



EQU 50 BUMPER STAND

- Mobile stand for storage of bumpers.
- Equipped with 8 adjustable supports all cushioned for safety.
- Dimensions (lxwxh) packed: 123cm x 31cm x 20cm.
- Weight: 25kg.



EQU 52 WHEEL AND PANEL STAND

- Mobile panel stand with two horizontal supports with two wheel supports on each side.
- The wheel supports can be taken off so the stand can be used for larger panels such as hood or bonnet - horizontal supports are foam-cushioned for safety.
- Dimensions (LxWxH) packed: 91cm x 70cm x 15cm
- Weight: 27kg



EQU 64 PORTAL ROTATING PANEL STAND

- Mobile panel stand with rotating central axis that can be locked under different angles into different positions by means of a foot pedal.
- Supplied with extensions for the axis so that two doors can be fitted one next to the other, 4 vertical supports with hook and 2 supports with holes.
- Dimensions (LxWxH) packed: 149cm x 23cm x 16cm
- Weight: 26kg





EQU 53 **BUTTERFLY TRESTLE PREMIUM**

- Folding trestle that can be adjusted in height and width by means of two chains.
- Premium quality, feet are attached by means of an extra bar.
- Dimensions (LxWxH) packed: 107cm x 32cm x 9cm.
- Weight: 8,5kg



EQU 55 **X-TRESTLE**

- Adjustable trestle with locking system on the axis for different positions.
- Jumbo X-trestle is galvanized and has a metal axis locking system and two bumper supports.
- Dimensions (LxWxH) packed: 129cm x 63cm x 11cm
- Weight: 10,5kg



EQU 56 **X-TRESTLE**

- Adjustable trestle with locking system on the axis for different positions.
- Standard X-trestle is powder coated grey and has a plastic axis locking system.
- Dimensions (LxWxH) packed: 117cm x 48cm x 8cm
- Weight: 5kg



EQUIPMENT

Gun cleaner



100 cm x 40 cm x 30 cm

AGC 50 QUICK CLEANER

- To clean all waterborne paints.
- No need to leave the spray booth.
- Saves time.
- Cleaning in 30 seconds.
- To be combined with BTC 80 (waterbased gun shampoo).
- Low consumption of gun shampoo, 5 litre for 100 guns.
- Compatible with all disposable cup systems.
- Atex approved.



See overview on page 169



140 cm x 56 cm x 41 cm

AGC 21 AUTOMATIC GUN CLEANER

- To be used in combination with cellulose thinner to clean solvent-paint guns or BTC 80, to clean water-based paint guns.
- Equipped with a brush for pre-cleaning.
- Possible after-cleaning with clean material / air mixture.
- Stainless steel.
- Easy assembly, easy to maintain and to operate.
- Volumes and pressure can easily be set on the front panel.
- Dimensions outside (max.): 1400mm high x 560mm wide x 410mm deep.
- Automatic venturi for suction during opening is standard.
- Optionally available with fully automatic after-clean rinsing.



See overview on page 169



AGC 40
140 cm x 56 cm x 41 cm

AGC 11

AGC 40 AUTOMATIC GUN CLEANER WITH FULLY AUTO- MATIC RINSING

Same as automatic gun cleaner AGC 21 +

- External air blow gun AGC25
- Galvanized bin cover AGC26
- Fully automatic rinsing system AGC35



AGC 70 AUTOMATIC GUN CLEANER + COAGULATION SET

Combination of AGC 40 gun cleaner with AGC 11 coagulation set. AGC 11 is a retro-fit coagulation device for AGC gun cleaners used in combination with water-based paints.



See overview on page 169





20L



1L



AEC 90
5 kg

AEC 91
500 gr

BTC 80 **H2O GUN SHAMPOO**

- Save time and clean your spray guns for water-based paint automatically.
- You only need 100ml of shampoo for one spray gun.
- Cost reducing and higher customer satisfaction
- Coagulations will reduce the waste heavily (up to 90%) and is collected by an officially recognized company.
- The shampoo can be coagulated up to 10 times.
- Can be used in combination with all automatic and manual spray gun cleaners.



BTC 001 **REGENERATOR**

- Adding 1l of regenerator to the coagulated BTC 80, brings back the original cleaning power of the BTC 80.
- 1l of regenerator is sufficient for 20l of coagulated BTC 80.



AEC 90-91 **COAGULATION POWDER**

- Powerful universal coagulation powder.
- Depending on the intensity of the pollution, use about 500 gr coagulation powder for 20L contaminated BTC 80.



EQUIPMENT

Isolation pads



50 cm x 50 cm



50 cm x 50 cm



60 cm x 40 cm

WAP 10

SOUND DEADENING PADS

- Self-adhesive sound deadening pads for application inside doors, boot, roof etc. to prevent sound vibration.
- Bitumen based with protection layer, very flexible, easy to cut and heat resistant.
- Each pad can be torn in half due to a perforated line in the middle to make two pads of 25cm x 50cm.



WAP 15

TRUNK ISOLATION PADS

- Specific flat surface, as OEM-applied in German cars.
- Self-adhesive sound deadening pads for application inside doors, boot, roof etc. to prevent sound vibration.
- Bitumen based with protection layer, very flexible, easy to cut and heat resistant.



PLA 80

DOOR FOAM FILM

- Foam film with adhesive for finishing and isolating inside doors as original.
- Raster printed protection film for easy cutting into shape.



**EQU 40****THINNER SIPHON**

Thinner siphon is the solution for dispensing solvents without having to manipulate heavy cans. Suited for plastic or metal cans with up to 30l content.

EQU 401**SIPHON PIPE + TAP FOR EQU 40****BID 00****TAP FOR BARRELS 20/25/30L****EQU 91****PANEL FIXATION SET**

- Set of 5 interchangeable bars that can be used to fixate panels in a firm 'open' position to work on them. For use on doors, bonnet and boot lid.
- Each bar has a hook and an eye for attachment on to a lock.

**TRT 27****TRIM REMOVAL TOOL SET**

With this complete set of plastic tools, interior panel removing without damaging the panel becomes an easy job, good overview without losing any item thanks to the handy toolkit case.



EQUIPMENT

Panel accessories & Fluo markers



PRD 55



PRD 05



PRD 01



PRD 10-11

PRD 55-05-10-11

ADHESIVE ERASER AND ACCESSORIES

- Rotation disc made of natural rubber available in different models and dimensions.
- To be used on a power drill to remove adhesives, stickers or double sided tape without harming the surface underneath.
- Recommended rotation speed between 2,000 and 4,000 rpm.
- PRD 05: ridged disc; can be fitted directly on the PRD 55 machine.
- PRD 01: can be used on every drilling machine.
- Advantage of PRD 05 over PRD 01: the disc is much wider and is ridged. Due to the ridge the paint does not become warm, there is no paint damage and works three times faster than the PRD 01.
- The combination of PRD 05 with PRD 55 also results in a better finish and is much more user friendly than PRD 01 on a drilling machine.
- To remove paint and corrosion very fast with a minimum of metal degradation using the metal brush and its adaptor on the Finixa PRD 55; patented quick change technology from the brush on its adapter, no tools required.



MAR 21



MAR 22



MAR 23



MAR 24



6 p.



12 p.



MAR 11



MAR 12



MAR 13



MAR 14

MAR 11-24


FLUO MARKERS

- Handy to mark smaller damages on cars.
- Easily removed by any type of degreaser.
- Available in 4 fluorescent colours: green, pink, yellow and blue.
- Two sizes: round diameter 4mm / rectangular 15 x 7mm.

TIP:

- Not to be used on freshly painted panels as you can create scratches.
- Solvents can react with the MAR liquid.



**CIL 00****COLOUR INSPECTION LAMP**

- This colour match light is designed for collision repair, detailing, paint correction and paint booths.
- Highest colour match rating of any LED light on the market
- Spots colour differences and paint imperfections like only a high colour match light can

**SUP 00****STEP-UP****NEW**

- Strong, safe and lightweight: can be used to stand on to reach higher spots on bigger cars and as a seat for comfort during daily activities.
- Strong and durable: handles up to 175kg
- Made of polypropylene and therefore lightweight: weighs only 3,4kg
- No sharp corners; no risk of damaging cars
- Can be used to sit on, but also to stand on to reach rooftops more easily
- Opening in sides as a handle for easy carrying
- Rubber anti slip feet
- Anti slip steps



FINIXA®
paint processing products





PROMOTIONAL ITEMS

PROMOTIONAL ITEMS

Finixa offers a wide range of branded promotional items to its dealers. Some have become our 'traditional' items, such as T-shirts, notebooks, cups, etc. A selection can be found on this page.

Some of our new items include the folding box, a new model of remote control car, a keychain made of recycled ocean plastic, a nice wind & rain jacket, a Finixa banner or beach flag, etc. We plan to have other promotional items available on a more frequent basis and in a limited edition.

Take a look at the latest promotional items online!



#TEAMTURTLE

Sea Turtle Conservation Curacao is a program that involves research, conservation and education and aims to protect sea turtles, an endangered species. They want to raise awareness about sea turtles and the threats they face as a result of the large amounts of plastic in the ocean.

Sea Turtle Conservation and an organization called Limpi Recycling in Curacao have teamed up by using art made from recycled ocean plastic as a means to get the message across. This art is offered for sale in order to raise money to help protect sea turtles.

We are very happy to contribute to this amazing program by purchasing customized Finixa keychains made out of plastic found in the ocean. By doing so, we wish to support the conservation of sea turtles.

For more information, please visit:
www.seaturtleconservationcuracao.org/
www.limpirecycling.com



INDEX A-Z

CODE	Page	Description	S.U.	Box	PAL
A					
ACG 00	47	Auto clean gum 200 g grey	1	12	144
AEC 90	173	Coagulation powder 5 kg	1	1	40
AEC 91	173	Coagulation powder 500 g	1	10	-
AGB 01	132	Anti-gravel coating paintable 1 l black	1	12	600
AGC 11	172	Coagulation set for AGC	1	1	8
AGC 21	172	Automatic gun cleaner	1	1	8
AGC 40	172	Automatic gun cleaner with fully automatic rinsing	1	1	8
AGC 50	172	Quick cleaner	1	1	6
AGC 70	172	Automatic gun cleaner AGC 40 + coagulation set AGC 11	1	1	8
AGG 01	132	Anti-gravel coating paintable 1 l grey	1	12	600
B					
BBF 10	24	Strainers for gravity fed spray guns 275 µm	10	100	-
BID 00	175	Tap for barrels 20/25/30l	1	1	-
BTC 001	173	Regenerator for BTC 80 1 l	1	24	-
BTC 80	173	H²O gun shampoo 20 l	1	1	28
BTG 05	47	Plastic and tyre renovator 0,5 l black	1	10	800
BUC 12	47	Bucket with spout 12 l black	1	1	675
BUI 12	47	Anti-dirt grid for BUC 12	1	1	-
C					
CBC 05	142	Cabine Clean paint dissolvent 5 l	1	1	96
CBP 05	144	Cabine Protect Pro 5 l	1	1	96
CBP 05B	144	Cabine Protect Basic 5 l	1	1	96
CBP 10	144	Cabine Protect Pro 10 l	1	1	60
CBP 10B	144	Cabine Protect Basic 10 l	1	1	60
CBP 25	144	Cabine Protect Pro 25 l	1	1	24
CBP 25B	144	Cabine Protect Basic 25 l	1	1	24
CIL 00	177	Colour inspection lamp	1	12	600
CLM 05	144	Liquid Masking wall protection - washable 5 l	1	1	96
CLP 15	46	Clay pad with velcro 15 cm	1	100	-
CLP 16	46	Velcro hand pad 15 cm	1	200	-
CNS 10	56	Cleaning needle set	1	1	-
CNS 12	56	Replacement needles in a blister	15	15	-
COP 00	124	Nylon seat cover black	1	10	-
COP 05	125	Cover set	100	4	60
CPF 10	146	Cabine light protection film 400 mm x 50 m	1	1	108
CPF 11	146	Cabine light protection film 600 mm x 100 m	1	1	72
CPP 17	145	Cabin protect wall protection - peelable 17 l	1	1	24
CPS 150	132	Control powder with applicator 150 g	1	12	972
CPT 50	147	Cabin protect tape - white	1	24	56
CRM 20	113	Standard paint absorbent masking film 4 m x 150 m	1	1	55
CRM 40	113	Standard paint absorbent masking film 4 m x 300 m	1	1	32
CRM 48	113	Standard paint absorbent masking film 4,8 m x 200 m	1	1	36
CSH 05	46	All in one car shampoo 5 l green	1	4	120
CSO 08	165	Spray overall white M 46-48	1	25	750
CSO 09	165	Spray overall white L 50-52	1	25	750
CSO 10	165	Spray overall white XL 54-56	1	25	750

CODE	Page	Description	S.U.	Box	PAL
CSO 11	165	Spray overall white XXL 58-60	1	25	750
CUK 00	116	Cutter knife in stainless steel	1	10	-
D					
DAE 035	114	Easy tear masking film with masking tape 35 cm x 25 m	20	1	90
DAE 060	114	Easy tear masking film with masking tape 60 cm x 25 m	16	1	90
DAE 100	114	Easy tear masking film with masking tape 100 cm x 25 m	16	1	60
DAE 120	114	Easy tear masking film with masking tape 120 cm x 25 m	16	1	60
DAE 180	114	Easy tear masking film with masking tape 180 cm x 25 m	15	1	60
DAE 260	114	Easy tear masking film with masking tape 260 cm x 25 m	12	1	50
DDD 00	26	3D spray sample plastic black	35	1	30
DEB 12	80	Debrasel Alsi 12 + hardener 1 l	1	12	600
DEB 51	77	Hardener for putties 30 g white	1	100	-
DGR 05	34	Water-based degreaser 5 l	1	1	96
DGR 200	32	Water-based degreaser 200 l	1	1	2
DGR 25	34	Water-based degreaser 25 l	1	1	24
DRF 05	56	Dust removal file rounded	1	1	-
DRF 10	56	Dust removal file straight	1	1	-
DRF 50	56	Magnetic holder for dust removal file for DRF 10	1	1	-
DRW 05	47	Dry wash 5 l	1	1	96
DUC 05	143	Dust control 5 l	1	1	96
DUC 10	143	Dust control 10 l	1	1	60
DUC 25	143	Dust control 25 l	1	1	32
DUC 50	143	Dust Control pressure sprayer 5 l	1	1	50
DZB 04	86	Double sided tape red 4 mm x 10 m	1	10	-
DZB 06	86	Double sided tape red 6 mm x 10 m	1	10	-
DZB 09	86	Double sided tape red 9 mm x 10 m	1	10	-
DZB 12	86	Double sided tape red 12 mm x 10 m	1	10	-
DZB 15	86	Double sided tape red 15 mm x 10 m	1	10	-
DZB 19	86	Double sided tape red 19 mm x 10 m	1	10	-
DZB 25	86	Double sided tape red 25 mm x 10 m	1	10	-
E					
EQU 024	41	Little tap for WJE 05	1	1	-
EQU 40	175	Thinner siphon	1	1	25
EQU 401	175	Siphon pipe + tap for EQU 40	1	1	-
EQU 50	170	Bumper stand	1	1	12
EQU 52	170	Wheel and panel stand	1	1	5
EQU 53	171	Butterfly trestle	1	1	40
EQU 55	171	X-trestle jumbo galvanized with bumper supports	1	1	25
EQU 56	171	X-trestle standard powder coated	1	1	25
EQU 57	115	Dispenser for masking paper for 3 rolls (30, 60 and 90cm)	1	1	25
EQU 64	170	Portal rotating panel stand	1	1	25
EQU 70	115	Dispenser for masking film single	1	1	100
EQU 80	170	Spare part cart	1	1	5
EQU 85	28	Spray gun support with magnet backing	1	20	500
EQU 91	175	Panel fixation set	1	1	100
ESS 08	87	Easy seam sealer on a roll 8 mm x 9m	1	40	-
ESS 10	87	Easy seam sealer on a roll 10 mm x 9m	1	40	-

CODE	Page	Description	S.U.	Box	PAL
ESS 20	87	Roller for easy seam sealer	1	100	-
F					
FFP 0320	99	Flat Foam Pads 115mm x 115mm Primer prep	50	12	144
FFP 0500	99	Flat Foam Pads 115mm x 115mm Base coat prep	50	12	144
FFP 0800	99	Flat Foam Pads 115mm x 115mm Clear coat prep	50	12	144
FFP 1500	99	Flat Foam Pads 115mm x 115mm Clear coat fade-out	50	12	144
FOL 303	118	Fine line tape blue 3 mm x 33 m	1	10	-
FOL 306	118	Fine line tape blue 6 mm x 33 m	1	10	-
FOL 309	118	Fine line tape blue 9 mm x 33 m	1	10	-
FOL 312	118	Fine line tape blue 12 mm x 33 m	1	10	-
FOL 315	118	Fine line tape blue 15 mm x 33 m	1	10	-
FOL 319	118	Fine line tape blue 19 mm x 33 m	1	10	-
FOL 325	118	Fine line tape blue 25 mm x 33 m	1	10	-
FOL 40	113	Paint absorbent masking film 4 m x 200 m	1	1	32
FOL 42	113	Paint absorbent masking film 4 m x 200 m	1	1	32
FOL 43	112	Premium masking film 4 m x 150 m	1	1	32
FOL 45	113	Paint absorbent masking film 5 m x 120 m	1	1	32
FOL 46	113	Paint absorbent masking film 6 m x 150 m	1	1	20
FOL 501MT	119	Lifting tape 'multi' 9, 12, 20 mm x 10 m	1	10	1080
FOL 51	119	Lifting tape 10 mm x 10 m	1	10	1080
FOL 51ET	119	Lifting tape 'Easy Tear' 10 mm x 10 m	1	10	1080
FOL 62	88	Logo tape adhesive transfer 5 cm x 30 cm	10	50	500
FOL 65	117	Wheel well protection cover 88 cm x 58 cm x 20 cm	1	1	100
FOL 66	117	Wheel well protection cover 96 cm x 64 cm x 22 cm	1	1	100
FPS 01	18	FPS adaptor M16 x 1,5 internal thread	1	60	-
FPS 02	18	FPS adaptor M16 x 1,5 external thread	1	60	-
FPS 03	18	FPS adapter 3/8 internal thread	1	60	-
FPS 04	18	FPS adapter 3/8 external thread	1	60	-
FPS 0400125	19	Paint system lids 400 ml 125µm	50	8	64
FPS 0400190	19	Paint system lids 400 ml 190µm	50	8	64
FPS 05	18	FPS adapter 1/4 external thread	1	60	-
FPS 06	18	FPS quick adaptor 1/4	1	60	-
FPS 0650125	19	Paint system lids 650 ml 125µm	50	8	64
FPS 065012500	20	Paint system starterset 650 ml 125µm	50	1	40
FPS 0650190	19	Paint system lids 650 ml 190µm	50	8	64
FPS 065019000	20	Paint system starterset 650 ml 190µm	50	1	40
FPS 07	18	FPS adaptor M12 x 1,5 external thread	1	60	-
FPS 08	18	FPS adapter 1/4 external thread	1	60	-
FPS 09	18	FPS adaptor M18x1.5 internal thread	1	60	-
G					
GAC 0250	25	Mixing paddles plastic 23 cm	250	1	100
GAC 1000	25	Mixing paddles plastic 23 cm	1000	1	50
GAD 00500	29	Storage cup with lid 500 ml black	312	1	16
GAD 01000	29	Storage cup with lid 1 l black	140	1	16
GAD 03000	29	Storage cup with lid 3 l black	45	1	16
GAD 05000	29	Storage cup with lid 5 l black	30	1	16

CODE	Page	Description	S.U.	Box	PAL
GAD 10000	29	Storage cup with lid 10 l black	12	1	16
GAP 00	79	Polyester putty GAPOL 2 kg black	1	6	288
GAP 10	77	Polyester putty MULTI 2 kg	1	6	288
GAP 20	77	Polyester putty FINE 2 kg	1	6	288
GAP 30	78	Polyester putty LIGHT 1,5 kg	1	6	288
GAP 33	78	Polyester putty extra light	1	6	120
GAP 40	80	Polyester putty FIBER 1,8 kg	1	6	288
GAP 50	80	Polyester putty ALU 2 kg	1	6	288
GAP 51	77	Hardener 50 g red	1	100	-
GAP 60	81	Mixing board 100 sheets	100	10	1000
GCN 08	155	Nitrile disposable gloves blue M	100	10	420
GCN 09	155	Nitrile disposable gloves blue L	100	10	420
GCN 10	155	Nitrile disposable gloves blue XL	100	10	420
GLC 08	157	Nitrile gloves green M	12	12	-
GLC 09	157	Nitrile gloves green L	12	12	-
GLC 10	157	Nitrile gloves green XL	12	12	-
GLD 09	157	Nitrile gloves red L	1	72	-
GLD 10	157	Nitrile gloves red XL	1	72	-
GLL 07B	155	Assembly gloves PU black S	12	20	480
GLL 08B	155	Assembly gloves PU black M	12	20	480
GLL 09B	155	Assembly gloves PU black L	12	20	480
GLL 10B	155	Assembly gloves PU black XL	12	20	480
GLL 11B	155	Assembly gloves PU black XXL	12	20	480
GLMB 07	155	Microfoam nitrile gloves S	12	12	360
GLMB 08	155	Microfoam nitrile gloves M	12	12	360
GLMB 09	155	Microfoam nitrile gloves L	12	12	360
GLMB 10	155	Microfoam nitrile gloves XL	12	12	360
GLMB 11	155	Microfoam nitrile gloves XXL	12	12	360
GLN 08	155	Nitrile disposable gloves green M	100	10	420
GLN 09	155	Nitrile disposable gloves green L	100	10	420
GLN 10	155	Nitrile disposable gloves green XL	100	10	420
GLP 09	157	PVA gloves red L	1	12	-
GLP 10	157	PVA gloves red XL	1	12	-
GLQ 08	157	Ketone resistant gloves blue M	1	120	1200
GLQ 09	157	Ketone resistant gloves blue L	1	120	1200
GLQ 10	157	Ketone resistant gloves blue XL	1	120	1200

H-I-J

HCL 3000	158	Hand cleaner (without pump) 3 l	1	6	180
HCL 50	158	Wall dispenser for HCL 3000 - with pump	1	1	50
HRS 00	48	Headlight renewal set	1	1	-
IAG 20	86	Instant adhesive gel 20 g	1	20	-
ILO 10	27	Drying oven for spray sample plates	1	1	32
JST 15	123	Joint stopper 15 mm x 35 m	1	1	240
JST 22	123	Joint stopper 22 mm x 25 m	1	1	240

K-L

LRS 01	70	Leather shine and protect 250 ml	1	70	-
LRS 10	64	Ink disolver 20 ml	1	100	-

INDEX A-Z

CODE	Page	Description	S.U.	Box	PAL
LRS 11	64	Power cleaner 250 ml	1	70	-
LRS 12	64	Leather stain remover 250 ml	1	70	-
LRS 13	65	Intense cleaner 250 ml	1	70	-
LRS 14	64	Stain removal sponge	2	60	-
LRS 143	71	Leather colour spray 250 ml black	1	70	-
LRS 144	71	Leather colour spray 250 ml white	1	70	-
LRS 145	71	Leather colour spray 250 ml caramel	1	70	-
LRS 146	71	Leather colour spray 250 ml light brown	1	70	-
LRS 147	71	Leather colour spray 250 ml mahogany	1	70	-
LRS 148	71	Leather colour spray 250 ml lemon yellow	1	70	-
LRS 149	71	Leather colour spray 250 ml golden yellow	1	70	-
LRS 150	71	Leather colour spray 250 ml bordeaux	1	70	-
LRS 151	71	Leather colour spray 250 ml scarlet red	1	70	-
LRS 152	71	Leather colour spray 250 ml super blue	1	70	-
LRS 153	71	Leather colour spray 250 ml cobalt	1	70	-
LRS 172	71	Top coat adhesion promoter 250 ml	1	70	-
LRS 20	65	Leather & textile degreaser 400 ml	1	24	-
LRS 22	67	Leather glue 20 ml	1	100	-
LRS 23	66	Mesh	1	1	-
LRS 243	71	Leather colour spray 1 l black	1	20	-
LRS 244	71	Leather colour spray 1 l white	1	20	-
LRS 257	71	Finishing layer - glossy - 1l	1	20	-
LRS 258	71	Finishing layer - matte - 1l	1	20	-
LRS 30	66	Fine filler paste 75 ml	1	100	-
LRS 31	66	Filler 15 ml	1	80	-
LRS 32	66	High build filler 15 ml	1	80	-
LRS 33	67	Surface structure copier 50 ml	1	70	-
LRS 34	67	Applicator for structure copier	1	10	-
LRS 35	67	Heat resistant foil for structure copier	1	100	-
LRS 36	67	Mixertip for structure copier	1	1	-
LRS 40	69	Colour samples for touch up	1	1	-
LRS 41	68	Plastic primer 400ml	1	24	-
LRS 42	68	Extra adhesion 250ml	1	70	-
LRS 43	69	Touch up 100ml black	1	80	-
LRS 44	69	Touch up 100ml white	1	80	-
LRS 45	69	Touch up 100ml caramel	1	80	-
LRS 46	69	Touch up 100ml light brown	1	80	-
LRS 47	69	Touch up 100ml mahogany	1	80	-
LRS 48	69	Touch up 100ml lemon yellow	1	80	-
LRS 49	69	Touch up 100ml golden yellow	1	80	-
LRS 50	69	Touch up 100ml bordeaux	1	80	-
LRS 51	69	Touch up 100ml scarlet red	1	80	-
LRS 52	69	Touch up 100ml super blue	1	80	-
LRS 53	69	Touch up 100ml cobalt	1	80	-
LRS 54	68	Matting additive for touch up 250ml	1	70	-
LRS 55	68	Colour fixer 250ml	1	70	-
LRS 56	69	High density sponge	2	72	-
LRS 60	67	Texturing spray 400 ml	1	24	-

CODE	Page	Description	S.U.	Box	PAL
LRS 70	70	Matt top coat 250 ml	1	70	-
LRS 71	70	Glossy top coat 250 ml	1	70	-
LRS 72	70	Top coat adhesion promoter 25 ml	1	70	-
LRS 73	66	Spatula for leather repair	1	1	-
LRS 90	62	Leather repair set	1	1	-
LSP 15	41	Finixa pressure sprayer 500ml 500 ml	1	100	400
LSP 20	41	Pressure sprayer 1L 1 l	1	60	360
LSP 50	41	Coding caps	5	6	240
M					
MAK 00	28	Cleaning kit for sprayguns	1	20	600
MAP B020	114	Masking paper brown 20 cm x 450 m - 40 g/m ²	1	1	125
MAP B030	114	Masking paper brown 30 cm x 450 m - 40 g/m ²	1	1	75
MAP B037	114	Masking paper brown 37 cm x 450 m - 40 g/m ²	1	1	75
MAP B040	114	Masking paper brown 40 cm x 450 m - 40 g/m ²	1	1	75
MAP B060	114	Masking paper brown 60 cm x 450 m - 40 g/m ²	1	1	50
MAP B090	114	Masking paper brown 90 cm x 450 m - 40 g/m ²	1	1	25
MAP B120	114	Masking paper brown 120 cm x 450 m - 40 g/m ²	1	1	25
MAR 11	176	Fluo marker fine green 1,5 mm	12	40	-
MAR 12	176	Fluo marker fine pink 1,5 mm	12	40	-
MAR 13	176	Fluo marker fine yellow 1,5 mm	12	40	-
MAR 14	176	Fluo marker fine blue 1,5 mm	12	40	-
MAR 21	176	Fluo marker green 5 mm-15 mm	6	25	-
MAR 22	176	Fluo marker pink 5 mm-15 mm	6	25	-
MAR 23	176	Fluo marker yellow 5 mm-15 mm	6	25	-
MAR 24	176	Fluo marker blue 5 mm-15 mm	6	25	-
MAS 00	152	Spray mask A1, P2	1	1	150
MAS 03	153	Dust & gas filtering cartridge A2 P3 for spray mask	2	50	-
MAS 05	153	Dust filtering cartridge P2 for spray mask	10	5	-
MAS 06	153	Gas filtering cartridge A1 for spray mask	2	40	-
MAS 09	153	Cartridge ring for spray mask	2	50	220
MAS 12	152	Dust mask fine	15	12	240
MAS 13	152	Carbon dust mask P2	5	20	200
MAS 20	152	Spray mask A2, P3	1	1	150
MAS 50	153	Cleaning wipes 12 cm x 22 cm	50	12	180
MCB 0400	17	Black mixing cups 400 ml black	200	1	60
MCB 0650	17	Black mixing cups 650 ml black	200	1	40
MCBL 0400	17	Lids for Finixa black cups 400 ml black	500	1	60
MCBL 0650	17	Lids for Finixa black cups 650 ml black	500	1	40
MCD 70	16	Dispenser for mixing cups and lids	1	1	-
MCL 0400	17	Lids for Finixa mixing cups 400 ml	500	1	60
MCL 0650	17	Lids for Finixa mixing cups 650 ml	500	1	40
MCL 1300	17	Lids for Finixa mixing cups 1300 ml	400	1	24
MCL 2240	17	Lids for Finixa mixing cups 2240 ml	400	1	18
MCL 5000	17	Lids for Finixa mixing cups 5000 ml	100	1	54
MCLS 0400	17	Lids for Finixa mixing cups 400 ml	100	1	154
MCLS 0650	17	Lids for Finixa mixing cups 650 ml	100	1	130
MCLS 1300	17	Lids for Finixa mixing cups 1300 ml	100	1	60

CODE	Page	Description	S.U.	Box	PAL
MCLS 2240	17	Lids for Finixa mixing cups 2240 ml	100	1	50
MCP 0400	17	Printed mixing cups 400 ml	200	1	60
MCP 0650	17	Printed mixing cups 650 ml	200	1	40
MCP 0900	17	Printed mixing cups 900 ml	200	1	24
MCP 1300	17	Printed mixing cups 1300 ml	200	1	24
MCP 2240	17	Printed mixing cups 2240 ml	200	1	18
MCP 5000	17	Printed mixing cups 5000 ml	40	1	18
MCU 0400	17	Unprinted mixing cups 400 ml	200	1	60
MCU 0650	17	Unprinted mixing cups 650 ml	200	1	40
MCU 0900	17	Unprinted mixing cups 900 ml	200	1	24
MCU 1300	17	Unprinted mixing cups 1300 ml	200	1	24
MCU 2240	17	Unprinted mixing cups 2240 ml	200	1	18
MHW 05	47	Machine/handwax 0,5 l	1	12	300
MHW 10	47	Machine/handwax 1 l	1	8	200
MPP 0200	25	Mixing paddles plastic 30 cm	200	1	80
MPP 0250	25	Mixing paddles plastic 20 cm	250	6	96
MPP 02501	25	Refill bags mixing paddles 8x 250 20 cm	2000	1	16
MSA 100	86	MS fast adhesive 290 ml white	1	12	1248
MST 519	120	Masking tape 110° light beige 19 mm x 50 m	48	1	48
MST 525	120	Masking tape 110° light beige 25 mm x 50 m	36	1	48
MST 530	120	Masking tape 110° light beige 30 mm x 50 m	32	1	48
MST 538	120	Masking tape 110° light beige 38 mm x 50 m	24	1	48
MST 550	120	Masking tape 110° light beige 50 mm x 50 m	24	1	36
MST 619	121	Masking tape 140° brown 19 mm x 50 m	48	1	48
MST 625	121	Masking tape 140° brown 25 mm x 50 m	36	1	48
MST 630	121	Masking tape 140° brown 30 mm x 50 m	32	1	48
MST 638	121	Masking tape 140° brown 38 mm x 50 m	24	1	48
MST 650	121	Masking tape 140° brown 50 mm x 50 m	24	1	36
MST 719	120	Masking tape 120° green 19 mm x 50 m	48	1	48
MST 725	120	Masking tape 120° green 25 mm x 50 m	36	1	48
MST 730	120	Masking tape 120° green 30 mm x 50 m	32	1	48
MST 738	120	Masking tape 120° green 38 mm x 50 m	24	1	48
MST 750	120	Masking tape 120° green 50 mm x 50 m	24	1	36
MST 819	121	Masking tape gold 100° 19 mm x 50 m	48	1	48
MST 825	121	Masking tape gold 100° 25 mm x 50 m	36	1	48
MST 830	121	Masking tape gold 100° 30 mm x 50 m	30	1	48
MST 838	121	Masking tape gold 100° 38 mm x 50 m	24	1	48
MST 850	121	Masking tape gold 100° 50 mm x 50 m	18	1	36
MST 919	120	Masking tape 100° beige 19 mm x 50 m	48	1	48
MST 925	120	Masking tape 100° beige 25 mm x 50 m	36	1	48
MST 930	120	Masking tape 100° beige 30 mm x 50 m	32	1	48
MST 938	120	Masking tape 100° beige 38 mm x 50 m	24	1	48
MST 950	120	Masking tape 100° beige 50 mm x 50 m	24	1	36
N-O					
NSC 07	164	Polyester spray overall blue S 42-44	1	50	800
NSC 08	164	Polyester spray overall blue M 46-48	1	50	800
NSC 09	164	Polyester spray overall blue L 50-52	1	50	800

CODE	Page	Description	S.U.	Box	PAL
NSC 10	164	Polyester spray overall blue XL 54-56	1	50	800
NSC 11	164	Polyester spray overall blue XXL 58-60	1	50	800
NSC 12	164	Polyester spray overall blue XXXL 60-62	1	50	800
NVZ 0125	24	Nylon paint strainers 4x 250 125 µm	1000	1	24
NVZ 0125600	24	Nylon paint strainers 6x 100 125 µm	600	1	35
NVZ 0190	24	Nylon paint strainers 4x 250 190 µm	1000	1	24
NVZ 0190600	24	Nylon paint strainers 6x 100 190 µm	600	1	35
NVZ 0226	24	Nylon paint strainers 4x 250 226 µm	1000	1	24
NVZ 0280	24	Nylon paint strainers 4x 250 280 µm	1000	1	24
NVZ 0400	24	Nylon paint strainers 4x 250 400 µm	1000	1	24
P					
PAP 60	124	Footmats paper perforated on a rol 375 mm x 500 mm	250	1	96
PAP 61	124	Paper footmats on plastic film 70gr	500	1	50
PHO 07	162	High-tec spray overall white/blue S	1	25	800
PHO 08	162	High-tec spray overall white/blue M	1	25	800
PHO 09	162	High-tec spray overall white/blue L	1	25	800
PHO 10	162	High-tec spray overall white/blue XL	1	25	800
PHO 11	162	High-tec spray overall white/blue XXL	1	25	800
PIP 03	28	Pipette 3 ml	500	1	60
PLA 03	114	HDPE masking film green 3,8 x 200 m 10 µm	1	1	32
PLA 32	146	Plastic for spray booth 2,7 m x 100 m 15 µm	1	1	150
PLA 45	146	Magnet strip pliable/cuttable 100 cm	1	250	-
PLA 4525	146	Pliable/cutable magnet strip 100 cm	25	10	-
PLA 50	116	Cutter for masking film - standard	1	72	-
PLA 52	116	Cutter for masking film - premium	1	10	-
PLA 55	116	Replacement blades for premium cutter	10	10	-
PLA 60	124	Footmats plastic perforated on a rol 38 cm x 50 cm	250	1	156
PLA 62	124	Seat covers on a roll 82 cm x 130 cm x 50 cm 12 µm	250	1	49
PLA 67	124	Steering wheel film 12,5 cm x 150 m 15 µm	10	10	82
PLA 68	124	Support steering wheel film PLA 67	1	1	100
PLA 80	174	Door foam film 60 cm x 10 m	1	1	72
PLA 81	117	Wheel covers 70 cm x 34,5 cm x 90 cm 20 µm	250	1	96
PLI 00	90	Plastic repair set	1	1	50
PLI 01	90	Plastic repair 'fast' 25" - 50 ml black	1	6	1296
PLI 02	90	Plastic repair 'medium' 1,5' - 50 ml black	1	6	1296
PLI 03	90	Plastic repair 'slow' 3,5' - 50 ml black	1	6	1296
PLI 05	91	Mixer tips for plastic repair 50 ml	10	100	1000
PLI 10	91	Applicator gun for plastic repair	1	25	-
PLI 15	90	Reinforcement canvas 12 cm x 3,6 m	1	10	-
PLI 16	90	Contour canvas 12 cm x 3,6 m	1	10	-
PLI 50	89	Metal bonding 220 ml black	1	12	-
PLI 55	89	Mixer tips for metal bonding	10	10	-
PLI 60	89	Applicator gun for metal bonding	1	10	-
PMP 20	56	Touch up tips in a dispenser blue 2 mm	100	96	1152
PMP 21	56	Touch up tips in a dispenser yellow 1,5 mm	100	96	1152
PMP 22	56	Touch up tips in a dispenser white 1 mm	100	96	1152
POL 05	50	One step polish paste 0,5 kg	1	10	800

CODE	Page	Description	S.U.	Box	PAL
POL 10	50	One step polish paste 1 kg	1	8	480
POL 15	51	2-step polish paste - step 1	1	8	384
POL 16	51	2-step polish paste - step 2	1	8	384
POL 33	49	Hand foam pad black	1	1	550
POL 34	47	Hand foam pad - medium white	1	1	550
POL 40	49	Microfiber cloth green 40 cm x 40 cm	5	36	360
POL 50	53	Pneumatic polish machine	1	1	300
POL 55	53	Electric polish machine 1050W 700-2500RPM 120 mm	1	4	180
POL 56	53	Interface polishing pad M14 55 - 120 mm	1	80	-
POL 57	53	Interface polishing pad	1	100	-
POL 60	54	Polishing case - electric polishing machine	1	1	48
POL 61	55	Pneumatic polishing kit	1	1	48
POL 62	55	Electric polishing kit	1	1	48
POL 70	100	Matting compound 1 kg	1	8	480
POL 80	53	Electric polisher heavy-duty	1	3	120
POL 81	53	Interface polishing pad	1	40	1080
POP 108	52	Lambswool pad 80/5 mm	4	100	-
POP 114	52	Lambswool pad 135/5 mm	2	100	-
POP 117	52	Lambswool pad 175/5 mm	2	100	-
POP 308	52	Red foam pad 80/25 mm	5	100	-
POP 314	52	Red foam pad 145/30 mm	2	100	-
POP 318	52	Red foam pad 180/30 mm	2	100	-
POP 508	52	White foam pad 80/25 mm	5	100	-
POP 514	52	White foam pad 145/30 mm	2	100	-
POP 518	52	White foam pad 180/30 mm	2	100	-
POP 708	52	Orange foam pad 80/25 mm	5	100	-
POP 714	52	Orange foam pad 145/30 mm	2	100	-
POP 718	52	Orange foam pad 180/30 mm	2	100	-
POP 908	52	Black foam pad 80/25 mm	5	100	-
POP 914	52	Black foam pad 145/30 mm	2	100	-
POP 918	52	Black foam pad 180/30 mm	2	100	-
PPM 10	81	Plastic disposable spreaders	4	100	5000
PPM 20	81	Flexible metal spreader set	4	100	5000
PPM 40	81	Rubber spreaders	20	12	500
PRD 01	176	Adhesive eraser with integrated arbor Ø 88mm	1	100	1000
PRD 05	176	Ridged adhesive eraser 26 mm Ø 100 mm	1	50	500
PRD 10	176	Steel brush for PRD 55	1	80	800
PRD 11	176	Adapter for wire brush PRD 10	1	88	880
PRD 55	176	Pneumatic machine - 4.000 rpm	1	10	200
PRF 1200	147	Self-adhesive protection film white 120 cm x 25 m	1	1	36
PRF 600	147	Self-adhesive protection film white 60 cm x 25 m	1	1	72
PRG 05	49	Plastic renewal gel 500 ml	1	10	800
PRO 035	181	R/C race car 1/10	1	6	-
PRO 100	181	T-shirt navy S	1	100	800
PRO 101	181	T-shirt navy M	1	100	800
PRO 102	181	T-shirt navy L	1	100	800
PRO 103	181	T-shirt navy XL	1	100	800
PRO 104	181	T-shirt navy XXL	1	100	800

CODE	Page	Description	S.U.	Box	PAL
PRO 105	181	T-shirt navy XXXL	1	100	800
PRO 106	181	T-shirt navy XXXXL	1	100	800
PRO 23	181	Umbrella black XL	1	25	1000
PRO 27	181	Coffee cups porcelain Neo	6	1	42
PRO 38	181	Notepad A5	10	4	-
PRO 39	181	Notepad A4	10	2	-
PRO 420	181	Shirt white S	1	10	-
PRO 421	181	Shirt white M	1	10	-
PRO 422	181	Shirt white L	1	10	-
PRO 423	181	Shirt white XL	1	10	-
PRO 424	181	Shirt white XXL	1	10	-
PRO 44	181	Foldable plastic box Blue/green 49cm x 30cm x 24cm	1	1	110
PRO 47	181	Finixa keychain made of recycled ocean plastic	1	1	2500
PSM 17	118	Parking sensor mask	60	50	-
Q-R					
RJE 20	41	Rubber jet	1	100	-
RJE 21	41	Rubber Jet with Orion connector	1	100	-
RSO 07	160	Racing spray overall S	1	25	800
RSO 08	160	Racing spray overall M	1	25	800
RSO 09	160	Racing spray overall L	1	25	800
RSO 10	160	Racing spray overall XL	1	25	800
RSO 11	160	Racing spray overall XXL	1	25	800
S					
SAB 01	106	Sanding block flat hand grip for sanding discs Ø 150 mm	1	6	300
SAB 07	107	Sanding block flat hand grip + 3 different shapes	1	1	-
SAB 30	102	Sanding block with extraction 70 mm x 125 mm 8 holes	1	1	-
SAB 31	102	Sanding block with extraction 70 mm x 198 mm 8 holes	1	1	-
SAB 32	102	Sanding block with extraction 70 mm x 400 mm 14 holes	1	1	-
SAB 33	102	Sanding block with extraction 115 mm x 230 mm 10 holes	1	1	-
SAB 35	107	Sanding block with extraction 70 mm x 198 mm 8 holes	1	1	-
SAB 50	106	Velcro board for sanding blocks	1	1	-
SAM 00	104	Pneumatic sanding machine 2,5 mm Ø 150 mm	1	10	200
SAM 01	104	Pneumatic sanding machine 5 mm Ø 150 mm	1	10	200
SAM 02	106	Palm sander	1	10	-
SAM 021	106	Sanding pad velcro 75mm	1	5	-
SAM 125M	105	Sanding pad universal velcro 8 holes - Ø 125mm MEDIUM	1	1	-
SAM 125S	105	Sanding pad universal velcro 8 holes - Ø 125mm SOFT	1	1	-
SAM 15M	105	Sanding pad velcro 15 holes - Ø 150mm MEDIUM	1	1	-
SAM 15S	105	Sanding pad velcro 15 holes - Ø 150mm SOFT	1	1	-
SAM 36	105	Sanding pad adaptor soft velcro for SPDA/SFDA 10 mm 15 holes	1	10	-
SAM 37	105	Sanding pad adaptor soft velcro for SPDA/SFDA 5 mm 15 holes	1	10	-
SAM 50	104	Pneum. eccentric sand. machine, deviation 2,5 mm, Ø 150 mm	1	12	192
SAM 51	104	Pneum. eccentric sand. machine, deviation 5 mm, Ø 150 mm	1	12	192
SAP 01	101	Medium hand sanding pad for SCA	1	1	300
SAS 138	159	Safety boot S3 size 38	1	10	80
SAS 139	159	Safety boot S3 size 39	1	10	80
SAS 140	159	Safety boot S3 size 40	1	10	80

CODE	Page	Description	S.U.	Box	PAL
SAS 141	159	Safety boot S3 size 41	1	10	80
SAS 142	159	Safety boot S3 size 42	1	10	80
SAS 143	159	Safety boot S3 size 43	1	10	80
SAS 144	159	Safety boot S3 size 44	1	10	80
SAS 145	159	Safety boot S3 size 45	1	10	80
SAS 146	159	Safety boot S3 size 46	1	10	80
SAS 38	159	Safety boot S1p size 38	1	10	80
SAS 39	159	Safety boot S1p size 39	1	10	80
SAS 40	159	Safety boot S1p size 40	1	10	80
SAS 41	159	Safety boot S1p size 41	1	10	80
SAS 42	159	Safety boot S1p size 42	1	10	80
SAS 43	159	Safety boot S1p size 43	1	10	80
SAS 44	159	Safety boot S1p size 44	1	10	80
SAS 45	159	Safety boot S1p size 45	1	10	80
SAS 46	159	Safety boot S1p size 46	1	10	80
SBR 10	100	Scuff rolls extra fine red 100 mm x 10 m	1	5	120
SBR 20	100	Scuff rolls ultra fine grey 100 mm x 10 m	1	5	120
SBR 30	100	Scuff rolls micro fine gold 100 mm x 10 m	1	5	120
SCA 0500	101	Sanding cloth brown 80 mm x 133 mm P500	50	1	-
SCA 0800	101	Sanding cloth violet 80 mm x 133 mm P800	50	1	-
SCA 1500	101	Sanding cloth red 80 mm x 133 mm P1500	50	1	-
SCA 2000	101	Sanding cloth green 80 mm x 133 mm P2000	50	1	-
SCL 00	57	Stone chip curing lamp	1	40	-
SCR 100	158	Impregnated cleaning cloths in dispenser bucket	100	4	192
SCU 20	57	Stone chip repair UV	1	12	-
SFDA 0036	96	Sanding disc Ø 150mm - 15 holes green P36	50	8	336
SFDA 0040	96	Sanding disc Ø 150mm - 15 holes green P40	50	8	336
SFDA 0060	96	Sanding disc Ø 150mm - 15 holes green P60	50	8	336
SFDA 0080	96	Sanding disc Ø 150mm - 15 holes green P80	100	8	336
SFDA 0100	96	Sanding disc Ø 150mm - 15 holes green P100	100	8	336
SFDA 0120	96	Sanding disc Ø 150mm - 15 holes green P120	100	8	336
SFDA 0150	96	Sanding disc Ø 150mm - 15 holes green P150	100	8	336
SFDA 0180	96	Sanding disc Ø 150mm - 15 holes green P180	100	8	336
SFDA 0220	96	Sanding disc Ø 150mm - 15 holes green P220	100	8	336
SFDA 0240	96	Sanding disc Ø 150mm - 15 holes green P240	100	8	336
SFDA 0280	96	Sanding disc Ø 150mm - 15 holes green P280	100	8	336
SFDA 0320	96	Sanding disc Ø 150mm - 15 holes green P320	100	8	336
SFDA 0360	96	Sanding disc Ø 150mm - 15 holes green P360	100	8	336
SFDA 0400	96	Sanding disc Ø 150mm - 15 holes green P400	100	8	336
SFDA 0500	96	Sanding disc Ø 150mm - 15 holes green P500	100	8	336
SFDA 0600	96	Sanding disc Ø 150mm - 15 holes green P600	100	8	336
SFDA 0800	96	Sanding disc Ø 150mm - 15 holes green P800	100	8	336
SFDA 1000	96	Sanding disc Ø 150mm - 15 holes green P1000	100	8	336
SFDA 1200	96	Sanding disc Ø 150mm - 15 holes green P1200	100	8	336
SFDA 1500	96	Sanding disc Ø 150mm - 15 holes green P1500	100	8	336
SFDA 2000	96	Sanding disc Ø 150mm - 15 holes green P2000	100	8	336
SFDP 0080	97	Sanding disc green P80 Ø 75 mm	50	8	-
SFDP 0120	97	Sanding disc green P120 Ø 75 mm	50	8	-

CODE	Page	Description	S.U.	Box	PAL
SFDP 0180	97	Sanding disc green P180 Ø 75 mm	50	8	-
SFDP 0240	97	Sanding disc green P240 Ø 75 mm	50	8	-
SFDP 0320	97	Sanding disc green P320 Ø 75 mm	50	8	-
SFDP 0400	97	Sanding disc green P400 Ø 75 mm	50	8	-
SFDP 0500	97	Sanding disc green P500 Ø 75 mm	50	8	-
SFDP 0600	97	Sanding disc green P600 Ø 75 mm	50	8	-
SFDP 0800	97	Sanding disc green P800 Ø 75 mm	50	8	-
SFDP 1000	97	Sanding disc green P1000 Ø 75 mm	50	8	-
SFDP 1200	97	Sanding disc green P1200 Ø 75 mm	50	8	-
SFDP 1500	97	Sanding disc green P1500 Ø 75 mm	50	8	-
SFDP 2000	97	Sanding disc green P2000 Ø 75 mm	50	8	-
SIP 1000	28	Siphon 1 l	6	1	50
SOF 11	37	Polishing cloths in dispenser box 38 cm x 40 cm	400	1	48
SOF 19	36	Degreasing cloths white 33 cm x 42 cm	260	1	90
SOF 20	36	Degreasing cloths blue 33 cm x 42 cm	200	1	90
SOF 21	36	Degreasing cloths / roll 38 cm x 30 cm	500	1	60
SOF 25	36	Degreasing cloths / bucket white 28 cm x 30 cm	100	6	216
SOF 251	36	Refill pack for SOF 25	6	1	100
SOF 50	37	Cleaning/degreasing cloths 37 cm x 40 cm	225	1	48
SOF 52	37	Cleaning/degreasing cloths on a roll 38 cm x 32 cm	500	1	40
SOF 60	37	3-layer cleaning paper on a roll 38 cm x 37 cm	1000	1	40
SOF 62	37	2-layer cleaning paper on a roll 24 cm x 36,5 cm	952	1	96
SOF 90	40	Floor dispenser	1	1	50
SOF 91	40	Wall dispenser	1	1	50
SOF 92	40	Floor dispenser with bag fastner	1	1	50
SOG 07	162	Polyester spray overall knee protection grey S	1	50	-
SOG 08	162	Polyester spray overall knee protection grey M	1	50	-
SOG 09	162	Polyester spray overall knee protection grey L	1	50	-
SOG 10	162	Polyester spray overall knee protection grey XL	1	50	-
SOG 11	162	Polyester spray overall knee protection grey XXL	1	50	-
SOGK 02	162	Kneepad for spray overall grey	1	40	-
SPDA 0040	96	Sanding disc Ø 150mm - 15 holes red P40	50	8	336
SPDA 0060	96	Sanding disc Ø 150mm - 15 holes red P60	50	8	336
SPDA 0080	96	Sanding disc Ø 150mm - 15 holes red P80	100	8	336
SPDA 0100	96	Sanding disc Ø 150mm - 15 holes red P100	100	8	336
SPDA 0120	96	Sanding disc Ø 150mm - 15 holes red P120	100	8	336
SPDA 0150	96	Sanding disc Ø 150mm - 15 holes red P150	100	8	336
SPDA 0180	96	Sanding disc Ø 150mm - 15 holes red P180	100	8	336
SPDA 0220	96	Sanding disc Ø 150mm - 15 holes red P220	100	8	336
SPDA 0240	96	Sanding disc Ø 150mm - 15 holes red P240	100	8	336
SPDA 0280	96	Sanding disc Ø 150mm - 15 holes red P280	100	8	336
SPDA 0320	96	Sanding disc Ø 150mm - 15 holes red P320	100	8	336
SPDA 0360	96	Sanding disc Ø 150mm - 15 holes red P360	100	8	336
SPDA 0400	96	Sanding disc Ø 150mm - 15 holes red P400	100	8	336
SPDA 0500	96	Sanding disc Ø 150mm - 15 holes red P500	100	8	336
SPDA 0600	96	Sanding disc Ø 150mm - 15 holes red P600	100	8	336
SPDA 0800	96	Sanding disc Ø 150mm - 15 holes red P800	100	8	336
SPDA 1000	96	Sanding disc Ø 150mm - 15 holes red P1000	100	8	336

CODE	Page	Description	S.U.	Box	PAL
SPDA 1200	96	Sanding disc Ø 150mm - 15 holes red P1200	100	8	336
SPDA 1500	96	Sanding disc Ø 150mm - 15 holes red P1500	100	8	-
SPDA 2000	96	Sanding disc Ø 150mm - 15 holes red P2000	100	8	-
SPDA 2500	96	Sanding disc Ø 150mm - 15 holes red P2500	100	8	-
SPDA 3000	96	Sanding disc Ø 150mm - 15 holes red P3000	100	8	-
SPDD 0080	97	Sanding disc Ø 125 mm - 8 holes red P80	100	25	-
SPDD 0100	97	Sanding disc Ø 125 mm - 8 holes red P100	100	25	-
SPDD 0120	97	Sanding disc Ø 125 mm - 8 holes red P120	100	25	-
SPDD 0150	97	Sanding disc Ø 125 mm - 8 holes red P150	100	25	-
SPDD 0180	97	Sanding disc Ø 125 mm - 8 holes red P180	100	25	-
SPDD 0220	97	Sanding disc Ø 125 mm - 8 holes red P220	100	25	-
SPDD 0240	97	Sanding disc Ø 125 mm - 8 holes red P240	100	25	-
SPDD 0280	97	Sanding disc Ø 125 mm - 8 holes red P280	100	25	-
SPDD 0320	97	Sanding disc Ø 125 mm - 8 holes red P320	100	25	-
SPDD 0360	97	Sanding disc Ø 125 mm - 8 holes red P360	100	25	-
SPDD 0400	97	Sanding disc Ø 125 mm - 8 holes red P400	100	25	-
SPDD 0500	97	Sanding disc Ø 125 mm - 8 holes red P500	100	25	-
SPDD 0600	97	Sanding disc Ø 125 mm - 8 holes red P600	100	25	-
SPDD 0800	97	Sanding disc Ø 125 mm - 8 holes red P800	100	25	-
SPDD 1000	97	Sanding disc Ø 125 mm - 8 holes red P1000	100	25	-
SPDD 1200	97	Sanding disc Ø 125 mm - 8 holes red P1200	100	25	-
SPDE 0080	97	Sanding disc Ø 203 mm - 8 holes red P80	100	4	-
SPDE 0120	97	Sanding disc Ø 203 mm - 8 holes red P120	100	4	-
SPDE 0150	97	Sanding disc Ø 203 mm - 8 holes red P150	100	4	-
SPDE 0240	97	Sanding disc Ø 203 mm - 8 holes red P240	100	4	-
SPDE 0320	97	Sanding disc Ø 203 mm - 8 holes red P320	100	4	-
SPDE 0400	97	Sanding disc Ø 203 mm - 8 holes red P400	100	4	-
SPDM 1500	98	Adhesive minidisks pvc support P1500 Ø 35 mm	100	1	-
SPDM 2000	98	Adhesive minidisks pvc support P2000 Ø 35 mm	100	1	-
SPDM 2500	98	Adhesive minidisks pvc support P2500 Ø 35 mm	100	1	-
SPDM 3000	98	Adhesive minidisks pvc support P3000 Ø 35 mm	100	1	-
SPDQ 0500	98	Ultimate discs velcro no holes red P500 Ø 150 mm	10	8	-
SPDQ 0600	98	Ultimate discs velcro no holes red P600 Ø 150 mm	10	8	-
SPDQ 0800	98	Ultimate discs velcro no holes red P800 Ø 150 mm	10	8	-
SPDQ 1000	98	Ultimate discs velcro no holes red P1000 Ø 150 mm	10	8	-
SPDQ 1500	98	Ultimate discs velcro no holes red P1500 Ø 150 mm	10	8	-
SPDQ 2000	98	Ultimate discs velcro no holes red P2000 Ø 150 mm	10	8	-
SPDQ 2500	98	Ultimate discs velcro no holes red P2500 Ø 150 mm	10	8	-
SPDQ 3000	98	Ultimate discs velcro no holes red P3000 Ø 150 mm	10	8	-
SPDR 0500	98	Ultimate discs velcro no holes red P500 Ø 75 mm	20	8	-
SPDR 0800	98	Ultimate discs velcro no holes red P800 Ø 75 mm	20	8	-
SPDR 1000	98	Ultimate discs velcro no holes red P1000 Ø 75 mm	20	8	-
SPDR 1500	98	Ultimate discs velcro no holes red P1500 Ø 75 mm	20	8	-
SPDR 2000	98	Ultimate discs velcro no holes red P2000 Ø 75 mm	20	8	-
SPDR 2500	98	Ultimate discs velcro no holes red P2500 Ø 75 mm	20	8	-
SPDR 3000	98	Ultimate discs velcro no holes red P3000 Ø 75 mm	20	8	-
SPDS 0040	97	Abrasive paper red P40 Ø 150 mm	50	8	336
SPDS 0060	97	Abrasive paper red P60 Ø 150 mm	50	8	336

CODE	Page	Description	S.U.	Box	PAL
SPDS 0080	97	Abrasive paper red P80 Ø 150 mm	100	8	336
SPDS 0100	97	Abrasive paper red P100 Ø 150 mm	100	8	336
SPDS 0120	97	Abrasive paper red P120 Ø 150 mm	100	8	336
SPDS 0150	97	Abrasive paper red P150 Ø 150 mm	100	8	336
SPDS 0180	97	Abrasive paper red P180 Ø 150 mm	100	8	336
SPDS 0220	97	Abrasive paper red P220 Ø 150 mm	100	8	336
SPDS 0240	97	Abrasive paper red P240 Ø 150 mm	100	8	336
SPDS 0280	97	Abrasive paper red P280 Ø 150 mm	100	8	336
SPDS 0320	97	Abrasive paper red P320 Ø 150 mm	100	8	336
SPDS 0360	97	Abrasive paper red P360 Ø 150 mm	100	8	336
SPDS 0400	97	Abrasive paper red P400 Ø 150 mm	100	8	336
SPDS 0500	97	Abrasive paper red P500 Ø 150 mm	100	8	336
SPDS 0600	97	Abrasive paper red P600 Ø 150 mm	100	8	336
SPDS 0800	97	Abrasive paper red P800 Ø 150 mm	100	8	336
SPDS 1000	97	Abrasive paper red P1000 Ø 150 mm	100	8	336
SPDS 1200	97	Abrasive paper red P1200 Ø 150 mm	100	8	336
SPFA 0080	103	Foam backing abrasive on a roll 114 mm x 25 m P80	1	1	80
SPFA 0150	103	Foam backing abrasive on a roll 114 mm x 25 m P150	1	1	80
SPFA 0180	103	Foam backing abrasive on a roll 114 mm x 25 m P180	1	1	80
SPFA 0240	103	Foam backing abrasive on a roll 114 mm x 25 m P240	1	1	80
SPFA 0320	103	Foam backing abrasive on a roll 114 mm x 25 m P320	1	1	80
SPFA 0400	103	Foam backing abrasive on a roll 114 mm x 25 m P400	1	1	80
SPFA 0500	103	Foam backing abrasive on a roll 114 mm x 25 m P500	1	1	80
SPFA 0600	103	Foam backing abrasive on a roll 114 mm x 25 m P600	1	1	80
SPFA 0800	103	Foam backing abrasive on a roll 114 mm x 25 m P800	1	1	80
SPFA 1000	103	Foam backing abrasive on a roll 114 mm x 25 m P1000	1	1	80
SPG 100	22	Spray gun with 0.8mm nozzle	1	20	400
SPG 100C	22	Gravity cup for spray gun 100 ml	1	1	-
SPG 100K0.8	22	Nozzle set for SPG 100 0.8mm	1	50	-
SPG 100K1.0	22	Nozzle set for SPG 100 1.0mm	1	50	-
SPG 100K1.2	22	Nozzle set for SPG 100 1.2mm	1	50	-
SPG 500	22	Spray gun - black chrome	1	20	120
SPG 500C	22	Gravity cup for SPG 500 500 ml	1	1	-
SPG 500K1.3	22	Nozzle set for SPG 500 1.3mm	1	50	-
SPG 500K1.5	22	Nozzle set for SPG 500 1.5mm	1	50	-
SPG 500K1.8	22	Nozzle set for SPG 500 1.8mm	1	50	-
SPG 500K2.0	22	Nozzle set for SPG 500 2.0mm	1	50	-
SPG 500K2.5	22	Nozzle set for SPG 500 2.5mm	1	50	-
SPG 60	21	Spray case	1	1	-
SPG 80	22	Pressure tank incl. hose + spray gun 10l	1	1	20
SPG 800	23	High transfer spray gun - base	1	5	-
SPG 81	22	Spray gun with 1.8 nozzle	1	1	-
SPG 80K1.2	22	Nozzle set for SPG81 1.2mm	1	1	-
SPG 80K1.5	22	Nozzle set for SPG81 1.5mm	1	1	-
SPG 80K1.8	22	Nozzle set for SPG81 1.8mm	1	1	-
SPG 80K2.0	22	Nozzle set for SPG81 2.0mm	1	1	-
SPG 82	22	Set hoses for SPG 80 10m	1	1	-
SPG 83	22	Transparent hose for SPG 80 10m	1	1	-

CODE	Page	Description	S.U.	Box	PAL
SPG 900	23	High transfer spray gun - clear	1	5	-
SPG 900K1.2	23	Nozzle set for SPG 800/900 1.2	1	50	-
SPG 900K1.3	23	Nozzle set for SPG 800/900 1.3	1	50	-
SPG 900K1.4	23	Nozzle set for SPG 800/900 1.4	1	50	-
SPG 900K1.5	23	Nozzle set for SPG 800/900 1.5	1	50	-
SPG 900K1.8	23	Nozzle set for SPG 800/900 1.8	1	50	-
SPG 910	23	Maintenance kit for spray gun SPG 800 and 900	1	500	-
SPG 920	23	Pressure regulator for spray gun SPG 800 and 900	1	500	-
SPJ 00	46	Jumbo sponge orange	1	48	480
SPM 00	46	Microfiber sponge green	1	48	480
SPSA 0060	102	Sanding strip 70mm x 127mm - 8 holes P60	50	8	-
SPSA 0080	102	Sanding strip 70mm x 127mm - 8 holes red P80	100	8	-
SPSA 0100	102	Sanding strip 70mm x 127mm - 8 holes red P100	100	8	-
SPSA 0120	102	Sanding strip 70mm x 127mm - 8 holes red P120	100	8	-
SPSA 0150	102	Sanding strip 70mm x 127mm - 8 holes red P150	100	8	-
SPSA 0180	102	Sanding strip 70mm x 127mm - 8 holes red P180	100	8	-
SPSA 0240	102	Sanding strip 70mm x 127mm - 8 holes red P240	100	8	-
SPSA 0320	102	Sanding strip 70mm x 127mm - 8 holes red P320	100	8	-
SPSA 0400	102	Sanding strip 70mm x 127mm - 8 holes red P400	100	8	-
SPSB 0060	102	Sanding strip 70mm x 198mm - 8 holes red P60	50	8	-
SPSB 0080	102	Sanding strip 70mm x 198mm - 8 holes red P80	100	8	-
SPSB 0100	102	Sanding strip 70mm x 198mm - 8 holes red P100	100	8	-
SPSB 0120	102	Sanding strip 70mm x 198mm - 8 holes red P120	100	8	-
SPSB 0150	102	Sanding strip 70mm x 198mm - 8 holes red P150	100	8	-
SPSB 0180	102	Sanding strip 70mm x 198mm - 8 holes red P180	100	8	-
SPSB 0240	102	Sanding strip 70mm x 198mm - 8 holes red P240	100	8	-
SPSB 0320	102	Sanding strip 70mm x 198mm - 8 holes red P320	100	8	-
SPSB 0400	102	Sanding strip 70mm x 198mm - 8 holes red P400	100	8	-
SPSC 0060	102	Sanding strip 70mm x 420mm - 14 holes red P60	50	8	-
SPSC 0080	102	Sanding strip 70mm x 420mm - 14 holes red P80	100	8	-
SPSC 0100	102	Sanding strip 70mm x 420mm - 14 holes red P100	100	8	-
SPSC 0120	102	Sanding strip 70mm x 420mm - 14 holes red P120	100	8	-
SPSC 0150	102	Sanding strip 70mm x 420mm - 14 holes red P150	100	8	-
SPSC 0180	102	Sanding strip 70mm x 420mm - 14 holes red P180	100	8	-
SPSC 0240	102	Sanding strip 70mm x 420mm - 14 holes red P240	100	8	-
SPSC 0320	102	Sanding strip 70mm x 420mm - 14 holes red P320	100	8	-
SPSC 0400	102	Sanding strip 70mm x 420mm - 14 holes red P400	100	8	-
SPSD 0060	102	Sanding strip 115mm x 230mm - 10 holes red P60	50	8	-
SPSD 0080	102	Sanding strip 115mm x 230mm - 10 holes red P80	100	8	-
SPSD 0100	102	Sanding strip 115mm x 230mm - 10 holes red P100	100	8	-
SPSD 0120	102	Sanding strip 115mm x 230mm - 10 holes red P120	100	8	-
SPSD 0150	102	Sanding strip 115mm x 230mm - 10 holes red P150	100	8	-
SPSD 0180	102	Sanding strip 115mm x 230mm - 10 holes red P180	100	8	-
SPSD 0240	102	Sanding strip 115mm x 230mm - 10 holes red P240	100	8	-
SPSD 0320	102	Sanding strip 115mm x 230mm - 10 holes red P320	100	8	-
SPSD 0400	102	Sanding strip 115mm x 230mm - 10 holes red P400	100	8	-
SPT 05	122	Flexi no edge blending tape 15 mm x 25 m	1	1	210
SPT 13	122	Spon tape round 13 mm x 50 m	1	1	119

CODE	Page	Description	S.U.	Box	PAL
SPT 17	122	Spon tape round 17 mm x 40 m	1	1	119
SPT 25	122	Spon tape oval 25 mm x 37 m	1	1	119
SPW 05	46	Spray wax 5 l	1	4	120
SSP 00	26	Spray sample plates 5x 100 white	500	1	108
SSP 01	26	Spray sample plates 5x 100 grey	500	1	108
SSP 02	26	Spray sample plates 5x 100 deep grey	500	1	108
SSP 40	27	Filing system for spray sample plates	1	1	100
SSP 42	27	Envelopes for spray sample plates	250	1	84
SSP 50	27	Magnet holder and stand for spray sample plates	1	1	100
SSS 000	88	Spray tip - standard nozzle for SSS	10	10	-
SSS 005	88	Spray tip - flanged nozzle for SSS	100	1	100
SSS 030	88	Finixa brush 30 mm	1	1	-
SSS 100	87	Sprayable seam sealer 290 ml white	1	12	1248
SSS 200	87	Sprayable seam sealer 290 ml grey	1	12	1248
SSS 300	87	Sprayable seam sealer 290 ml black	1	12	1248
SSS 400	87	Sprayable seam sealer 290 ml beige	1	12	1248
SUNE 0036	103	Sanding sheet 230 mm x 280 mm P36	1	20	-
SUNE 0040	103	Sanding sheet 230 mm x 280 mm P40	25	20	-
SUNE 0060	103	Sanding sheet 230 mm x 280 mm P60	25	20	-
SUNE 0080	103	Sanding sheet 230 mm x 280 mm P80	50	20	-
SUNE 0100	103	Sanding sheet 230 mm x 280 mm P100	50	20	-
SUNE 0120	103	Sanding sheet 230 mm x 280 mm P120	50	20	-
SUNE 0150	103	Sanding sheet 230 mm x 280 mm P150	50	20	-
SUNE 0180	103	Sanding sheet 230 mm x 280 mm P180	25	20	-
SUNE 0220	103	Sanding sheet 230 mm x 280 mm P220	50	20	-
SUNE 0240	103	Sanding sheet 230 mm x 280 mm P240	50	20	-
SUNE 0280	103	Sanding sheet 230 mm x 280 mm P280	50	20	-
SUNE 0320	103	Sanding sheet 230 mm x 280 mm P320	25	20	-
SUNE 0360	103	Sanding sheet 230 mm x 280 mm P360	50	20	-
SUNE 0400	103	Sanding sheet 230 mm x 280 mm P400	50	20	-
SUNE 0500	103	Sanding sheet 230 mm x 280 mm P500	50	20	-
SUNE 0600	103	Sanding sheet 230 mm x 280 mm P600	50	20	-
SUNE 0800	103	Sanding sheet 230 mm x 280 mm P800	50	20	-
SUNE 1000	103	Sanding sheet 230 mm x 280 mm P1000	50	20	-
SUNE 1200	103	Sanding sheet 230 mm x 280 mm P1200	50	20	-
SUNE 1500	103	Sanding sheet 230 mm x 280 mm P1500	50	20	-
SUNE 2000	103	Sanding sheet 230 mm x 280 mm P2000	50	20	-
SUNE 2500	103	Sanding sheet 230 mm x 280 mm P2500	25	20	-
SUNI 0036	98	Sanding sheet P36 Ø 50 mm	25	8	-
SUNI 0050	98	Sanding sheet P50 Ø 50 mm	25	8	-
SUP 00	177	Step-up blue	1	1	24
T					
TAK 00	38	Tack rags standard 80 cm x 45 cm	50	1	100
TAK 01	38	Tack rags standard H2O 80 cm x 45 cm	50	1	100
TAK 10	38	Tack rags CTI 80 cm x 80 cm	50	1	84
TAK 11	38	Tack rags CTI H2O 80 cm x 90 cm	50	1	84
TAK 20	39	Tack rags soft 17 cm x 45 cm	100	1	100

INDEX A-Z


CODE	Page	Description	S.U.	Box	PAL
TAK 30	39	Tack rags smooth 38 cm x 45 cm	180	1	100
TAK 31	39	Tack rags smooth 38 cm x 45 cm	100	1	50
TAP 50	121	Duct tape rolls grey 5 cm x 50 m	18	1	48
TAP 52	121	Duct tape rolls black 5 cm x 50 m	18	1	48
TCC 07	163	Teflon carbotec spray coat grey S 42-44	1	25	300
TCC 08	163	Teflon carbotec spray coat grey M 46-48	1	25	300
TCC 09	163	Teflon carbotec spray coat grey L 50-52	1	25	300
TCC 10	163	Teflon carbotec spray coat grey XL 54-56	1	25	300
TCC 11	163	Teflon carbotec spray coat grey XXL 58-60	1	25	300
TCC 12	163	Teflon carbotec spray coat grey XXXL 62-64	1	25	300
TCO 07	163	Teflon carbotec spray overall grey S 42-44	1	25	300
TCO 08	163	Teflon carbotec spray overall grey M 46-48	1	25	300
TCO 09	163	Teflon carbotec spray overall grey L 50-52	1	25	300
TCO 10	163	Teflon carbotec spray overall grey XL 54-56	1	25	300
TCO 11	163	Teflon carbotec spray overall grey XXL 58-60	1	25	300
TCO 12	163	Teflon carbotec spray overall grey XXXL 62-64	1	25	300
TCS 200	125	Tear-off cover set	1	1	42
TMF 80	117	Rim masking film in dispenserbox	80	1	48
TPJ 07	161	2.Protect jacket S	1	25	800
TPJ 08	161	2.Protect jacket M	1	25	800
TPJ 09	161	2.Protect jacket L	1	25	800
TPJ 10	161	2.Protect jacket XL	1	25	800
TPJ 11	161	2.Protect jacket XXL	1	25	800
TPP 07	161	2.Protect pants S	1	25	800
TPP 08	161	2.Protect pants M	1	25	800
TPP 09	161	2.Protect pants L	1	25	800
TPP 10	161	2.Protect pants XL	1	25	800
TPP 11	161	2.Protect pants XXL	1	25	800
TRT 27	175	Trim removal tool set	1	5	120
TSD 50	130	Magnetic aerosol holder	1	1	500
TSO 08	165	Spray overall white M 46-48	1	25	1000
TSO 09	165	Spray overall white L 50-52	1	25	1000
TSO 10	165	Spray overall white XL 54-56	1	25	1000
TSO 11	165	Spray overall white XXL 58-60	1	25	1000
TSP 030	133	Adhesion primer 400 ml	1	12	672
TSP 100	137	Prefill solvent-based 400 ml	1	12	672
TSP 1000	135	High gloss 400 ml white	1	12	672
TSP 1010	135	High gloss 400 ml black	1	12	672
TSP 10XX	129	Nozzle set for aerosols TSP 10XX	10	1	-
TSP 110	131	Primer 400 ml light grey	1	12	672
TSP 1100	86	Contact glue	1	12	672
TSP 11XX	129	Nozzle set for aerosols TSP 11XX	10	1	-
TSP 120	131	Primer 400 ml grey	1	12	672
TSP 1200	133	UV Primer cleaner 400 ml	1	12	672
TSP 130	131	Primer 400 ml dark grey	1	12	672
TSP 140	131	Primer 400 ml white	1	12	672
TSP 150	133	UV Primer 400 ml	1	12	672

CODE	Page	Description	S.U.	Box	PAL
TSP 159	137	Filling caps for TSP 100	1	1	96
TSP 180	136	1K clear coat 400 ml	1	12	672
TSP 190	130	Etch primer 400ml grey	1	12	672
TSP 1XX	129	Nozzle set for aerosols TSP 1XX and TSP 3XX	10	1	-
TSP 210	132	Spray anti-gravel 400 ml grey	1	12	672
TSP 230	132	Spray anti-gravel 400 ml black	1	12	672
TSP 2XX	129	Nozzle set for aerosols TSP 2XX	10	1	-
TSP 310	132	Sanding guide 400 ml black	1	12	672
TSP 320	132	Sanding guide 400 ml fluo green	1	12	672
TSP 410	131	Zinc spray 400 ml	1	12	672
TSP 4XX	129	Nozzle set for aerosols TSP 4XX	10	1	-
TSP 520	135	Wheel spray - light & ultrafine 400 ml silver	1	12	672
TSP 525	135	Wheel spray - medium light & fine 400 ml silver	1	12	672
TSP 530	130	Weld-thru primer copper 400 ml	1	12	672
TSP 550	136	Structure spray 400 ml	1	12	672
TSP 5XX	129	Nozzle set for aerosols TSP 5XX	10	1	-
TSP 600	35	Foam-it 500 ml	1	12	672
TSP 710	134	2k clear coat 250 ml	1	6	696
TSP 720	131	2K spray putty 250 ml	1	6	696
TSP 810	130	Weld-thru primer phosphate zinc 400 ml	1	12	672
TSP 900	137	Prefill water-based 400 ml	1	12	672
TSP 910	135	Matte black 400 ml black	1	12	672
TSP 920	134	Fade out thinner 400 ml	1	12	672
TSP 930	136	Control spray 400 ml	1	12	672
TSP 959	137	Filling caps for TSP 900	1	1	96
TSP 9XX	129	Nozzle set for aerosols TSP 9XX	10	1	-
TUB 60	29	Touch-up bottles 50 ml	60	10	160
TUB 61	29	Touch-up bottles 20 ml	100	8	96
TWL 00	46	Large microfiber cloth 60cm x 90cm	1	35	-
U-V-W					
WAP 10	174	Sound deadening pads 50 cm x 50 cm	10	1	100
WAP 15	174	Trunk isolation pads 50 cm x 50 cm x 1,75 mm	10	1	100
WJE 05	41	Windjet	1	1	-
WSC 07	164	Polyester spray overall white S 42-44	1	50	800
WSC 08	164	Polyester spray overall white M 46-48	1	50	800
WSC 09	164	Polyester spray overall white L 50-52	1	50	800
WSC 10	164	Polyester spray overall white XL 54-56	1	50	800
WSC 11	164	Polyester spray overall white XXL 58-60	1	50	800
WSC 12	164	Polyester spray overall white XXXL 60-62	1	50	800
WWB 00	47	Soft silicone blade	1	50	250

WWW.FINIXA.COM

EN NL FR DE ES

- The **Finixa website** is available in **5 languages**; English, French, Dutch, German and Spanish.
- **Mobile-friendly**; easy to read on your smart phone or tablet
- Different types of **product information downloadable**: safety data sheets, spare parts lists, manuals, technical data sheets, etc.
- Watch our latest **product videos**!
- Read the **Finixa blog**: all the latest on new products, tips & tricks, events, etc. (EN)
- Possibility to download the **catalogue in 20 languages**.
- Request for information on our **training program** in our state-of-the-art training facility.




**FIND US ON
SOCIAL MEDIA!**



Want us to keep you updated on new products and unique promotions? Be sure to subscribe to our newsletter via the website!

WWW.FINIXA.COM



5 491196 012239



FSC

www.fsc.org

RECYCLED

Paper made from
recycled material

FSC® C019576

Chemical Europe N.V.
Baarbeek 2
B-2070 Zwijndrecht
Belgium

T: +32 3 234 87 80
F: +32 3 234 87 89
info@finixa.com
www.finixa.com